

## 1.7- REFERENCIAS BIBLIOGRAFICAS

- Axe, K.; Person, P. (2001), Time-dependent surface speciation of oxalate at the water-boehmite ( $\gamma$ -AlOOH) interface: Implications for dissolution, *Geochim. Cosmochim. Acta* **65**, 4481-4492.
- Barnhisel, R. I.; Rich, C. I. (1965), Gibbsite, bayerite, and nordstrandite formation as affected by anions, pH and mineral surfaces, *Soil Sci. Soc. Am. Proc.* **29**, 531-534.
- Bates, T. F. (1962), Halloysite and gibbsite formation in Hawaii, *Clays Clay Miner.* **9**, 315-328.
- Bokhimi, X.; Toledo-Antonio, J. A.; Guzmán-Castillo, M. L.; Hernández-Beltrán, F. (2001), Relationship between Crystallite Size and Bond Lengths in Boehmite, *J. Solid State Chem.* **159**, 32-40.
- Brunauer, S.; Emmett, P. H.; Teller, E. (1938), Adsorption of gases in multimolecular layers, *J. Am. Chem. Soc.* **60**, 309-319.
- Burtin, P.; Brunelle, J. P.; Pijolat, M.; Soustelle, M. (1987), Influence of surface area and additives on the thermal stability of transition alumina catalyst supports. I: Kinetic data, *Appl. Catal.* **34**, 225-238.
- de Boer, J. H.; Fortuin, J. M. H.; Steggerda, J. J. (1954a), The dehydration of alumina hydrates, *Proc. K. Ned. Akad. Wet.* **B 57**, 170-180 (in English).
- de Boer, J. H.; Fortuin, J. M. H.; Steggerda, J. J. (1954b), The dehydration of alumina hydrates II, *Proc. K. Ned. Akad. Wet.* **B 57**, 435-443 (in English).
- de Boer, J. H.; Linsen, B. G.; Osinga, T, J. (1965.), Studies on pore systems in catalysts. VI. The universal t-curve, *J. Catal.* **4**, 643-648.
- deBoer, J. H.; Fortuin, J. M. H.; Lippens, B. C.; Meijjs, W. H. (1963), Study of the nature of surfaces with polar molecules. II. The adsorption of water on aluminas, *J. Catal.* **2**, I.
- Elderfield, H.; Hem, J. D. (1973), The development of crystalline structure in aluminium hydroxide polymorphs on ageing, *Mineral. Mag.* **39**, 89-96.
- Fitzgerald, J. J.; Piedra, G.; Dec, S. F.; Seger, M.; Maciel, G. E. (1997), Dehydration Studies of a High-Surface-Area Alumina (Pseudo-Boehmite) Using Solid-State  $^1\text{H}$  and  $^{27}\text{Al}$  NMR, *J. Am. Chem. Soc.* **119**, 7832-7842.

- Glemser, O. (1959), Studies of some hydroxides and hydrous oxides. Binding of water in some hydroxides and hydrous oxides, *Nature* **183**, 943-944.
- Goldberg, S.; Davis, J. A.; Hem J. D (1996), The surface chemistry of aluminium oxides and hydroxides in: The environmental chemistry of aluminium (Editado por Garrison Sposito) second edition Lewis Publishers. Chapter 7, p 271-331.
- Guzmán-Castillo, M. L.; Bokhimi, X.; Toledo-Antonio, J. A; Salmones-Blásquez, J.; Hernández-Beltrán, F. (2001), Effect of Boehmite Crystallite Size and Steaming on Alumina Properties, *J. Phys. Chem. B* **105**, 2099–2106.
- Hsu, P. H. (1977), Aluminum Hydroxides and Oxyhydroxides, In: "Minerals in Soil Environments", (2nd ed.) (Dixon, J.B., Weed, S.B. Eds.), Soil Sci. America, Madison, Wisconsin, 99-143.
- Hsu, P. H. (1966), Formation of gibbsite from aging hydroxy-aluminum solutions, *Soil Sci. Soc. Am. Proc.* **30**, 173-176.
- Hsu, P. H.; Bates, T. F. (1964a), Formation of X-ray amorphous and crystalline aluminum hydroxides, *Mineral. Mag.* **33**, 749-768.
- Ismagilov, Z. R.; Shkrabina, R. A.; Koryabkina, N. A. (1999), New technology for production of spherical alumina supports for fluidized bed combustion, *Catal. Today* **47**, 51-71.
- Kasprzyk-Hordern, B. (2004), Chemistry of alumina, reactions in aqueous solution and its application in water treatment, *Adv. Colloid Interface Sci.* **110**, 19-48.
- Keller, W. D. (1964), The origin of high alumina clay minerals. A review, *Clays Clay Miner.* **12**, 129-151.
- Klopogge, J. T.; Ruan, H. D.; Frost, R. L. (2002), Thermal decomposition of bauxite minerals: infrared emission spectroscopy of gibbsite, boehmite and diaspor, *J. Mat. Sci.* **37**, 1121–1129.
- Laiti, E.; Öhman, L-O- (1996), Acid/base properties and phenylphosphonic acid complexation at the boehmite/water interface, *J. Colloid Interface Sci.* **183**, 441-452.
- Li, G.; Smith Jr, R. L.; Inomata, H.; Arai, K (2002), Synthesis and thermal decomposition of nitrate-free boehmite nanocrystals by supercritical hydrothermal conditions, *Mat. Lett.* **53**, 175-179.

- Lippens, B. C.; Steggerda, J. J. (1970), Active alumina, in: B.G.Linsens (ed) Physical and chemical aspects of absorbents and catalysts, Academic Press, New York, p.171-211.
- Lippens, C. F. J.; de Boer, J. H. D. (1964), Study of phase transformations during calcination of aluminum hydroxides by selected area electron diffraction, *Acta Crystallogr.* **17**, 1312-1321.
- McBride, M. B.; Fraser, A. R.; McHardy, W. J. (1984), Cu<sup>2+</sup> Interaction with microcrystalline gibbsite. Evidence for oriented chemisorbed copper ions, *Clays Clay Miner.* **32**, 12-18.
- Megaw, H. D. (1934), The crystal structure of hydrargillite Al(OH)<sub>3</sub>, *Z. Krist.* **87**, 185-204 (en inglés).
- Montoro, V. (1942), Structura cristallina della bayerita. *Ric. Sci. Prog. Tec.* **13**, 565-571 (Cited from Lippens & Steggerda, 1970).
- Newsome, J. W.; Heiser, H. W.; Russell, A. S.; Stumpf, H. C. (1960), Alumina properties, Aluminum Co., of Am. Tech. Rep. N° 10, 2<sup>nd</sup> Ed.
- Nordin, J.; Person, P.; Laiti, E.; Sjöberg, S. (1997), Adsorption of o-Phthalate at the water-boehmite ( $\gamma$ -AlOOH) Interface: Evidence for two coordination modes, *Langmuir* **13**, 4085-4093.
- Papée, D.; Tertian, R.; Biais, R. (1958), Constitution of gels and crystalline hydrates of alumina, *Bull. Soc. Chim. Fr.* 1301-1310.
- Parfitt, R. L.; Fraser, A. R.; Russell, J. D.; Farmer, V. C. (1977), Adsorption on Hydrated oxides. II. Oxalate, benzoate and phosphate on gibbsite, *J. Soil Sc.* **28**, 40-47.
- Robie, R. A.; Hemingway, B. S.; Fisher, J. R. (1978), Thermodynamic properties of minerals and related substances at 298.15 K and 1 bar (10<sup>-5</sup> Pascals) pressure and at higher temperatures, U.S. Geol. Surv Bull., 1452.
- Ryskin, Y. I. (1974), The vibrations of protons in minerals: hydroxyl, water and ammonium. In: Farmer, V.C., Editor, The Infrared Spectra of Minerals, Miner. Soc. London, pp. 137-181.
- Sato, T. (1962), Thermal transformation of alumina trihydrate, bayerite, *J. Appl. Chem.* **12**, 553-556.
- Sato, T. (1964), Thermal transformation of alumina trihydrate, hydrargillite, *J. Appl. Chem. London* **14**, 303-308.

- Schoen, R.; Roberson, E. C. (1970), Structures of aluminium salt solutions, *J. Chem. Soc.* (London) 4445-4448.
- Sherman, G. D.; Cady, J. G.; Ikawa, H.; Blumsberg, N. E. (1967) Genesis of the Bauxitic Hailu Soils. Hawaii Agric. Exp. Stn. Tech. Bull. N° 56.
- Smith, R. W.; Hem, J. D. (1972), Effect of aging on aluminium hydroxide complexes in dilute aqueous solutions, U. S. Geol. Surv. Water Supply Paper 1827-D.
- Soled, S. (1983),  $\gamma$ -Al<sub>2</sub>O<sub>3</sub> viewed as a defect oxyhydroxide, *J. Catal.* **81**, 252-257.
- Stegmann, M. G.; Vivien, D.; Mazieres, C. (1973), Etude des modes de vibration infrarouge dans les oxyhydroxydes d'aluminium boehmite et diaspore, *Spectrochim. Acta A* **29**, 1653-1663.
- Tsukada, T.; Segawa, H.; Yasumori, A.; Okada, K. (1999), Crystallinity of boehmite and its effect on the phase transition temperature of alumina, *J. Mater. Chem.* **9**, 549-553.
- van Nordstrand, R. A.; Hettinger, W. P.; Keith, C. D. (1956), A new alumina trihydrate, *Nature* **177**, 713-714.
- van Oosterhout, G. W. (1960), Morphology of synthetic submicroscopic crystals of  $\alpha$ - and  $\gamma$ -FeOOH and of  $\gamma$ -Fe<sub>2</sub>O<sub>3</sub> prepared from FeOOH, *Acta Crystallogr.* **13**, 932-935.
- Wefers, K.; Bell, G. M. (1972), Oxides and hydroxides of aluminium, tech. Paper N° 19, Alcoa Research Laboratories, Alcoa Center, PA, 5, 1.
- Wefers, K.; Misra, C. (1987), Oxides and hydroxides of aluminium, Alcoa Tech. Paper N° 19, Alcoa Research Laboratories, Pittsburgh, PA.
- Wilson, J. S. (1979), Phase Transformations and Development of Microstructure in Boehmite-Derived Transition Aluminas, *Proc. Br. Ceram. Soc.* **28**, 281-294.