

---

## 6. BIBLIOGRAFIA

Al-Awadhi, H.; Rasha, H.D.; Sulaiman H.; Mahmoud, M.; Radwan, S. S. **2007**. Alkaliphilic and halophilic hydrocarbon-utilizing bacteria from Kuwait coasts of the Arabian Gulf. *Appl. Microbiol. Biotechnol.* **77**: 183 – 186.

Alexander, M. **1999**. Bioremediation Technologies: Ex situ and Bioreactors. En: *Biodegradation and Bioremediation*, Ed: M. Alexander: 355-373. Academic Press, San Diego, California.

Alexander, S. K., Sckropp, S. and Schwarz, J. R., 1982. Spatial and seasonal distribution of hydrocarbons-utilizing bacteria of sediments from Northwestern Gulf of México. *Contribution in Marine Science* **23**: 13-19.

Alexander, M., **1999**. Acclimation. En: *Biodegradation and Bioremediation*, Ed: M. Alexander. Academic Press, San Diego, CA, USA. p.17 – 39.

Anderson C. G., De Pablo N., Romo C. R., **1978**. En “*Proceedings of the First International Conference on Chitin/Chitosan*”. R. A. A. Muzzarelli y E.R. Pariser (eds). MIT Sea Grant Program, Cambridge, MA.

Atlas, R. M., **1981**. Microbial degradation of petroleum hydrocarbons: An environmental perspective. *Microbiol. Rev.* **45**: 180-209.

Atlas, R.M. y Cerniglia, C.E., **1995**. Bioremediation of petroleum pollutants diversity and environmental aspects of hydrocarbon biodegradadion. *BioScienc* **45**: 332 – 338.

Atlas, R.M. y Bartha, R., **1992**. Hydrocarbon biodegradation and oil spill bioremediation. En: Marshall, K.C. (Ed.) *Advances in Microbial Ecology*. Plenum Press, New York.

Atlas, R.M. y Bartha, R., **2002**. Ecología microbiana y Microbiología Ambiental. Pearson Educación S.A., Madrid: 522 – 559.

Ballatti, A., Ronchi, A. L., **1996**. Production of inoculants. En: Ballatti, A., Freire, J. (Eds.), *Legume Inoculants. Selection and Characterization of Strain. Production, Use and Management*. La Plata, Buenos Aires, p. 39 – 54.

Barengo, N.G., Cubitto, M.A., Siñeriz, F., Chiarello, N.M., **2002**. *Rhodococcus corynebacterioides* strain QBTo isolated from soils polluted with crude oil refinery sludge. NCBI Genbank.

Bartha, R., **1986**. Biotechnology of petroleum pollutant biodegradation. *Microb. Ecol.* **12**: 155 - 172.

Becker, J.R., **1997**. Crude oilwaxes, emulsions, and asphaltenes. PennWell, Tulsa, Ok.

Bellon-Fontaine, M.N., Rault, J., van Oss, C.J., **1996**. *Colloids Surf. Biointerfaces*, **7**: 47.

Benjahia, F., Abdulkarim, M., Zekri, A., Chaalal, O. y Hasaniam H., **2005**. Bioremediation of crude oil contaminated soils: A black Art or an engineering challenge? *Process Safety and Environmental Protection*. Vol **83**, Issue 4: 364 – 370.

Bento, F. M., Camargo, F. A. O., Okeke, B. C., Frankenberger, W. T., **2005**. Comparative bioremediation of soils contaminated with diesel oil by natural attenuation, biostimulation and bioaugmentation. *Bioresource Technology*, **96**: 1049 – 1055.

Bluestone, M., **1986**. Microbes to the rescue. *Chemical Week* **139**: 3 – 35.

Blumberg R., Southall C. L., Van Rensbrug N. J. y Volkman O. B., **1951**. SouthAfrican fish products, 32 rock lobster chitin production from processing wastes. *J. Sci. Food Agric.* **2**: 571 - 576.

Bogardt, A.H. y Hemmingsen, B.B., **1992**. Enumeration of phenanthrene-degrading bacteria by an overlayer technique and its use in evaluation of petroleum-contaminated sites. *Appl. Envir. Microbiol.* **58**: 2579 – 2582.

Braconnot, H. **1811**. Sur la nature des champignons. *Ann. Chi. Phys.* **79**: 265 -304.

Bray, R.H. y Kurtz, L.T., **1945**. Determination of total, organic and available forms of phosphorous in soils. *Soil Sci.* **59**: 39-45.

Bremner, J.M., **1996**. Nitrogen total. In *Methods of Soil Analysis. Part 3. Chemical Methods.* (Ed. D.L. Sparks), SSSA-ASA, Madison, WI, USA. 1085 - 1123.

Brine C. J. y Austin P. R., **1981**. Chitin isolates: species variation in residual amino acids. *Comp. Biochem. Physiol.* **69B**: 283 - 294.

Britton, L. N., **1984**. Microbial degradation of aliphatic hydrocarbons. En D.T. Gibson (ed.) *Microbial Degradation of Organic Compounds.* Marcel Dekker, Nueva York: 89 – 129

Brodskord, T. S. y Legge, R. L., **1992**. Enhanced biodegradation of phenantrene in oil tar contaminated soils with *phanerochaete cryosporium*. *Appl. Envir. Microbiol.* **58**: 3117 – 3121.

Brugnoni, L., Lozano, J., Cubitto, M.A., **2007**. Potential of yeast isolated from apple juice to adhere to stainless steel surfaces in the apple juice processing industry. *Food Res. Int.* **40** : 332–340.

Brzeski, M.M., **1982**. En “*Proceeding of the Second International Conference on Chitin and Chitosan*”. Ed. S. Hirano y S. Tokura, Japan.15.

Cerniglia, C. E., **1984**. Microbial degradation of polycyclic aromatic hydrocarbons. *Adv. Appl. Microbiol.* **30**: 31 - 71.

Cerniglia, C., **1984**. Microbial transformation of aromatic hydrocarbons. En R.M: Atlas (ed.) *Petroleum Microbiology*. Macmillan, Nueva York,: 99 – 128.

Cerniglia, C.E., **1992**. Biodegradation of polycyclic aromatic hydrocarbons. *Biodegradation* **3**: 351 – 368.

Cerniglia, C.E. **1997**. Fungal metabolism of polycyclic aromatic hydrocarbons: past, present and future applications in bioremediation. *J. Ind. Microbiol. Biotechnol.* **19**: 324 – 333.

Children J. G., **1824**. *Zool. J.* **1**: 101.

Coates, J.D., Anderson, R.T. y Lovley, D.R., **1996a**. Oxidation of polycyclic aromatic hydrocarbons under sulfate-reducing conditions. *Appl. Environ. Microbiol.*, **62**: 1099 – 1101.

Crawford, R. L., Mohn, W. W., **1985**. Microbial removal of pentachlorophenol from soil using a *Flavobacterium* sp. *Enz. Microbiol. Tech.* **7**: 617 – 620.

Cubitto, M. A., **2001**. Seawater Bioremediation: Assay of a carrier material for hydrocarbons-degrading bacteria. Cubitto, M. A. and Cabezalí, C. B. *Memorias completas del Fourth Latin American Biodeterioration and Biodegradation Symposium (4Labs)*, Buenos Aires.

Cunningham, C. J., Ivshina, I. B., Losinsky, V.I., Kusukina, M.S., Philp, J. C., **2004**. Bioremediation of diesel-contaminated soil by microorganisms immobilised in polyvinyl alcohol. *Int. Biodet. Biodeg* **54** : 167 – 174.

Del Arco, J. P., de França, F. P., **2001**. Influence of oil contamination levels on hydrocarbon biodegradation in sandy sediment. *Environ. Poll.* **112**: 515 – 519.

Devanny, H. B., Chang, D. P. Y., **2005**. Foreword. *Chem. Eng. J.*, **13**: 83 – 84.

Fernández-Álvarez, P.; Vila, J.; Garrido-Fernández, M. ; Grifoll, L. y Lema, J.M.; **2006**. Trials of bioremediation on a beach affected by the heavy oil spill of the Prestige. *J. Hazard. Mater.*, Volume **137**, Issue 3: 1523-1531

Foster A. B. y Webber J. M. **1961**. Chitin. *Adv Carbohydr. Chem.* **15**: 371-393.

Gibson, D. y Subramanian, V. **1984**. Microbial degradation of aromatic hydrocarbons. En D.T. Gibson (ed.) *Microbial Degradation of Organic Compounds*. Plenum Press, Nueva York, :181– 252.

Girard H.; Rouvieux, R. **1964** .*Técnicas de Microbiología Agrícola*. Editorial Acribia, Madrid, España.

Gleba D., Borisjuk N.V., Borisjuk L.G., Kineer R., Poulev A., Skarzhinskaya M., Dushenkov S., Logendra S., Gleba Y. y Raskin I. **1999**. Use of plant roots for

phytoremediation and molecular farming. *Proc. Natl. Acad. Sci USA* **96**: 5973-5977.

Grbic-Galic, D., y Vogel, T.M., **1987**. Transformation of toluene and benzene by mixed methanogenic cultures. *Appl. Environ. Microbiol.* **53**: 254 – 260.

Hackman R. H., **1955**. Chitin.3. Adsorption of protein to chitin. *Aust. J. Biol. Sci.* **8**: 530 - 536.

Hackman R. H., **1960**. *Aust. J. Biol. Sci.* **13**: 598.

Heitkamp, M. y Cerniglia C., **1988**. Mineralization of polycyclic aromatic hydrocarbons by a bacterium isolated from sediment below an oil field. *Appl. Environ. Microbiol.* **54**: 1612 – 1614.

Heller K., Claus L. y Huber J., **1959**. Identity of plant and animal chitin. *Zeit. Naturforsch.* **14**: 476 - 477.

Heyn A., **1936**. X-ray investigations on the molecular structure of chitin in cell walls. *Proc. Acad. Sci. Amsterdam.* **39**, 132 - 135.

Hinchee, R. E. y Olfenbittel, R. P. (eds.), **1991a**. In Situ Bioreclamation : Applications and Investigations for hydrocarbon and Contaminated Site Remediation. Butterworth-Reinemann, Boston.

Hinchee, R. E. y Olfenbittel, R. P. (eds.), **1991b**. On-Site Bioreclamation : Processes for Xenobiotic and Hydrocarbon Treatment. Butterworth-Reinemann, Boston.

Hoppe-Seiler F., **1894**. Ueber Chitin und Zellulose. *Ber. Deut. Chem. Gesell.* **27**: 3329 - 3331.

Horowitz S.T., Roseman S. y Blumenthal H.J., **1957**. Preparation of

- glucosamine oligosaccharides<sup>1</sup>. Separation. *J. Amer. Chem. Soc.* **79**: 5046 - 5049.
- Horton D. y Lineback D. R., **1965**. En: "Methods in Carbohydrate Chemistry". Ed. Academic Press, New York. p. 403.
- Jansson J. K., Björkolöf, K., Elvang, A. M., Jorgensen, S., **2000**. Biomarkers for monitoring efficacy of bioremediation by microbial inoculants. *Environ. Pollut.* **107** : 217 – 223.
- Jimenez, I. Y. y R. Bartha, **1996**. Solvent-augmented mineralization of pyrene by a *Micobacterium* sp. *Appl. Environ. Microbiol.* **62**: 2311 – 2316.
- Jingshun Zhang, Zhongtao Sun, Yingying Li, Xiang Peng, Wen Li, Yanchun Yan, **2009**. Biodegradation of p-nitrophenol by *Rhodococcus* sp. CN6 with high cell surface hydrophobicity. *J. Haz. Mater.* **63**: 723 - 728.
- Johnson L. E. y Peniston Q. P., **1982**. En "Chemistry & Biochemistry of Marine Food Products", Ed. R. E. Martin, G. J. Flick, C. E. Hebard y D. R. Ward, AVI Publishing Co., Westport. p. 415.
- Juhasz, A.L. and Naidu, A.R., **2000**. Bioremediation of high-molecular-weight polycyclic aromatic hydrocarbons: a review of the microbial degradation of benzo- $\alpha$ -pirene. *Int. Biodet. Biodeg.* **45**: 57 – 88.
- Kamasastri P. V. y Prabhu P. V., **1961**. Preparation of chitin and glucosamine from prawn shell wast. *J. Sci. Ind. Res.* **20D**: 466.
- Kanaly, R.A., Harayama, S., Watanabe, K., **2002**. *Rhodanobacter* sp. Strain BPC1 in a benzo[a]pyreneMineralizing Bacterial Consortium. *Appl. Environ. Microbiol.*, **68**: 5826 – 5833.

Knaebel, D. B., Stormo, K. E., Crawford, R. L., **1997**. Immobilization of bacteria in macro and microparticles. En: *Bioremediation Protocols*. Ed: D. Sheehan. Humana Press, New Jersey.

Kuchma, S. L., O'Toole, G. A., **2000**. Surface-induced and biofilm-induced changes in gene expression. *Curr. Opin. Biotechnol.*, **11**: 429 – 433.

Labud, V., García, C., Hernández, T., **2007**. Effect of hydrocarbon pollution on the microbial properties of a sandy and a clay soil. *Chemosphere* 66: 1863 – 1871.

Leavitt, M. E., Brown, K. L., **1994**. Biostimulation versus bioaugmentation. Three case studies. En: Hinche, R., Alleman, M.E.m Hoepfel, R.E., Miller, R.N. (Eds.), *Hydrocarbon Bioremediation*. CRC Press, Boca Raton, Fl., pp 72 – 79.

Leenen, E. T. M., Dos santos, V.A.P., Grolle, K. C., Tramper, J., Wijffels, R.H., **1996**. Characteristics of and selection criteria for support materials for cell immobilization in wastewater treatment. *Water Research* **30**: 2985 – 2996.

LeGrega, M. D., Buckingham, P.L. y Evans, J.C., **1994**. *Hazardous Waste Management*. Mc Graw-Hill, Nueva York.

Lehay, J.G., Colwell, R. R., **1990**. Microbial degradation of hydrocarbons in the environment. *Microbiol. Rev.* **54**: 305 – 315.

Lozano, V., **1990**. Preparación de muestras biológicas para microscopía de barrido. En: Lozano, V., Morales, A. (Eds.), *Introducción a la Microscopía Electrónica*. CRIBABB-CONICET, Bahía Blanca, Argentina. p. 133 – 156.



MacLeod, C.T., Daugulis, A.J., **2005**. Interfacial effects in a two-phase partitioning bioreactor: degradation of polycyclic aromatic hydrocarbon (PAHs) by a hydrophobic Mycobacterium. *Process Biochem* **40**, 1799–1805.

Macnaughton, S.J., Stephen, J.R., Vesosa, A.D., Davis, G.A., Chang, Y-J and White, D.C., **1999**. Microbial population changes during bioremediation of an experimental oil spill. *Appl. Environ. Microbiol.* **65**: 3566 - 3574.

Mancera-López, M. E., Esparza-García, F., Chávez-Gómez, B., Rodríguez-Vázquez, R., Saucedo-Castañeda, G., Barrera-Cortés, J., **2008**. Bioremediation of an aged hydrocarbon-contaminated soil by a combined system of biostimulation-bioaugmentation with filamentous fungi. *Int. Biodet. Biodeg.*, **61**: 151 – 160.

Marín, J.A.; Hernández, T.; García, C., **2005**. Bioremediation of oil refinery sludge by landfarming in semiarid conditions: influence on soil microbial activity. *Environm. Research* . Vol **98**, Issue 2 : 185 – 195.

Martín Moreno, C., González Becerra, A. y Blanco Santos, M.J., **2004**. Tratamientos biológicos de suelos contaminados: contaminación por hidrocarburos. Aplicaciones de hongos en tratamientos de biorrecuperación. *Rev. Iberoam. Micol.*; **21**: 103 – 120.

Mc Crady, M. H., **1918**. Table for rapid interpretation of fermentation tube results. *Can. Publ. Hlth.* **9**: 201.

Mills, A. L.; Breuil, C. and Colwell, R. R.; **1978**. Enumeration of petroleum degrading marine and estuarine microorganisms by the Most Probable Number method. *Can. J. Microbiol.* **24**: 552-557.

Mishra, S, Jyot, J. Kuhad, R y Lal, B. **2001**. Evaluation of inoculum addition to stimulate in situ biorremediation of oily-sludge-contaminated soil. *Appl. Environ. Microbiol.* 1675 – 1681

Mueller, J. G., Chapman, P. J. y Pritchard, P.H., **1989**. Creosote-contaminated sites: Their potential for bioremediation. *Environ. Sci. Tech.* **23**: 1197 – 1201.

Mueller, J. G., Middaugh, D. P: y Lantz, S. E., **1991**. Biodegradation of creosote and pentachlorophenol in contaminated groundwater: Chemical and biological assessment. *Appl. Environ. Microbiol.* **57**: 1277 – 1285.

Mutnuri, S., Vasudevan, N., Kaestner, M., **2005**. Degradation of anthracene and pyrene supplied by microcrystals and non-aqueous-phase liquids. *Environ. Biotech.* **67**: 569 – 576.

Natali Sora, I., Pelosato, R., Zampori, L., Botta, D., Dotelli, G. y Vitelli, M., **2005**. Matrix optimization for hazardous organic waste sorption. *Appl. Clay Sci.*, **28**: 43 – 54.

No H. K., Meyers S. O. y Lee K. S., **1995**. Preparation and characterization of chitin and Chitosan. *Aquatic Food Prod. Technol.* **4**: 27-52.

Norris, R.D., Hinchee, R. Brown, R., Mc Carty, P.L, Semprini, L., Wilson, J.T., Kampbell, D.H., Reinhard, M., Bouwer, E.J. y Omenn, G.S. (ed)., **1988**. *Environmental Biotechnology: Reducing Risks from Environmental Chemicals Through Biotechnology*. Plenum Press, Nueva York.

Obuekwe, C.O., Al-Jadi Z. K. and Al-Saleh, E.S., **2009**. Hydrocarbon degradation in relation to cell-surface hydrophobicity among bacterial hydrocarbon degraders from petroleum – contaminated Kuwait desert environment. *Int. Biodet. Biodeg* Vol. **63**, 3: 273 – 279.

- Odier A. **1823**. Mémoire sur la composition chimique des parties cornées des insectes. *Mém. Soc. Histoire Nat.* **1**:29-42.
- Oh, Young-Sook; Sim, Doo-Seup; Kim, Sang-Jin; **2001**. Effects of nutrients on crude oil biodegradation in the upper Intertidal zone. *Mar. Pollut. Bull.*, **42**: 1367 – 1372.
- Okafor N., **1965**. Isolation of chitin from the shell of the cuttlefish *Sepia officinalis*. *Biochim. Biophys. Acta.* **101**: 193-200.
- Oudot, J., **1984**. Rates of microbial degradation of petroleum components as determined by computerized capillary gas chromatography and computerized mass spectrometry. *Mar. Environ. Res.* **13**: 277-302
- Paudyn, Krysta; Rutter, Allison; Keny Rowe, R; Aland, John S., **2008**. Remediation of hydrocarbon contaminated soils in the Canadian Arctic by landfarming. *Cold Regions Sci.Tech.* Vol **53**, Issue 1. 102 – 114.
- Pochon, J., Tardieu, L., **1962**. Techniques d'analysis en microbiologie du sol. De la Tourelle, Paris.
- Prince, R.C., **1997**. Bioremediation of marine oil spills. *Trends Biotechnol.* **15**: 158 – 160.
- Prince R. C., **2005**. *Petroleum microbiology*. En: Olivier B. Margot, M (eds) American Society of Microbiology Press, Washington DC, 317 - 336.
- Quek, E.; Ting Y.P. and Tan, H.M., **2006**. *Rhodococcus* sp. F92 immobilized on polyurethane foam shows ability to degrade various petroleum products. *Biores. Technol.*, Volume **97**, 1: 32 – 38.

Rahman K. S .M., Banat, I. M., Thahira, J., Thayumanavan, Tha., Lakshmanaperumalsarry, P., **2002**. Bioremediation of gasoline contaminated soil by a bacterial consortium amended with poultry litter, cori pith and rhamnolipid biosurfactant. *Biores. Technol.* **81**: 25 – 32.

Rice, S.D.; Short, J.W.; Carls, M.G.; Moles, A.; Spies, R., **2007**. The *Exxon Valdez* oil spill. Long-term Ecological Change in the Northern Gulf of Alaska, p 419 – 520.

Richards A. G., **1951**. En “*The Integument of Arthropods*”. University of Minnesota. Ed. Press Minneapolis. p 110-111

Rinaudo, M., **2006**. Chitin and chitosan: Properties and applications. *Prog. Polym. Sci.* **31**: 603 – 632.

Robertson, B., Arhelger, S., Kinney, P. J., Button, D. K., **1973**. Hydrocarbons biodegradation on Alaska waters. En: Ahearn, D. G., Meyers, S. P. (Eds.), *The Microbial Biodegradation of Oil Pollutants*. Publication LSU-SG 73-01. Louisiana State University, Baton Rouge, 171 – 184.

Rölleke, S., Muyzer, G., Wawer, C., Wanner, G., Lubitz, W., **1996**. Identification of bacteria in a biodegraded wall painting by denaturing gradient gel electrophoresis of PCR-amplified gene fragments coding for 16s rRNA. *Appl. Environ. Microbiol.* **62**: 2059 – 2065.

Ronchi, A. L., Ballatti, A., **1996**. Production of inoculants. En: Ballatti, A., Freire, J. (Eds.), *Legume Inoculants. Selection and Characterization of Strain. Production, Use and Management*. La Plata, Buenos Aires, p. 39 – 54.

- Rouget C., **1859**. Des substances amylacées dans le tissu des animaux spécialement les Articulés (Chitine). *Compt. Rend.* **48**: 792 - 795.
- Rosemberg, E., **1993**. Exploiting microbial growth on hydrocarbons. New markets. *Trends Biotechnol.* **11**: 419 – 424.
- Rudall K. M. ,**1965**. Skeletal structure in insects. *Biochem. Soc. Symp.* **25**: 83 - 92
- Rudall K. M. y Kemchington W., **1973**. The chitin system. *Biol. Rev.* **49**: 597-636.
- Ruiz-Herrera, J., **1978**. “*Proceedings of 1<sup>st</sup> International Conference on Chitin / Chitosan*. Ed. MIT Sea Grant Program Report MITSG. 78: 7 -11.
- Sanjeet, M.; Jyot, J.; Kuhad, R. C. Y Lal, B. **2001**. Evaluation of inoculum addition to stimulate in situ bioremediation of oily-sludge-contaminated soil. *Appl. Environ. Microbiol.* **67**: 1675 - 1681.
- Santas, R., Korda, A., Tenente, A., Buchholz, K., Santas, Ph., **1999**. Mesocosm assays of oil spill bioremediation with oleophilic fertilizers: Inipol, F1 or both?. *Mar. Pollut. Bull.* **38**: 44 – 48.
- Shineldecker, C.L., **1992**. Handbook of Environmental Contaminants: A guide for Site Aseessment. Lewis Publishers, Boca Raton, Fl.
- Singer, M.E. y Finnerty, W. R., **1984**. Microbial metabolism of straight-chain and branched alkanes. En R.M: Atlas (ed.) *Petroleum Microbiology*. MacMillan, Nueva York,: 1 – 59.

Sofer, S. M., **1997**. Immobilization and evaluation of bacterial cell in bioreactors. En: *Bioremediation Protocols*. Ed: D. Sheehan. Humana Press, new Jersey.

Song, H. G. y Bartha, R., **1990**. Effect of jet fuel spills on the microbial community of soil. *Appl. Environ. Microbiol.* **56**: 652 – 656.

Speight, J.G., **1991**. The chemistry and technology of petroleum. Marcel Dekker, New York, N.Y.

Sutherland, J.B., Rafi, F., Khan, A.A. y Cerniglia, C.E. **1995**. Mechanisms of polycyclic aromatic hydrocarbon degradation. En L.Y. Young y C.E. Cerniglia (eds.) *Microbial Transformation and Degradation of Toxic Organic Chemicals*. Wiley-Liss, Nueva York, 269 – 306.

Synowiecki J., Sikorski Z. E. y Naczki M., **1982**. *Biotechnol. Bioeng.* **23**: 231.

Synowiecki J., **1997**. Mycelia of *Mucor rouxii* as a source of chitin and Chitosan. *Food Chem.*, Vol 60, **4**: 605-610.

Tarret C., **1897**. *Bull. Soc. Chim.***17**: 921.

Tracey M. V., **1957**. Chitin. *Rev. Pure Appl. Chem.* **7**, 1-14.

Trevors, J.T., van Elsas, J.D., Lee, H., Overbeek, L.S., **1992**. Use of alginate beads and other carriers for encapsulation of microbial cells for use in soil. *Microbial Releases* **1**, 61-69.

Trower, M., Buckland, R., Higgins, R. y Griffin, M.; **1985**. Isolation and characterization of a cyclohexane metabolizing *Xanthobacter* sp. *Appl. Environ. Microbiol.* **49**: 1282 – 1289.

UNEP, **1992**. Determination of petroleum hydrocarbons in sediments.

---

*Reference Methods for Marine Pollution Studies*, N° 20.

Van Hamme, J. D.; Sing, A.; Ward, O.P., **2003**. Recent Advances in Petroleum Microbiology. *Microbiol. Mol. Biol. Rev.* **67**: 503 – 549.

van Iterson G., Meyer K. H. y Lotmar W., **1936**. The fine structure of vegetable chitin. *Rec. Trav. Chim.* **55**: 61-63, 130.

van Veen, J.A.; van Overbeek and van Elsas, J.D., **1997**. Fate and activity of microorganisms introduced into soil. *Microbiol. Mol. Biol. Rev.* Vol. **61**, No.2: 121 – 135.

Vogel, T. M., **1996**. Bioaugmentation as a soil bioremediation approach. *Curr. Opin. Biotechnol.* **7**: 311 – 316.

Wang, X., y Bartha, R., **1990**. *Soil Biol. Biochem.* **22**, 501 – 505.

Weissenfels, W.D.; Beyer, M. y Klein, J., **1990**. Degradation of phenanthrene, fluorene and fluoranthene by pure bacterial cultures. *Appl. Microbiol. Biotech.* **32**: 479 - 484

Whistler R. S. y BeMiller J. N., **1962**. Chitin. *J. Org. Chem.* **27**: 1161-1163.

Wojtask-Pajak A., Brzeski M. y Malesa-Cieciewicz M. **1994**. “Chitin world”, Ed. Wirtschaftsverlag NW. 435 p.

Yakimov, M.M.; Golyshin, S., Moore, E.R.B.; Abraham, W.R.; Lunsdorf, H. y Timmis, K.N., **1998**. *Alcanivorax borkumensis* gen. Nov. Sp. Nov., a new, hydrocarbon-degradin and surfactant-producing marine bacterium. *Int. J. Syst. Bacteriol.*, **48**: 339 – 348.

Yassin, A.F. y Schaal, K.P., **2005**. Reclassification of *Nocardia corynebacterioides* Serrano et al 1972 (approved Lists 1980) as *Rhodococcus corynebacterioides* comb. Nov. *Int. J. Syst. Evol. Microbiol.* **55**: 1345 – 1348.

Zeyer, J.; Eicher, P.; Dolfing, J. y Schwarzenbach, P., **1990**. Anaerobic degradation of aromatic hydrocarbons. *Biotech. Biodegradation*, Gulf Pub.Co., Houston, Tx.: 33-40.

Zitrides, T. G. **1990**. Bioremediation comes of age. *Pollut. Eng.***12**: 59 – 60.