

Bibliografía

- Allen, S.; Khader, K.; McKay, G. Equilibrium adsorption-isotherms for basic dyes onto lignite. *J. Chem. Tech. Biotechnol.*, **45**, 291-302, (1989).
- Arrieta-Baez, D.; Roman, R.; Vazquez-Duhalt, R.; Jiménez-Estrada, M. Peroxidase-mediated transformation of hydroxy-9,10-anthraquinones. *Phytochemistry*, **60**, 567–572, (2002).
- Bell, J.; Buckley, C. A. Treatment of textile dye in the anaerobic baffled reactor. *Water SA*, **29**, 129-134, (2003).
- Cooper, P. Removing colour from dyehouse waste waters - a critical review of technology available. *J. Soc. Dyers Col.*, **109**, 97-100, (1993).
- Danis, Ü.; Gürses, A.; Canpolat, N. Removal of some azo dyes from wastewater for using PAC as adsorbent. 1st International Workshop on Environmental Quality and Environmental Engineering in the Middle East Region, Konya, Turkey, (1998).
- Dasneshvar, N.; Aloboyeh, A.; Khataee, A. R. The evaluation of electrical energy per order for photooxidative decolorization of four textile dye solutions by the kinetic model. *Chemosphere*, **59**, 761-767, (2005).
- Easton, J. R. The dye maker's view. In: Colour in dyehouse effluent, Cooper, P. (Ed.), Society of Dyers and Colourists: Bradford, England, 9-21, (1995).
- Eichlerová, I.; Homolka, L.; Lisá, L.; Nerud, F. Orange G and Remazol Brilliant Blue R decolorization by white rot fungi *Dichomitus squalens*, *Ischnoderma resinsum* and *Pleurotus calyptratus*. *Chemosphere*, **60**, 398–404, (2005).
- Eichlerová, I.; Homolka, L.; Nerud, F. Synthetic dye decolorization capacity of white rot fungus *Dichomitus squalens*. *Biores. Technol.*, **97**, 2153–2159, (2006).
- El Geundi, M. Color removal from textile effluents by adsorption techniques. *Wat. Res.*, **25**, 271-275, (1991).
- Fytianos, K.; Vasilikiotis, G.; Agelidis, T.; Kofos, P.; Stefanidis, K. Color removal from dye containing effluents by treatment with manganese solid waste. *Chemosphere*, **14**, 411-416, (1985).
- Gianfreda, L.; Rao, M. A. Potential of extra cellular enzymes in remediation: a review. *Enzyme Microb. Technol.*, **35**, 339–354, (2004).

- Glazer, A. N.; Nikaido, H. *Microbial Biotechnology: Fundamentals of Applied Microbiology*. W. H. Freeman and Company, New York (1995).
- Godfrey, T.; Reichelt, J. "Introduction to industrial enzymology". *Industrial enzymology: The application of enzymes in industry*, 2nd Ed., Godfrey, T.; Reichelt, J. (Eds.), Nature, New York, (1996).
- Guaratini, C. C. I.; Zanoni, M. V. B. Textile dyes. *Quim. Nova*, **23**, 71-78, (2000).
- Herrera, F.; Lopez, A.; Mascolo, G.; Albers, P.; Kiwi, J. Catalytic decomposition of the reactive dye Uniblue A on hematite. Modelling of the reactive surface. *Water Res.*, **35**, 750-760, (2001).
- Hwang, M.; Chen, K. Removal of color from effluents using polyamide-epichlorohydrin-cellulose polymer II. Use in acid dye removal. *J. Appl. Polymer. Sci.*, **49**, 975-989, (1993).
- Jyun, T. K.; Chulhwan, P.; Eung, B. S.; Sangyong, K. Decolorization of disperse and reactive dye solutions using ferric chloride. *Desalination*, **161**, 49-58, (2004).
- Kadirvelu, K.; Brasquet, C.; Cloirec, P. Removal of Cu (II), Pb (II) and Ni (II) by adsorption onto activated carbon cloths. *Langmuir*, **16**, 8404-8409, (2000).
- Kadirvelu, K.; Kavipriya, M.; Karthika, C.; Radhika, M.; Vennilamani, N.; Pattabhi, S. Utilization of various agricultural wastes for activated carbon preparation and application for the aqueous solutions. *Bioresour. Technol.*, **87**, 129-132, (2003).
- Kapdan, I. K.; Ozturk, R. Effect of operating parameters on color and COD removal performance of SBR, sludge age and initial dyestuff concentration. *J. Hazard. Mater.*, **123**, 217-222, (2005).
- Kariminiaae-Hamedani, H. -R.; Sakurai, A.; Sakakibara, M. Decolorization of synthetic dyes by a new manganese peroxidase-producing white rot fungus. *Dyes Pigments*, **72**, 157-162, (2007).
- Kim, G. -Y.; Lee, K. -B.; Cho, S. -H.; Shim, J.; Moon, S. -H. Electroenzymatic degradation of azo dye using an immobilized peroxidase enzyme. *J. Haz. Mat.*, **B126**, 183-188, (2005).

- Kim, T. -H.; Park, C.; Yang, J.; Kim, S. Comparison of disperse and reactive dye removals by chemical coagulation and Fenton oxidation. *J. Hazard. Mater.*, **112**, 95-103, (2004).
- Lee, C. K.; Low, K. S.; Gan, P. Y. Removal of some organic dyes by acid treated spent bleaching earth. *Environ. Technol.*, **20**, 99-104, (1999).
- Lin, S. H. Adsorption of disperse dye by powdered activated carbon. *J. Chem. Technol. Biotechnol.*, **57**, 387-391, (1993).
- Maddhinni, V. L.; Vurimindi, H. B.; Yerramilli, A. Degradation of azo dye with horseradish peroxidase (HRP). *J. Indian Inst. Sci.*, **86**, 507-514, (2006).
- McKay, G.; Otterburn, M.; Aga, J. Fuller's earth and fired clay as adsorbents for dye stuffs equilibrium and rate studies. *Water, Air Soil Pollution*, **24**, 307-312, (1985).
- Mohorčič, M.; Teodorovič, S.; Golob, V.; Friedrich, J. Fungal and enzymatic decolourisation of artificial textile dye baths. *Chemosphere*, **63**, 1709-1717, (2006).
- Morais, L.; Freitas, O.; Gancelves, E.; Vaskancelos, L.; Gonzalez, C. Reactive dyes removal from wastewaters by adsorption on Eucalyptus Bark: variables that define the process. *Water Res.*, **33**, 979-988, (1999).
- Nawar, S.; Doma, H. Removal of dyes from effluents using low-cost agricultural by-products. *Sci. Total Environ.*, **79**, 271-279, (1989).
- O'Neill, C., Hawkes, F. R., Hawkes, D. L., Lourenço, N. D., Pinheiro, H. M.; Delée, W. Colour in textile effluents - sources, measurement, discharge consents and simulation: a review. *J. Chem. Technol. Biotechnol.*, **74**, 1009-1018, (1999).
- Poots, V.; McKay, G., Healy, J. The removal of acid dye from effluent using natural adsorbents. *Wat. Res.*, **10**, 1067-1074, (1976).
- Ramakrishna, K. R.; Viraraghavan, T. Dye removal using low cost adsorbents. *Water Sci. Technol.*, **36**, 189-196, (1997).
- Renmin, G.; Yi, D.; Mei, L.; Chao, Y.; Huijun, L.; Yingzhi, S. Utilization of powdered peanut hull as biosorbent for removal of anionic dyes from aqueous solution. *Dyes Pigments*, **64**, 187-192, (2005).

- Rota, C., Chignell, C. F.; Mason, R. P. Evidence for free radical formation during the oxidation of 2'-7'-dichlorofluorescein to the fluorescent dye 2'-7'-dichlorofluorescein by horseradish peroxidase: possible implications for oxidative stress measurements. *Free Radic. Biol. Med.*, **27**, 873–881, (1999).
- Soares, G. M. B.; Amorim, M. T. P.; Oliveira-Campos, A. M.; Hrdina, R.; Costa-Ferreira, M. Specificity of phenolic disazo dyes in relation to transformation by laccase. *Enzyme Microb. Technol.*, **30**, 607–612, (2002).
- Tsuda, S.; Murakami, M.; Matsusaka, N.; Kano, K.; Taniguchi, K.; Sasaki, Y. F. DNA damage induced by red food dyes orally administered to pregnant and male mice. *Toxicol. Sci.*, **61**, 92-99, (2001).
- Uhlir, H. Industrial enzymes and their applications, Wiley, New York, (1998).
- Venkata Mohan, S.; Krishna Prasad, K.; Chandrasekhara Rao, N.; Sarma, P. N. Acid azo dye degradation by free and immobilized horseradish peroxidase (HRP) catalyzed process. *Chemosphere*, **58**, 1097–1105, (2005).
- Walthall, W. K.; Stark, J. D. The acute and chronic toxicity of two xanthene dyes, fluorescein sodium salt and phloxine B, to *Daphnia pulex*. *Environ. Pollut.*, **104**, 207-215, (1999).
- Welham, A. The theory of dyeing (and the secret of life). *J. Soc. Dyers Colour.*, **116**, 140-143, (2000).
- Young, L.; Yu J. Ligninase-catalyzed decolorization. *Water Res.*, **31**, 1187-1193, (1997).
- Yu-Li Yeh, R.; Thomas, A. Color difference measurement and color removal from dye wastewaters using different adsorbents. *J. Chem. Tech. Biotechnol.*, **63**, 55-59, (1995).

Bibliografía

- Al-Degs, Y.; Krhaishe, M. A. M.; Allen, S. J.; Ahmad, M. N.; Walker, G. M. Competitive adsorption of reactive dyes from solution: equilibrium isotherm studies in single and multisolite systems. *Chem. Eng. J.*, **128**, 163-167, (2007).
- Alvarez, M.; Sileo, E. E.; Rueda, E. H. Structure and reactivity of synthetic Co-substituted goethites. *American Mineralogist*, **93**, 584–590, (2008).
- Aquino, A. J. A.; Tunega, D.; Haberhauer, G.; Gerzabek, M. H.; Lischka, H. Acid–base properties of a goethite surface model: A theoretical view. *Geochim. Cosmochim. Acta*, **72**, 3587–3602, (2008).
- Atkinson, R. J.; Posner, A. M.; Quirk, J. P. Crystal nucleation in Fe(III) solutions and hydroxide gels. *J. Inorg. Nucl. Chem.*, **30**, 2371-2381, (1968).
- Bailey, S. E.; Olin, T. J.; Bricka, R. M.; Adrian, D. D. A review of potentially low-cost sorbents for heavy metals. *Water Res.*, **33**, 2469-2479, (1999).
- Bandara, J.; Mielczarski, J. A.; Kiwi, J. 1. Molecular mechanism of surface recognition. Azo dyes degradation on Fe, Ti, and Al oxides through metal sulfonate complexes. *Langmuir*, **15**, 7670-7679, (1999).
- Barrón, V.; Torrent, J. Surface hydroxyl configuration of various crystal faces of hematite and goethite. *J. Colloid Interface Sci.*, **177**, 407-410, (1996).
- Beyer, H.; Mur, J. B.; Walter, W. Manual de Química Orgánica, Editorial Reverté, S. A., Barcelona, España, (1987).
- Campo, B. C.; Rosseler, O.; Alvarez, M.; Rueda, E. H.; Volpe, M. A. On the nature of goethite, Mn-goethite and Co-goethite as supports for gold nanoparticles. *Mat. Chem. Phys.*, **109**, 448–454, (2008).
- Cañamares, M. V.; García-Ramos, J. V.; Domingo, C.; Sánchez-Cortés, S. Surface-enhanced Raman scattering study of the adsorption of the anthraquinone pigment Alizarin on Ag nanoparticles. *J. Raman Spectrosc.*, **35**, 921-927, (2004).
- Chan, D.; Healy, T. W.; White, L. R. Electrical double-layer interactions under regulation by surface ionization equilibria-dissimilar amphoteric surfaces. *J. Chem. Soc. Faraday Trans. I*, **72**, 2844-2865, (1976).

- Chan, D.; Perram, J. W.; White, L. R.; Healy, T. W. Regulation of surface potential at amphoteric surfaces during particle-particle interaction. *J. Chem. Soc. Faraday Trans. I*, **71**, 1046-1057, (1975).
- Chapman, D. L. A contribution to the theory of electrocapillarity. *Philos. Mag.*, **25**, 475-481, (1913).
- Chudgar, R. J.; Oakes, J. Dyes Azo. Kirk-Othmer Encyclopedia of Chemical Technology, 5^o Ed., Vol. 9, John Wiley & Sons, Inc., 349-430, (2007).
- Cornell, R. M., Giovanoli, R. Effect of cobalt on the formation on crystalline iron oxides from ferrihydrite in alkaline media. *Clays Clay Miner.*, **37**, 65-70, (1989).
- Cornell, R. M.; Giovanoli, R. Effect of manganese on the transformation of ferrihydrite into goethite and jacobsite in alkaline media. *Clays Clay Miner.*, **35**, 11-20, (1987).
- Cornell, R. M.; Giovanoli, R. The influence of copper on the transformation of ferrihydrite ($5\text{Fe}_2\text{O}_3 \cdot 9\text{H}_2\text{O}$) into crystalline products in alkaline media. *Polyhedron*, **7**, 385-391, (1988).
- Cornell, R. M.; Schwertmann, U. The Iron Oxides. Structure, Properties, Reaction, Occurrence and Uses, VCH, Weinheim, Germany, (2003).
- Cram, D. J.; Hammond, G. S. Organic Chemistry. 2th Ed. Tokyo: Kogakusha Company Ltd, 220-223, (1967).
- Davis, J. A.; Kent, D. B. "Surface complexation modeling in aqueous geochemistry". Review in Mineralogy: Mineral Water Interface Geochemistry, Hochella Jr., M. F.; White, A. F. (Eds.), Mineralogical Society of America, Vol. 23, 177-260, (1990).
- Dzomback, D. A.; Morel, F. M. M. Surface Complexation Modeling: Hydrous Ferric Oxide, Wiley-InterScience, New York, (1990).
- Epstein, M.; Yariv, S. Visible-spectroscopy study of the adsorption of alizarinate by Al-montmorillonite in aqueous suspensions and in solid state. *J. Colloid Interface Sci.*, **263**, 377-385, (2003).
- Ghose, S. K.; Petitto, S. C.; Tanwar, K. S.; Lo, C. S.; Eng, P. J.; Chaka, A. M.; Trainor, T. P. Chapter 1 Surface structure and reactivity of iron oxide-water interfaces. *Developments in Earth and Environmental Sciences*, **7**, 1-29, (2007).

- Gouy, G. Sur la constitution de la charge electrique a la surface d'un electrolyte. *J. Phys.*, **9**, 457-468, (1910).
- Grahame, D. C. The electrical double layer and the theory of electrocapillarity. *Chem. Rev.*, **41**, 441-501, (1947).
- Hamed, M. M. A.; Ismail, N. M.; Ibrahim, S. A. Solvent characteristics in the spectral behaviour of eriochrome black T. *Dyes Pigments*, **26**, 297-305, (1994).
- Helmholtz, H. Studien über electrische Grenzschichten. *Ann. Phys. Chem.*, **243**, 337-382, (1879).
- Hill, R. J.; Craig, J. R.; Gibbs, G. V. Systematics of the spinel structure type. *Phys. Chem. Miner.*, **4**, 317-339, (1979).
- Hohl, H.; Stumm, W. Interaction of Pb^{2+} with hydrous $\gamma-Al_2O_3$. *J. Colloid Interface Sci.*, **55**, 281-288, (1976).
- Huang, C. P.; Stumm, W. Specific adsorption of cations on hydrous $\gamma-Al_2O_3$. *J. Colloid Interface Sci.*, **43**, 409-420, (1973).
- Hurlbut, C. S.; Klein, C., *Manual of Mineralogy*, John Wiley and Sons, New York, (1985).
- Krol, M.; Wrona, M.; Page, C. S.; Bates, P. A. Macroscopic pK_a calculations for fluorescein and its derivatives. *J. Chem. Theory Comput.*, **2**, 1520-1529, (2006).
- Kurokawa, H. Geometrical characterization of acicular goethite particles in systematically controlled processing. *Mat. Sci. Eng. A*, **202**, 201-205, (1995).
- Lewis, D. G.; Schwertmann, U. The influence of Al on iron oxides. Part III. Preparation of Al goethites in M KOH. *Clay Min.*, **14**, 115-126, (1979).
- Mall, I. D.; Srivastava, V. C.; Agarwal, N. K.; Mishra, I. M. Adsorptive removal of malachite green dye from aqueous solution by bagasse fly ash and activated carbon-kinetic study and equilibrium isotherm analyses. *Colloids Surf. A: Physicochem. Eng. Aspects*, **264**, 17-28, (2005).
- Mall, I. D.; Upadhyay, S. N.; Sharma, Y. C. A review on economical treatment of wastewaters and effluents by adsorption. *Int. J. Environ. Stud.*, **51**, 77-124, (1996).
- Martell, A. E.; Smith, R. M. *Critical Stability Constants*, Vol. III, Plenum Press: New York and London, (1977).

- Martell, A. E.; Smith, R. M. Critical Stability Constants, Vol. V, Plenum Press: New York and London, (1982).
- Mayant, C.; Grambow, B.; Abdelouas, A.; Ribet, S.; Leclercq, S. Surface site density, silicic acid retention and transport properties of compacted magnetite powder. *Phys. Chem. Earth*, **33**, 991-999, (2008).
- McKay, G.; Otterburn, M.; Aga, J. Two-resistance mass transport model for the adsorption of dyes of Fuller's earth. *Water, Air, Soil Pollut.*, **33**, 419-433, (1987).
- Morrison, R.; Boyd, R. "Química Orgânica" 13ª Ed. Lisboa: Fundação Calouste Gulbenkian, (1996).
- Myers, A. L. Thermodynamics of adsorption, en *Chemical Thermodynamics for Industry*. Letcher, T. M. (ed.), Royal Society of Chemistry, Cambridge, UK (2004).
- Nowack, B.; Stone, A. T. Adsorption of phosphonates onto the goethite-water interface. *J. Colloid Interface Sci.*, **214**, 20-30, (1999).
- Oliveira, L. C. A.; Rios, R. V. R. A.; Fabris, J. D.; Garg, V.; Sapag, K.; Lago, R. M. Activated carbon/iron oxide magnetic composites for the adsorption of contaminants in water. *Carbon*, **40**, 2177-2183, (2002).
- Özacar, M. J.; Sengil, L. A. Adsorption of acid dyes from aqueous solutions by calcined alunite and granular activated carbon. *Adsorption*, **8**, 301-308, (2002).
- Ozcan, A.; Ozcan, A. S. Adsorption of Acid Red 57 from aqueous solutions onto surfactant-modified sepiolite. *J. Hazard. Mater.*, **125**, 252-259, (2005).
- Panwar, O. P.; Kumar, A.; Paliwal, M.; Ameta, R.; Ameta, S. C. Use of zirconium phosphate as photocatalyst in photobleaching of some dyes. *Bull. Cat. Soc. India*, **7**, 105-110, (2008).
- Pivovarov, S. Surface structure and site density of the oxide-solution interface. *J. Colloid Interface Sci.*, **196**, 321-323, (1997).
- Regazzoni, A. E. Tesis Doctoral: "Formación de magnetita (Fe₃O₄) en medios acuosos y propiedades de la interfaz magnetita/solución". Comisión Nacional de Energía Atómica, 1984.
- Rueda, E. H.; Grassi, R. L.; Blesa, M. A. Adsorption and dissolution in the system goethite/aqueous EDTA. *J. Colloid Interface Sci.*, **106**, 243-246, (1985).

- Schindler, P. W.; Gamsjager, H. Acid-base reactions of the TiO₂ (anatase)-water interface and the point of zero charge of TiO₂ suspensions. *Kolloid-Z. A. Polym.*, **250**, 759-763, (1972).
- Schwertmann, U.; Cornell, R. M. Iron Oxides in the Laboratory, 2nd Ed., Wiley-VCH, Weinheim, (2000).
- Sileo, E. E.; Alvarez, M.; Rueda, E. H. Structural studies on the manganese for iron substitution in the synthetic goethite-jacobsite system. *Int. J. Inorganic Miner.*, **3**, 271-279, (2001).
- Sjöback, R.; Nygren, J.; Kubista, M. Absorption and fluorescence properties of fluorescein. *Spectrochim. Acta Part A*, **51**, L7-L21, (1995).
- Stern, O. Zur theorie der elektrolytischen doppelschicht. *Z. Electrochem.*, **30**, 508-516, (1924).
- Stumm, W.; Hohl, H.; Dalang, F. Interaction of metal ions with hydrous oxide surface. *Croat. Chem. Acta*, **48**, 491-504, (1976).
- Stumm, W.; Huang, C. P.; Jenkins, S. R. Specific chemistry of weathering: kinetics of the surface-controlled dissolution of oxide minerals. *Reviews Geophysics*, **28**, 53-69, (1970).
- Wang, L.; Roitberg, A.; Meuse, C.; Gaigalas, A. K. Raman and FTIR spectroscopies of fluorescein in solutions. *Spectrochim. Acta Part A*, **57**, 1781-1791, (2001).
- Wu, Z.; Joo, H.; Ahn, I. S.; Haam, S.; Kim, J. H.; Lee, K. Organic dye adsorption on mesoporous hybrid gels. *Chem. Eng. J.*, **102**, 277-282, (2004).
- Yassumoto, L. Programa de Mestrado em Química: "Tratamento e purificação de águas contaminadas com azo corantes por processos de oxidação avançados". Universidade Estadual de Londrina, Londrina, PR., (2007).
- Zaghbani, N.; Hafiane, A.; Dhahbi, M. Removal of eriochrome blue black R from wastewater using micellar-enhanced ultrafiltration. *J Hazard Mater.*, **168**, 1417-1421, (2009).
- Zhao, J. -F.; Xia, S. -Q.; Gao, H. -W.; Zhang, Y. -L. Spectrophotometric titration of iron using eriochrome blue black R and cetyltrimethylammonium bromide. *Instrum. Sci. Technol.*, **32**, 77-91, (2004).

Bibliografía

- Aneada, A.; Carbonaro, C. M.; Corpiño, R.; Ricci, P. C.; Grande, S.; Mustarelli, P. C. Formation of fluorescent aggregates of Rhodamine 6G doped silica glasses. *J. Non-Cryst. Solids*, **353**, 481-485, (2007).
- Başar, C. A. Applicability of various adsorption models of three dyes adsorption onto activated carbon prepared waste apricot. *J. Hazard. Mater.*, **135**, 232-241, (2006).
- Cañamares, M. V.; García-Ramos, J. V.; Domingo, C.; Sánchez-Cortes, S. Surface-enhanced Raman scattering study of the adsorption of the anthraquinone pigment alizarin on Ag nanoparticles. *J. Raman Spectrosc.*, **35**, 921-927, (2004).
- Daré Doyen, S.; Doizi, D.; Guilband, Ph.; Djedaini Pilard, F.; Perly, B.; Millié, Ph. Dimerization of xanthene dyes in water: Experimental studies and molecular dynamic simulations. *J. Phys. Chem. B*, **107**, 13803-13812, (2003).
- Dzombak, D. A.; Morel, F. M. M. Surface Complexation Modeling: Hydrous Ferric Oxide, Wiley-InterScience, New York, (1990).
- Evanko, C. R.; Dzombak, D. A. Surface complexation modeling of organic acid sorption to goethite. *J. Colloid Interface Sci.*, **214**, 189-206, (1999).
- Ghasemi, J.; Niazi, A.; Kubista, M. Thermodynamics study of dimerization equilibria of rhodamine B and 6G in different ionic strengths by photometric titration and chemometrics method. *Spectrochim. Acta Part A*, **62**, 649-656 (2005).
- Goldberg, S. Chemical modeling of anion competition on goethite using the constants capacitance model. *Soil Sci. Soc. Am. J.*, **49**, 851-856, (1985).
- Harris, R. G.; Wells, J. D.; Angove, M. J.; Johnson, B. B. Modeling the adsorption of organic dye molecules to kaolinite. *Clays Clay Miner.*, **54**, 456-465, (2006).
- Ho, Y. S.; McKay, G. A two-stage batch sorption optimized design for dye removal to minimize contact time. *Trans IChemE*, **76**, 313-318, (1998).
- Ilich, P.; Mishra, P. K.; Macura, S.; Burghardt, T. P. Direct observation of rhodamine dimer structures in water. *Spectrochim. Acta Part A*, **52**, 1323-1330, (1996).

- Iqbal, M. J.; Ashiq, M. N. Adsorption of dyes from aqueous solutions on activated charcoal. *J. Hazard. Mater.*, **139**, 57–66, (2007).
- Kimura, I. Y.; Fávere, V. T.; Martins, A. O.; Spinelli, V. A.; Josué, A. Adequacy of isotherm adsorption of black 5 reactive dye for crosslinked chitosan microspheres. *Maringá*, **23**, 1313-1317, (2001).
- López Arbeloa, F.; Chaudhuri, R.; Arbeloa López, T.; López Arbeloa, I. Aggregation of Rhodamine 3B adsorbed in wyoming montmorillonite aqueous suspensions. *J. Colloid Interface Sci.*, **246**, 281–287, (2002).
- Mall, I. D.; Srivastava, V. C.; Agarwal, N. K.; Mishra, I. M. Adsorptive removal of malachite green dye from aqueous solution by bagasse fly ash and activated carbon-kinetic study and equilibrium isotherm analyses. *Colloids Surf. A: Physicochem. Eng. Aspects*, **264**, 17-28, (2005).
- Martell, A. E.; Smith, R. M. Critical Stability Constants, Vol. III, Plenum Press: New York and London, (1977).
- Martell, A. E.; Smith, R. M. Critical Stability Constants, Vol. V, Plenum Press: New York and London, (1982).
- Nowack, B. Behavior of EDTA in groundwater a study of the surface reactions of metal-EDTA complexes. Tesis Doctoral, Alemania, (1996).
- Sakkayawong, N.; Thiravetyan, P.; Nakbanpote, W. Adsorption mechanism of synthetic reactive dye wastewater by chitosan. *J. Colloid Interface Sci.*, **286**, 36–42, (2005).
- Stumm, W.; Hohl, H.; Dalang, F. Interaction of metal ions with hydrous oxide surfaces. *Croat. Chem. Acta*, **48**, 491-504, (1976).
- Stumm, W.; Kummert, R.; Sigg, L. A ligand exchange model for adsorption of inorganic and organic ligands at hydrous oxide interface. *Croat. Chem. Acta*, **53**, 291-312, (1980).
- Venkata Rao, B.; Sastry, C. A. Removal of dyes from water and wastewater by adsorption. *Indian J. Environ. Protect.*, **7**, 363-373, (1987).
- Westall, J. C. FITEQL: A program for determination of chemical equilibrium constants from experimental data. Technical Report, Chemistry Department, Oregon State University, Corvallis, Oreg., (1982).

Wu, Z.; Joo, H.; Ahn, I. S.; Haam, S.; Kim, J. H.; Lee, K. Organic dye adsorption on mesoporous hybrid gels. *Chem. Eng. J.*, **102**, 277-282, (2004).

Bibliografía

- Allen, D. J.; Koumanova, B. Decolourisation of water/wastewater using adsorption (Review). *J. Univ. Chem. Technol. Metal.*, **40**, 175-192, (2005).
- Allen, S. J.; McKay, G.; Khader, K. Y. H. Equilibrium adsorption Isotherms for basic dyes onto lignite. *J. Chem. Technol. Biotechnol.*, **45**, 517-524, (1988).
- Bandara, J.; Mielczarski, J. A.; Kiwi, J. Molecular mechanism of surface recognition. Azo dyes degradation on Fe, Ti, and Al oxides through metal sulfonate complexes. *Langmuir*, **15**, 7670–7679, (1999).
- Cestari, A. R.; Vieira, E. F. S.; dos Santos A. G. P.; Mota, J. A.; de Almeida, V. P. Adsorption of anionic dyes on chitosan beads. 1. The influence of the chemical structures of dyes and temperature on the adsorption kinetics. *J. Colloid Interface Sci.*, **280**, 380-386, (2004).
- Chan, M. Y.; Juang, R. S. Equilibrium and kinetic studies on the adsorption of surfactant, organic acids and dyes from water onto natural biopolymers. *Colloids Surf. A: Physicochem. Eng. Aspects*, **269**, 35-46, (2005).
- Cheung, W. H.; Szeto, Y. S.; McKay, G. Intraparticle diffusion processes during acid dye adsorption onto chitosan. *Bioresour. Technol.*, **98**, 2897-2904, (2007).
- Chiou, M. S.; Ho, P. Y.; Li, H. Y. Adsorption behavior of dye AAVN and RB4 in acid solutions on chemically cross-linked chitosan beads. *J. Chin. Inst. Chem. Eng.*, **34**, 625-634, (2003).
- Chiou, M. S.; Ho, P. Y.; Li, H. Y. Adsorption of anionic dyes in acid solutions using chemically cross-linked chitosan beads. *Dyes Pigm.*, **60**, 69-84, (2004).
- Chiou, M. S.; Li, H. Y. Equilibrium and kinetic modeling of adsorption of reactive dye on cross-linked chitosan beads. *J. Hazard. Mater.*, **93**, 233–248, (2002).
- Dogan, M.; Mahir, A.; Onganer, Y. Adsorption of methylene blue from aqueous solution onto perlite. *Water, Air, Soil Pollut.*, **120**, 229-248, (2000).
- El-Sikaily, A.; Khaled, A.; El Nemr, A.; Abdelwahab, O. Removal of methylene blue from aqueous solution by marine green alga *Ulva Lactuca*. *Chem. Ecol.*, **22**, 149-157, (2006).
- Guibal, E.; Touraud, E.; Roussy, J. Chitosan interactions with metal ions and dyes: dissolved-state vs. solid-state application. *World J. Microbiol. Biotechnol.*, **21**, 913-920, (2005).

- Gupta, V. K.; Srivastava, S. K.; Mohan, D. Equilibrium uptake, sorption dynamics, process optimization and column operation for the removal and recovery of malachine green from wastewater using activated carbon and activated slag. *Ind. Eng. Chem. Res.*, **36**, 2207-2218, (1997).
- Herrera, F.; Lopez, A.; Mascolo, G.; Albers, P.; Kiwi, J. Catalytic combustion of Orange II on hematite-Surface species responsible for the dye degradation. *Appl. Catal. B: Environ.*, **29**, 147-162, (2001).
- Ho, Y. B. Ulva lactuca as bioindicator of metal contamination in intertidal waters in Hong Kong. *Hydrobiologia*, **203**, 73-81, (1990).
- Ibrahim, S.; Shuy, W. Z.; Ang, H. -M.; Wang, S. Preparation of bioadsorbents for effective adsorption of a reactive dye in aqueous solution. *Asia Pacific Journal Chemical Engineering*, Published Online: May 4 2010, DOI: 10.1002/apj.446.
- Kallio, T.; Kekkonen, J.; Stenius, P. Acid/base properties and adsorption of an azo dye on coating pigments. *J. Disper. Sci. Technol.*, **27**, 825 – 834, 2006.
- Khare, S. K.; Srivastava, R. M.; Panday, K. K.; Singh, V. N. Removal of basic dye (crystal violet) from water using wollastonite as adsorbent. *Environ. Technol. Lett.*, **9**, 1163-1172, (1988).
- Khatti, S. D.; Singh, M. K. Colour removal from synthetic dye wastewater using a bioadsorbent. *Water, Air, and Soil Pollution*, **120**, 283–294, (2000).
- Kotov, N. A. Layer-by-layer self-assembly: The contribution of hydrophobic interactions. *Nanostructured Mat.*, **12**, 789-796, (1999).
- Kumar, M. N. V. R. A review of chitin and chitosan applications. *React. Funct. Polym.*, **46**, 1-27, (2000).
- Longhinotti, E.; Pozza, F.; Furlan, L.; Sanches, M. N. M.; Klug, M.; Laranjeira, M. C. M.; Fávere, V. T. Adsorption of anionic dyes on the biopolymer chitin. *J. Braz. Chem. Soc.*, **9**, 435–440, (1998).
- Mohan, D.; Singh, K. P.; Singh, G.; Kumar, K. Removal of dyes from wastewater using fly ash: a low-cost adsorbent. *Ind. Eng. Chem. Res.*, **41**, 3688-3695, (2002).

- Olguín, E. J.; Sánchez-Galván, G.; Pérez-Pérez, T. Assessment of the phytoremediation potential of *Salvinia minima* compared to *Spirodela polyrrhiza* in high-strength organic wastewater. *Water Air Soil Pollut.*, **181**, 135-147, (2007).
- Pendleton, P.; Wu, S. H. Kinetics of dodecanoic acid adsorption from caustic solution by activated carbon. *J. Colloid Interface Sci.*, **266**, 245-250, (2003).
- Ramelow, G. J.; Fralick, D.; Zhao, Y. Factors affecting the uptake of aqueous metal ions by dried seaweed biomass. *Microbios.*, **72**, 81-93, (1992).
- Romera, E.; González, F.; Ballester, A.; Blázquez, M. L.; Muñoz, J. A. Equilibrios químicos en bioadsorción. *Rev. Metal*, **43**, 29-41, (2007).
- Roonasi, P. Interaction between ionic species and magnetite surface in aqueous solutions. *SciTopics*. Retrieved August, 10, 2010, from [http://www.scitopics.com/Interaction between ionic species and magnetite surface in aqueous solutions.html](http://www.scitopics.com/Interaction%20between%20ionic%20species%20and%20magnetite%20surface%20in%20aqueous%20solutions.html), May 16, (2010).
- Rosa, S.; Laranjeira, M. C. M.; Riela, H. G.; Fávere, V. T. Cross-linked quaternary chitosan as an adsorbent for the removal of the reactive dye from aqueous solutions. *J. Haz. Mat.*, **155**, 253–260, (2008).
- Sakkayawong, N.; Thiravetyan, P.; Nakbanpote, W. Adsorption mechanism of synthetic reactive dye wastewater by chitosan. *J. Colloid Interface Sci.*, **286**, 36-42, (2005).
- Sánchez-Galván, G.; Monroy, O.; Gómez, J.; Olguín, E. J. Assessment of the hyperaccumulating lead capacity of *Salvinia minima* using bioadsorption and intracellular accumulation factors. *Water Air Soil Pollut.*, **194**, 77–90, (2008).
- Sari, A.; Tuzen, M.; Uluozlu, O. D.; Soylak, M. Biosorption of Pb(II) and Ni(II) from aqueous solution by lichen (*Cladonia furcata*) biomass. *Biochem. Eng. J.*, **37**, 151-158, (2007).
- Shimizu, Y.; Kono, K.; Kim, I. S.; Takagishi, T. Effects of added metal ions on the interaction of chitin and partially deacetylated chitin with an azo dye carrying hydroxyl groups. *J. Appl. Polym. Sci.*, **55**, 255–261, (1995).
- Tahir, H.; Sultan, M.; Jahanzeb, Q. Removal of basic dye methylene blue by using bioabsorbents *Ulva lactuca* and *Sargassum*. *African J. Biotechnol.*, **7**, 2649-2655, (2008).

- Turner, A.; Lewis, M. S.; Brown, M. T.; Shams, L. Uptake of platinum group elements by the marine macroalga, *Ulva lactuca*. *Marine Chem.*, **105**, 275-280, (2007)
- Uzun, I. Kinetics of the adsorption of reactive dyes by chitosan. *Dyes Pigm.*, **70**, 76-83, (2006).
- Viraraghavan, T.; Ramakrishna, K. R. Fly ash for colour removal from synthetic dye solutions. *Water Qual. Res. J. Can.*, **34**, 505-517, (1999).
- Wong, Y. C.; Szeto, Y. S.; Cheung, W. H.; McKay, G. Adsorption of acid dyes on chitosan-equilibrium isotherm analyses. *Process Biochem.*, **39**, 693-702, (2004).
- Wong, Y. C.; Szeto, Y. S.; Cheung, W. H.; McKay, G. Equilibrium studies for acid dye adsorption onto chitosan. *Langmuir*, **19**, 7888–7894, (2003).
- Wu, F. C.; Tseng, R. L.; Juang, R. S. Comparative adsorption of metal and dye on flake- and bead-types of chitosans prepared from fishery wastes. *J. Hazard. Mater.*, **73**, 63-75, (2000).
- Yamamoto, H. Chiral interaction of chitosan with azo dyes. *Makromol. Chem.*, **185**, 1613-1621, (1984).