

Referencias

- Alonso, A.I., Urtiaga, A.M., Irabien, A. and Ortiz, I., (1994). Extraction of Cr(VI) with Aliquat 336 in hollow fiber contactors: mass transfer analysis and modeling. *Chem. Eng. Sci.*, Vol. 49, No. 6, pp. 901-909.
- Alonso, A.I. and Pantelides, C., (1996). Modelling and simulation of integrated membrane process for recovery of Cr(VI) with aliquat 336. *J. Memb. Sci.*, Vol. 110, pp. 151-167.
- Alonso, A.I., Galán, B., Irabien, A. and Ortiz, I., (1997). Separation of Cr(VI) with Aliquat 336: chemical equilibrium modeling. *Sep. Sci. Tech.*, Vol. 32, No. 9, pp. 1543-1555.
- Alonso, A.I., Lassahn, A. and Gruhn, G., (2001). Optimal design of non-dispersive solvent extraction processes. *Comp. Chem. Engng.*, Vol. 25, pp. 267-285.
- ATSDR – Agency for Toxic Substances and Disease Registry, USA, (2000). Chromium toxicity. Webpage: <http://www.atsdr.cdc.gov/HEC/CSEM/chromium>.
- Basu, R., Prasad, R. and Sirkar, K.K., (1990). Nondispersive membrane solvent back extraction of phenol. *AIChE J.*, Vol. 36, No. 3, pp. 450-460.
- Basu, R., and Sirkar, K.K., (1991). Hollow fiber contained liquid membrane separation of citric acid. *AIChE J.*, Vol. 37, No. 3, pp. 383-393.
- Brooke A., Kendrick D., Meeraus A. and Ramseh, R., (2000), *GAMS-A User's Guide*. GAMS Development Corporation.
- Celgard Inc., (2001). 10x28 Product Data Sheet. Webpage: www.liqui-cel.com.
- Cho, Y.S. and Joseph, B., (1983a). Reduced-order steady-state and dynamic models for separation processes – Part I: Developments of the model reduction procedure. *AIChE J.*, Vol. 29, No. 2, pp. 261-269.
- Cho, Y.S. and Joseph, B., (1983b). Reduced-order steady-state and dynamic models for separation processes – Part II: Application to nonlinear multicomponent systems. *AIChE J.*, Vol. 29, No. 2, pp. 270-276.
- Corvalán, S.M., Eliceche, A.M. and Ortiz, I. (2003a). Design of membrane processes for wastewater treatment and metal recovery. *Comp. Chem. Engn.* (en prensa)
- Corvalán, S.M., Ortiz, I. and Eliceche, A.M., (2003b). Design of membrane processes for effluent treatment and cr(vi) recovery for reuse on-site. *Process Safety & Environmental Protection*. (en prensa)
- Cussler, E.L., (1971). Membranes which pump. *AIChE J.*, Vol. 17, No. 6, pp. 1300-1303.
- Cuthrell, J.E., Biegler, L.T., (1987). On the optimization of differential-algebraic process systems. *AIChE J.*, Vol. 33, No. 8, pp. 1257-1270.
- Cuthrell, J.E., Biegler, L.T., (1989). Simultaneous optimization and solution methods for batch reactor control profiles. *Comp. Chem. Engng.*, Vol. 13, No. 1/2, pp. 49-62.
- D'Elia, N.A., Dahuron, L. and Cussler, E.L., (1986). Liquid-liquid extractions with microporous hollow fibers. *J. Memb. Sci.*, Vol. 29, pp. 309-319.
- De Gyves, J. and Rodriguez de San Miguel, E., (1999). Metal ion separations by supported liquid membranes. *Ind. Eng. Chem. Res.*, Vol. 38, pp. 2182-2202.
- Eliceche, A.M., Corvalán, S.M., Alonso A.I., Ortiz I., (2000b). Analysis of the operation of a NDSX pilot plant for Cr(VI) recovery, *Comp. Aid. Proc. Engng.*, Vol 8, pp 877-882.
- Eliceche, A.M., Corvalán, S.M., and Ortiz, I., (2001a). Steady state analysis of a membrane process for the treatment of industrial effluents, *Comp. Aid. Proc. Engng.*, Vol. 9, pp. 129-134.

- Eliceche, A.M., Alonso A.I., Ortiz I., (2001b). Optimal operation of selective membrane separation processes for wastewater treatment, *Comp. Chem Engng.* Vol 24, pp. 2115-2123.
- Eliceche, A.M., Corvalán, S.M., and Ortiz, I., (2002). Continuous operation of membrane processes for the treatment of industrial effluents. *Comp. Chem Engng.* Vol 26 (4-5), pp. 555-561.
- Galán, B., San Román, F., Irabien, A. and Ortiz, I., (1998). Viability of the separation of Cd from highly concentrates Ni-Cd mixtures by non-diespersive solvent extraction. *Chem. Eng. J.*, Vol. 70, pp. 237-243.
- Georgakis, C., Aris, R., and Amundson, N.R., (1977a). Studies in the control of tubular reactors - I. *Chem. Eng. Sci.*, Vol. 32, pp. 1359-1369.
- Georgakis, C., Aris, R., and Amundson, N.R., (1977b). Studies in the control of tubular reactors - II. *Chem. Eng. Sci.*, Vol. 32, pp. 1371-1379.
- Gonzalez, B., Alonso, I., Ortiz, I., (1998). Recuperación de cromo de efluentes industriales. *Ingeniería Química*, Junio, 135-143.
- gOPT Dynamic Optimisation Tool, (2002), Process System Enterprise Ltd., London.
- gPROMS Technical Document, (2002), Process System Enterprise Ltd., London.
- Guha, A.K., Yun, C.H., Basu, R. and Sirkar, K.K., (1994). Heavy Metal removal and recovery by contained liquid membrane permeator *AIChE J.*, Vol. 40, No. 7, pp. 1223-1237.
- Ho, W.S.W. and Sirkar, K.K., (1992) Membrane handbook, Chapter 41: Membrane-based solvent extraction. New York, Chapman & Hall.
- Ho, W.S.W. and Poddar, T.K., (2001a). New membrane technology for removal and recovery of chromium from waste waters. *Env. Prog.* 2001, 20(1), 44-55.
- Ho, W.S.W., (2001b). Supported liquid membrane process for chromium removal and recovery, US Patent 6171563.
- Hochhauser, A.M. and Cussler, E.L., (1975). Concentrating chromium with liquid surfactant membranes. *AIChE Symposium Series*, Vol. 71, No. 152, pp. 136-142.
- Kim, J.I., and Stroeve, P., (1990). Uphill transport of a dilute solute in mass separation devices with reactive co-transport membranes. *J. Memb. Sci.*, Vol. 49, pp. 37-53.
- Klaassen, R., Jansen, Bult, B.A., Oesterholt, F.I.H.M. and Schneider, J., (1994). Removal of Hydrocarbons from waste water by pertraction, Proceedings of the 7th International Symposium on Synthetic Membranes in Science and Industry, Tübingen, Germany, 316.
- Klaassen, R. and Jansen, A.E., (1996) Selective removal of heavy metals with emulsion pertraction. Minerals, Metals, and the Environment II, The Institution of Mining and Metallurgy, London, UK., 207.
- Klaassen, R. and Jansen, A.E., (2001). The membrane contactor: environmental applications and possibilities. *Environmental Progress*, Vol. 20(1), pp.37-43.
- Lee, K., Evans, D.F. and Cussler, E.L., (1978). Selective copper recovery with two types of liquid membranes. *AIChE J.*, Vol. 24, No. 5, pp. 860-868.
- Lee, L.L., Wang, F.Y. and Newell, R.B., (1999a). Dynamic simulation of bioreactor systems using orthogonal collocation on finite elements. *Comp. Chem. Engng.*, Vol. 23, pp. 1247-1262.
- Lee, L.L., Wang, F.Y. and Newell, R.B., (1999b). Dynamic simulation of bioreactor systems using orthogonal collocation on finite elements. *Water Res.*, Vol. 33, pp. 73-86.
- Lee, S. and Grossmann, I.E., (2000). New algorithms for nonlinear generalised disjunctive programming. *Comp. Chem. Engng.*, Vol. 24, pp. 2125-2141.
- Li, N.N., (1968). Separating hydrocarbons with liquid membranes. U.S. Patent No.

3410794.

- MacKenzie, R.D., Byerrum, R.U., and Decker, C.F., (1958) Chronic toxicity studies. II. Hexavalent and trivalent chromium administered in drinking water to rats. *Am. Med. Assoc. Arch. Ind. Health* 18:232-234.
- Marshall & Swift, (1982). M&S equipment cost index, *Chem. Engng.*, Vol. 90, p. 2.
- Marshall & Swift, (2002). M&S equipment cost index, *Chem. Engng.*, Vol. 109, p. 104.
- Mazzilli, A. & Lenau, T., (1996). Electroplating costs calculation. Institute of Manufacturing engineering, Technical University of Denmark
- Ortiz, I., Galán, B. and Irabien, A., (1996a). Kinetic Analysis of the simultaneous nondispersive extraction and back-extraction of chromium(VI). *Ind. Eng. Chem. Res.*, Vol. 35, pp. 1369-1377.
- Ortiz, I., Galán, B. and Irabien, A., (1996b). Membrane mass transport coefficient for the recovery of Cr(VI) in hollow fiber extraction and back-extraction modules. *J. Memb. Sci.*, Vol. 118, pp. 213-221.
- Ortiz, I., San Román, F. and Galán, B., (2001). Kinetics of the recovery of Cd from highly concentrated aqueous solutions by non-dispersive solvent extraction. *Chem. Eng. J.*, Vol. 81, pp. 129-136.
- Ortiz, I., San Román, F. Corvalan S and Eliceche, A.M., (2003). Modelling and optimisation of an emulsion pertraction process for removal and concentration of Cr(VI). *Ind. Eng. Chem. Res.* (aceptado).
- Ortiz, I., (2002). Comunicación personal.
- Perry, R.H. and Green, D.W., (1999). Perry's chemical engineer's handbook – Sixth Edition. *McGraw Hill*, Nueva York.
- Prasad, R. and Sirkar, K., (1987). Solvent extraction with microporous hydrophilic and composite membranes *AIChE J.*, 33 (7) 1057-1066.
- Prasad, R. and Sirkar, K., (1988). Dispersion-Free solvent extraction with microporous Hollow-Fiber Module *AIChE J.*, 34 (2) 177-188.
- Qi, R. and Henson, M.A., (2000). Membrane system design for multicomponent gas mixtures via mixed-integer nonlinear programming. *Comp. Chem. Engng.*, Vol. 24, pp. 2719-2737.
- Renfro, J.G., Morshedi, A.M., and Asbjorden, O.A., (1987). Simultaneous optimization and solution of systems described by differential/algebraic equations. *Comp. Chem. Engng.* Vol. 11, No. 5, pp. 503-517.
- Sengupta, A., Subramanian, S. and Clifford, D., (1988). More on mechanism and some properties of chromate ion exchange. *J. Environ. Eng.*, Vol. 114, pp. 137-153.
- Srinivas, B.K. and El-Halwagi, M.M., (1993). Optimal design of pervaporation system for waste reduction. *Comp. Chem. Engng.*, Vol. 17, pp. 957-970.
- Strathmann, H. (2001). Membrane separation processes: current relevance and future opportunities, *AIChE J.*, Vol. 47, No. 5, pp. 1077-1087.
- Stroeve, P., and Kim, J.I., (1986). Separation in mass-exchange devices with reactive membranes. American Chemical Society Symposium Series, Denver, Colorado, USA, Jun 8-12.
- Ulrich, G., (1982). A guide to chemical engineering process design and economics. John Wiley & Sons, New York, USA.
- Vassiliadis, V.S., Sargent, R.W.H., and Pantelides, C.C., (1994). Solution of a Class of Multistage Dynamic Optimization Problems. Part I. Problems Without Path Constraints. *Ind. Eng. Chem. Res.*, 33, (1994), 2111-2122.
- Villadsen, J. V. and Stewart, W.E., (1967). Solution of boundary-value problems by orthogonal collocation. *Chem. Engng. Sci.*, Vol. 22, pp. 1483-1501.
- Vincent, T. and Guibal, E., (2000). Non-dispersive liquid extraction of Cr(VI) by

- TBP/Aliquat 336 using chitosan-made hollow fiber. *Solvent Ext. and Ion Exch.*, Vol. 18, No. 6, pp. 1241-1260.
- Viswanathan, J. and Grossmann, I.E., (1990). A Combined penalty function and outer approximation method for MINLP optimization. *Comp. Chem. Engng.*, Vol. 14, pp. 769-782.
- Wrickamasinge, S.R., Semmens, M.J. and Cussler, E.L., (1993). Hollow fiber modules made with hollow fiber fabric. *J. Memb. Sci.*, Vol. 84, pp. 1-14.
- Yang, Z.F., Guha, A.K., Sirkar, K.K., (1996a). Novel membrane-based synergistic metal extraction and recovery processes. *Ind. Eng. Chem. Res.*, Vol. 35, pp. 1383-1394.
- Yang, Z.F., Guha, A.K., Sirkar, K.K., (1996b). Simultaneous and synergistic extraction of cationic and anionic heavy metallic species by a mixed solvent extraction system and a novel contained liquid membrane device. *Ind. Eng. Chem. Res.*, Vol. 35, pp. 4214-4220.
- Yun, C.H., Prasad, R. and Sirkar, K.K., (1992). Membrane solvent extraction removal of priority organic pollutants from aqueous waste streams. *Ind. Eng. Chem. Res.*, Vol. 31, pp. 1709-1717.
- Yun, C.H., Prasad, R. and Sirkar, K.K., (1993). Hollow fiber solvent extraction removal of toxic heavy metals from aqueous waste streams. *Ind. Eng. Chem. Res.*, Vol. 32, pp. 1186-1195.
- Zhu, M., El-Halwagi, M.M. and Al-Ahmad, M., (1997). Optimal design and scheduling of flexible reverse osmosis networks. *J. Memb. Sci.*, Vol. 129, pp. 161-174.