

Bibliografía

- [1] N. W. Ashcroft and N. D. Mermin. *Solid State Physics*. Brooks Cole, Philadelphia, first edition, 1976.
- [2] K. Takahashi, A. Yoshikawa, and A. Sandhu, editors. *Wide bandgap semiconductors fundamental properties and modern photonic and electronic devices*. Springer-Verlag Berlin Heidelberg, 2007.
- [3] Compound Semiconductor. Non-LED applications set to bolster GaN sector, 2005.
- [4] B. J. Baliga. Power semiconductor device figure of merit for high-frequency applications. *IEEE Electron Device Letters*, 10(10):455–457, 1989.
- [5] A. Johnson. Physical limitations on frequency and power parameters of transistors. *RCA Review*, 26:63–177, 1965.
- [6] California Intel Corporation Santa Clara. *Handbook of thin film deposition processes and techniques*. W. Andrew, New York, 2 edition, 2002.
- [7] H. M. Manasevit, F. M. Erdmann, and W. I. Simpson. The use of metalorganics in the preparation of semiconductor materials. *J. Electrochem. Soc.*, 118(11):1864–1868, 1971.
- [8] H. Amano, N. Sawaki, I. Akasaki, and Y. Toyoda. Metalorganic vapor phase epitaxial growth of a high quality AlGaN using an AlN buffer layer. *Appl. Phys. Lett.*, 48(5):353–355, 1986.
- [9] Y. Ohba, H. Yoshida, and R. Sato. Growth of high-quality AlN, GaN and AlGaN with atomically smooth surfaces on sapphire substrates. *Jpn. J. Appl. Phys.*, 36:L1565–L1567, 1997.
- [10] I. Akasaki, Y. Koide, K. Hiramatsu, and N. Sawaki. Effects of AlN buffer layer on crystallographic structure and on electrical and optical properties of GaN and $\text{Al}_x\text{Ga}_{1-x}\text{N}$ ($0 < x < 0,4$) grown on sapphire substrate by MOVPE. *J. Cryst. Growth*, 98(1-2):209–219, 1989.

- [11] S. Nakamura. GaN growth using GaN buffer layer. *Jpn. J. Appl. Phys.*, 30:L1705 –L1707, 1991.
- [12] EE Times. Device makers rush into GaN market, 2006.
- [13] Semiconductor International. Study shows sapphire substrates dominate GaN market, 2007.
- [14] J. H. Davies. *The physics of low-dimensional semiconductors: an Introduction*. Cambridge University Press, New York, first edition, 1997.
- [15] H. Morkoç, editor. *Handbook of nitride semiconductors and devices*, volume 1. Wiley-VCH Verlag GmbH Co., 2008.
- [16] R. E. Hummel. *Electronic properties of materials*. Springer Verlag New York, 2001.
- [17] Jr. W. D. Callister. *Fundamentals of materials science and engineering*. John Wiley Sons, Inc., 2001.
- [18] J. D. Livingston. *Electronic properties of engineering materials*. John Wiley & Sons. Inc., 1999.
- [19] D. K. Bowen and B. K. Tanner. *X-ray metrology in semiconductor manufacturing*. CRC Press, 2006.
- [20] A. Guinier. *X-ray diffraction in crystals, imperfect crystals, and amorphous bodies*. W. H. Freeman and Company, 1963.
- [21] W. H. Zachariasen. *Theory of X-ray diffraction in crystals*. Dover Publications; Inc: New York, 1945.
- [22] C. Lamberti, editor. *Characterization of semiconductor heterostructures and nanostructures*. Elsevier B.V., 2008.
- [23] M. Razeghi. *Fundamentals of solid state engineering*. Springer Science+Business Media, LLC, 2009.
- [24] P. Y. Yu and M. Cardona. *Fundamentals of Semiconductors Physics and Materials Properties*. Springer-Verlag Berlin Heidelberg, 2001.
- [25] B. E. Douglas and S. M. Ho. *Structure and chemistry of crystalline solids*. Springer Science + Business Media, Inc., 2006.

- [26] B. S. Mitchell. *An introduction to materials engineering and science for chemical and materials engineers*. John Wiley & Sons, Inc., 2004.
- [27] M. E. Brown and P. K. Gallagher. *Handbook of thermal analysis and calorimetry*, volume 5 of *Recent Advances, Techniques and Applications*. Elsevier B.V, 2008.
- [28] M. E. Brown. *Introduction to thermal analysis techniques and applications*. Chapman and Hall, 1988.
- [29] R. Enderlein and N. J. M. Horing. *Fundamentals of semiconductor physics and devices*. World Scientific, 1997.
- [30] J. I. Gersten and F. W. Smith. *The physics and chemistry of materials*. John Wiley & Sons, Inc., 2001.
- [31] S. Adachi. *Properties of group-IV, III-V and II-VI semiconductors*. John Wiley & Sons Ltd, 2005.
- [32] A. Rockett. *The materials science of semiconductors*. Springer Science+Business Media, LLC, 2008.
- [33] R. Quay. *Gallium Nitride Electronics*. Springer Series in Materials Sciences. Springer-Verlag Berlin Heidelberg, 2008.
- [34] F. Litimein, B. Bouhafs, Z. Dridi, and P. Ruterana. The electronic structure of wurtzite and zincblende AlN: an ab initio comparative study. *New Journal of Physics*, 4:64.1–64.12, 2002.
- [35] T. Lei, M. Fanciulli, R. Molnar, and J. Scanlon. Epitaxial growth of zinc blende and wurtzitic gallium nitride thin films on (001) silicon. *Appl. Phys. Lett.*, 59(8):944–946, 1991.
- [36] M. J. Paisley, Z. Sitar, J. B. Posthill, and R. F. Davis. Growth of cubic phase gallium nitride by modified molecular-beam epitaxy. *J. Vac. Sci. Technol. A*, 7(3):701–705, 1989.
- [37] R. C. Powell, N. E. Lee, Y. W. Kim, and J. E. Greene. Heteroepitaxial wurtzite and zinc blende structure GaN grown by reactive-ion molecular-beam epitaxy: growth kinetics, microstructure, and properties. *J. Appl. Phys.*, 73(1):189–204, 1993.
- [38] M. Mizuta, S. Fujieda, Y. Matsumoto, and T. Kawamura. Low temperature growth of GaN and AlN on GaAs utilizing metalorganics and hydrazine. *Jpn. J. Appl. Phys.*, 25:L945–L948, 1986.

- [39] J.W. Matthews. *Epitaxial growth*. Materials Science Series. Academic Press, New York, 1975.
- [40] J.H. Van Der Merwe and C. A. B. Ball. *Epitaxial Growth*. Materials Science Series. Academic Press, New York, 1975.
- [41] P. Hirsch, A. Howie, R. Nicholson, and M. Whelan. *Electron microscopy of thin crystals*. Butterworths, London, 1965.
- [42] R. Scholtz and J. Woltersdorf. *Electron microscopy in solid state physics*, volume 40 of *Materials Science Monographs*. Elsevier, Amsterdam, 1987.
- [43] O. Madelung, editor. *Data science and technology, semiconductors: group IV elements and III-V compounds*. Springer-Verlag, Berlin, 1991.
- [44] F. Ponce. *Group III nitride semiconductor compounds: physics and applications*. Oxford University Press, 1998.
- [45] J.C. Phillips. *Bonds and bands in semiconductors*. Academic, New York, 1973.
- [46] M. E. Levinshtein, S. L. Rumyantsev, and M. S. Shur, editors. *Properties of advanced semiconductor materials : GaN, AlN, InN*. Wiley-Interscience, first edition, 2001.
- [47] Y. S. Touloukian, editor. *Thermal conductivity-nonmetallic solids, thermophysical properties of matter*, volume 2. IFI/Plenum New York - Washington, 1970.
- [48] G. A. Slack, R. A. Tanzilli, R. O. Pohl, and J. W. Vandersande. The intrinsic thermal conductivity of AlN. *J. Phys. Chem. Solids*, 48(7):641–647, 1987.
- [49] H. Morkoç. *Handbook of nitride semiconductors and devices*, volume 3. WILEY-VCH Verlag GmbH Co. KGaA, Weinheim, 2008.
- [50] K. F. Brennan and A. S. Brown. *Theory of modern electronic semiconductor devices*. John Wiley & Sons, Inc., New York., 2002.
- [51] K. N. Saxena, N. N. Saxena, and R. G. Anikhindi. Trends in atomic spin-orbit splittings, energy gaps, and ionicities of $A_{III}B_v$ intermetallic semiconductors. *Chin. Phys. Lett.*, 31(3):563–565, 1975.

- [52] S. H. Wei and A. Zunger. Valence band splittings and band offsets of AlN, GaN, and InN. *Appl. Phys. Lett.*, 69(18):2791–2973, 1996.
- [53] G. Pozzovivo. *InAlN/GaN heterostructure high electron mobility transistors: technology, properties, and characterization*. PhD thesis, Technischen Universität Wien, Fakultät für Elektrotechnik und Informationstechnik, 2009.
- [54] U.K. Mishra and J. Singh. *Semiconductor device physics and design*. Springer, 2008.
- [55] M. Grundman. *The physics of semiconductors an introduction including devices and nanophysics*. Springer, 2006.
- [56] G.E. Pikus G.L. Bir, editor. *Symmetry and strain-induced effects in semiconductors*. John Wiley & Sons, New York,, 1974.
- [57] G.E. Pikus, G.L. Bir, and Fiz. Tverd. Tela. *Sov. Phys. Solid State*, 1:1502, 1959.
- [58] N. E. Christensen. Electronic structure of GaAs under strain. *Phys. Rev. B*, 30(10):5753–5765, 1984.
- [59] Y. Zhang. Motion of electrons in semiconductors under inhomogeneous strain with application to laterally confined quantum wells. *Phys. Rev. B*, 49(20):14352–14366, 1994.
- [60] H. Morkoç, B. Sverdlov, and G. Gao. Strained layer heterostructures and their applications to MODFETs, HBTs and lasers. *Proceeding of IEEE*, 81(4):493–556, 1993.
- [61] M. Suzuki and T. Uenoyama. Strain effect on electronic and optical properties of GaN/AlGaN quantum-well lasers. *J. Appl. Phys.*, 80(80):6868–6874, 1996.
- [62] M. Suzuki and T. Uenoyama. *Electronic and optical properties of GaN based quantum wells, in Group III Nitride Semiconductor Compounds: Physics and Applications*. Oxford, 1998.
- [63] R. Steins. *New process approaches to metalorganic vapor phase epitaxy of III-nitrides for high power HEMTs*. PhD thesis, Fakultät für Elektrotechnik und Informationstechnik der Rheinisch -Westfälischen Technischen Hochschule Aachen, 2006.

- [64] N. Zhang. *High voltage GaN HEMTs with low on-resistance for switching applications*. PhD thesis, University of California, Santa Barbara, 2002.
- [65] D. L. Smith. *Thin film Deposition principles & practice*. McGraw - Hill Inc., 1995.
- [66] T. Shibata, K. Asai, S. Sumiya, and K. Hiramatsu. High-quality AlN epitaxy films on (0001)-faced sapphire and 6H-SiC substrate. *Phys. Status Solidi (c)*, 0(7):2023–2026, 2003.
- [67] S. Yamada, J. Kato, S. Tanaka, and A. Suzuki. Nucleation and growth kinetics of AlN films on atomically smooth 6H-SiC (0001) surfaces. *Appl. Phys. Lett.*, 78(23):3612–3614, 2001.
- [68] J. F. Kaeding, Y. Wu, T. Fujii, and S. Nakamura. Growth and laser - assited liftoff of low dislocation density AlN thin films for deep - UV light -emitting diodes. *J. Cryst. Growth*, 272(1-4):257–263, 2004.
- [69] D. G. Zhao, J. J. Zhu, D. S. Jiang, and H. M. Gong. Parasitic reaction and its effect on the growth rate of AlN by metalorganic chemical vapor deposition. *J. Cryst. Growth.*, 289(1):72–75, 2006.
- [70] K. Kawaguchi and A. Kuramata. Defect structures of AlN on sapphire (0001) grown by metalorganic vapor-phase epitaxy with different preflow sources. *Jpn. J. Appl. Phys.*, 44:L 1400–L1402, 2005.
- [71] Y. Fu, X. Ni, J. Xie, and T. S. Kuan. Growth and polarity control of GaN and AlN on carbon-face SiC by metalorganic vapor phase epitaxy. In *Gallium nitride materials and devices II*, volume 6473, pages 647305.1–647305.11. Society of Photo-Optical Instrumentation Engineers, Bellingham, WA, ETATS-UNIS (1981) (Revue) SPIE, Bellingham WA, ETATS-UNIS (2007) (Monographie), 2007.
- [72] A. Yamamoto, M. Tsujino, M. Ohkubo, and A. Hashimoto. Nitridation effects of substrate surface on the metalorganic chemical vapor deposition growth of InN on Si and α -al₂O₃ substrates. *J. Cryst. Growth*, 137(3-4):415–420, 1994.
- [73] W. G. Hu, C. M. Jiao, H. Y. Wei, and X. L. Liu. Effect of nitridation on morphology, structural properties and stress of AlN films. *Chin. Phys. Lett.*, 25(12):4364–4367, 2008.

- [74] B. W. Seo, Y. Ishitani, and A. Yoshikawa. Influence of Al-preflow on MOVPE-grown GaN films analysed by X-ray reciprocal space map. *Phys. Status Solidi (c)*, 2(7):2353–2356, 2005.
- [75] H. Okumura, M. Shimizu, X. Q. Shen, and T. Ide. Polarity control in MBE growth of III-nitrides, and its device application. *Current Appl. Phys.*, 2(4):305–310, 2002.
- [76] A. Yoshikawa and K. Takahashi. A new three-step method for high quality MOVPE growth of III-nitrides on sapphire. *Phys. Status Solidi (a)*, 188(2):625–628, 2001.
- [77] D. H. Lim, K. Xu, S. Arima, and K. Takahashi. Polarity inversion of GaN films by trimethyl-aluminum preflow in low-pressure metalorganic vapor phase epitaxy growth. *J. Appl. Phys.*, 91(10):6461–6464, 2002.
- [78] J. Pankove, E. Miller, D. Richman, and J. Berkeyheiser. Electroluminescence in GaN. *J. Lumin.*, 4(1):63–66, 1971.
- [79] M. Z. Peng, L. W. Gou, J. Zhang, and J. M. Zhou. Three-step growth optimization of AlN epilayers by MOCVD. *Chin. Phys. Lett.*, 25:2265–2268, 2008.
- [80] C. R. Eddy Jr ., R. T. Holm, R. L. Henry, and M. E. Twigg. Investigation of three-step epilayer growth approach of GaN films to minimize compensation. *J. Elect. Materials*, 34(9):1187–1192, 2005.
- [81] M. Kurimoto, T. Nakada, Y. Ishihara, and H. Kawanishi. Tensile strain introduced in AlN layer grown by metal-organic vapor-phase epitaxy on (0001) 6H-SiC with (GaN/AlN) buffer. *Jpn. J. Appl. Phys.*, 38:L551–L553, 1999.
- [82] R. G. Banal, M. Funato, and Y. Kawakami. Initial nucleation of AlN grown directly on sapphire substrate by metal-organic vapor phase epitaxy. *Appl. Phys. Lett.*, 92(24):241905–241907, 2008.
- [83] D. Kapolnek, S. Keller, R. Vetry, and U. K. Mishra. Anisotropic epitaxial lateral growth in GaN selective area epitaxy. *Appl. Phys. Lett.*, 71(9):1204–1206, 1997.
- [84] H. Marchand, X. H. Wu, J. P. Ibbetson, and U. K. Mishra. Microstructure of GaN laterally overgrown by metalorganic chemical vapor deposition. *Appl. Phys. Lett.*, 73(6):747–749, 1998.

- [85] A. Usui, H. Sunakawa, A. Sakai, and A. Yamaguchi. Thick GaN epitaxial growth with low dislocation density by hydride vapor phase epitaxy. *Jpn. J. Appl. Phys.*, 36:L899–L902, 1997.
- [86] A. Sakai, H. Sunakawa, and A. Usui. A multipoint correlation method with binomial weighting coefficients for deep-level measurements in metal-oxide-semiconductor devices. *Appl. Phys. Lett.*, 71(16):2259–2261, 1997.
- [87] K. Hiramatsu, editor. *Proceedings of ICNS 97, Tokushima, Japan*, 1997.
- [88] S. Nakamura, M. Senoh, S. Nagahama, and K. Chocho. Present status of InGaN/GaN/AlGaN-based laser diodes. *J. Cryst. Growth*, 189/190:820–825, 1998.
- [89] T. S. Zheleva, O. H. Nam, W. M. Ashmawi, and R. F. Davis. Lateral epitaxy and dislocation density reduction in selectively grown GaN structures. *J. Cryst. Growth*, 222(4):706–718, 2001.
- [90] T. S. Zheleva, F. Karoui, K. Kirchner, and T. Venkatesan. Approaches for reduction of the defect density in group III nitride based heterostructures. *Mater. Res. Soc. Symp. Proc.*, 636:G5.1.1, 2001.
- [91] Y. Kato, S. Kitamura, K. Hiramatsu, and N. Sawaki. Selective growth of wurtzite GaN and $\text{Al}_x\text{Ga}_{1-x}\text{N}$ on GaN/sapphire substrates by metalorganic vapor phase epitaxy. *J. Cryst. Growth*, 144(3-4):133–140, 1994.
- [92] B. Beaumont, P. Gibart, M. Vaille, and A. Bouillé. Lateral overgrowth of GaN on patterned GaN/sapphire substrate via selective metal organic vapour phase epitaxy: a route to produce self supported GaN substrates. *J. Cryst. Growth*, 189/190:97–102, 1998.
- [93] P.T. Fini H. Marchand, J. P. Ibbetson and U.K. Mishra. *MRS Internet J. Nitride Semicond. Res.*, 4S1, G4.5, 1999.
- [94] S. Nagahama, N. Iwasa, M. Senoh, and T. Mukai. High-power and long-lifetime InGaN multi-quantum-well laser diodes grown on low-dislocation-density GaN substrates. *Jpn. J. Appl. Phys.*, 39:L647–L650, 2000.

- [95] H. Miyake, H. Mizutani, K. Hiramatsu, and T. Maeda. Fabrication of GaN layer with low dislocation density using facet controlled ELO technique. *Mater. Res. Symp. Proc.*, 639:G5.3.1, 2001.
- [96] B. Beaumont and E. Frayssinet. Unpublished. 2002.
- [97] M. Imura, K. Nakano, N. Fujimoto, and A. Bandoh. High-temperature metal-organic vapor phase epitaxial growth of AlN on sapphire by multi transition growth mode method varying V/III ratio. *Jpn. J. Appl. Phys.*, 45:8639–8643, 2006.
- [98] M. Imura, N. Fujimoto, N. Okada, and A. Bandoh. Annihilation mechanism of threading dislocations in AlN grown by growth form modification method using V/III ratio. *J. Cryst. Growth*, 300(1):136–140, 2007.
- [99] M. Takeuchi, H. Shimizu, R. Kajitani, and Y. Aoyagi. Improvement of crystalline quality of n-polar Aln layers on c-plane sapphire by low-pressure flow-modulated mocvd. *J. Cryst. Growth*, 298:336–340, 2007.
- [100] M. Takeuchi, H. Shimizu, R. Kajitani, and Y. Aoyagi. Al- and N-polar AlN layers grown on c-plane sapphire substrates by modified flow-modulation MOCVD. *J. Cryst. Growth*, 305(2):360–365, 2007.
- [101] S. Choi, H. J. Kim, J. H. Ryou, and R. D. Dupuis. Digitally-alloyed modulated precursor flow epitaxial growth of $\text{Al}_x\text{Ga}_{1-x}\text{N}$ layers with AlN and $\text{Al}_y\text{Ga}_{1-y}\text{N}$ monolayers. *J. Cryst. Growth*, 311(12):3252–3256, 2009.
- [102] M. Hiroki and N. Kobayashi. Flat surfaces and interfaces in Aln/GaN heterostructures and superlattices grown by flow-rate modulation epitaxy. *Jpn. J. Appl. Phys.*, 42:2305–2308, 2003.
- [103] F. Yan, M. Tsukihara, A. Nakamura, and S. Sakai. Surface smoothing mechanism of AlN film by initially alternating supply of ammonia. *Jpn. J. Appl. Phys.*, 43:L1057–L1059, 2004.
- [104] Q. Paduano and D. Weyburne. Optimized coalescence method for the metalorganic chemical vapor deposition (MOCVD) growth of high quality Al-polarity AlN films on sapphire. *Jpn. J. Appl. Phys.*, 44:L150–L152, 2005.

- [105] A. C. Jones and P. O'Brien. *CVD of compound semiconductors: precursor synthesis, development and applications*. Weinheim; New York; Basel; Cambridge; Tokyo: VCH,, 1997.
- [106] D. A. Neumayer and J. G. Ekerdt. Growth of group III nitrides. A review of precursors and techniques. *Chem. Mater.*, 8(1):9–25, 1996.
- [107] Rohm and Haas. CVD metalorganics for vapor phase epitaxy product guide and literature review. Technical report, Rohm and Haas, 60 Willow Street, North Andover, MA 01845.
- [108] C. R. Abernathy, J. D. MacKenzie, S. J. Pearson, and W. S. Hobson. Ccl_4 doping of GaN grown by metalorganic molecular beam epitaxy. *Appl. Phys. Lett.*, 66(15):1969–1971, 1995.
- [109] R. Dingle, K. Shakalee, R. Leheny, and R. Zetterstrom. Stimulated emision and laser action in gallium nitride. *Appl. Phys. Lett.*, 19(1):5–7, 1971.
- [110] T. Kawabata, T. Matsuda, and S. Koike. GaN blue light emitting diodes prepared by metalorganic chemical vapor deposition. *J. Appl. Phys.*, 56(8):2367–2374, 1984.
- [111] S. Nakamura. InGaN-based blue/green LEDs and laser diodes. *Adv. Mater.*, 8(8):689–692, 1996.
- [112] A. C. Jones. Developments in metalorganic precursors for semiconductor growth from the vapour phase. *Chem. Soc. Rev.*, 26:101–110, 1997.
- [113] A. C. Jones, C. R. Whitehouse, and J. S. Roberts. Chemical approaches to the metalorganic CVD of group-III nitrides. *Chem. Vapor Deposition*, 1(3):65–74, 1995.
- [114] Z. Jiang and L. V. Interrante. N,N' -Bis(triethylaluminum)ethylenediamine- and N,N' -Bis(trimethylaluminum) ethylenediamine-derived organometallic precursors to aluminum nitride: syntheses, structures, and pyrolyses. *Chem. Mater.*, 2(4):439, 1990.
- [115] S. A. Rushworth, J. R. Brown, and G. W. Critchlow. Alternative precursor systems for the MOCVD of aluminium nitride and gallium nitride. *Adv. Mater. Opt. Elec.*, 6(3):119–126, 1996.

- [116] A. Miehr and R. A. Fircher. Pdsp 5. In *Book of 8th Int Conf On MOVPE*, June 9-13 1996. Cardiff, UK.
- [117] A. Thon and T. F. Kuech. High temperature adduct formation of trimethylgallium and ammonia. *Appl. Phys. Lett.*, 69(1):55–57, 1996.
- [118] S. Keller and S. P. DenBaars. Metalorganic chemical vapor deposition of group III nitrides – a discussion of critical issues. *J. Cryst. Growth*, 248:479–486, 2003.
- [119] M. Asif Khan, J. N. Kuznia, J. M. Van Hove, and R. M. Kolbas. Growth of high optical and electrical quality GaN layers using low-pressure metalorganic chemical vapor deposition. *Appl. Phys. Lett.*, 58(5):526–527, 1991.
- [120] M. Matloubian and M. Gershenson. MOCVD epitaxial growth of single crystal GaN, AlN and $\text{Al}_x\text{Ga}_{1-x}\text{N}$. *J. Electron. Mater.*, 14(5):633–644, 1985.
- [121] J. Sumakeris, Z. Sitar, K. S. Ailey-Trent, K.L. More, and R. F. Davis. Layer-by-layer epitaxial growth of GaN at low temperatures. *Thin Solid Films*, 225(1-2):244–249, 1993.
- [122] S. Zembutsu and T. Sasaki. Low temperature growth of GaN single crystal films using electron cyclotron resonance plasma excited metalorganic vapor phase epitaxy. *J. Cryst. Growth*, 77(1-3):250–256, 1986.
- [123] J. L. Dupuie and E. Gulari. Hot filament enhanced chemical vapor deposition of AlN thin films. *Appl. Phys. Lett.*, 59(5):549–551, 1991.
- [124] H. Sato, T. Minami, E. Yamada, and M. Ishii. Transparent and conductive GaN thin films prepared by an electron cyclotron resonance plasma metalorganic chemical vapor deposition method. *J. Vac. Sci. Technol. A*, 11(4):1422–1425, 1993.
- [125] H. Sato, T. Minami, E. Yamada, and S. Takata. Transparent and conductive impurity-doped GaN thin films prepared by an electron cyclotron resonance plasma metalorganic chemical vapor deposition method. *J. Appl. Phys.*, 75:1405–1409, 1994.
- [126] G. Y. Meng, N. Azéma, B. Cros, and L. Cot. The growth mechanism of (10 $\bar{1}$ 0) oriented AlN thin films by low-frequency plasma-enhanced

- metalorganic chemical vapour deposition process. *J. Cryst. Growth*, 129:610–620, 1993.
- [127] N. Azéma, J. Durand, R. Berjoan, and L. Cot. Plasma-enhanced chemical vapour deposition of AlN (100) on Si (100): microstructural study of the interlayers. *J. Cryst. Growth*, 129(3-4):621–628, 1993.
- [128] B. Aspar, R. Rodriguez-Clemente, A. Figueras, and C. Combescure. Influence of the experimental conditions on the morphology of CVD AlN films. *J. Cryst. Growth*, 129(1-2):56–66, 1993.
- [129] R. Rodríguez-Clemente, B. Aspar, N. Azema, and A. Figueras. Morphological properties of chemical vapour deposited AlN films. *J. Cryst. Growth*, 133(1-2):59–70, 1993.
- [130] B. Zhou, X. Li, T. L. Tansley, and M. R. Phillips. Growth of GaN films by combined laser and microwave plasma enhanced chemical vapour deposition. *J. Cryst. Growth*, 151(3-4):249–253, 1995.
- [131] J. S. Hwang, S. S. Lee, and P. J. Chong. *Chem. Soc.*, 15:28, 1994.
- [132] S.W. Choi, K. J. Bachmann, and G. Lucovsky. Growth kinetics and characterizations of gallium nitride thin films by remote PECVD. *J. Mater. Res.*, 8(8):847–854, 1993.
- [133] N. H. Karam, T. Parodos, P. Colter, and S. M. Bedair. Growth of device quality GaN at 550 °C by atomic layer epitaxy. *Appl. Phys. Lett.*, 67:94–96, 1995.
- [134] T. Makimoto and N. Kobayashi. Nitridation of GaAs surfaces using nitrogen through a hot tungsten filament. *Appl. Phys. Lett.*, 67(4):548–550, 1995.
- [135] S. Yoshida and M. Sasaki. Catalytic decomposition of ammonia gas using aluminium oxide for GaN formation. *J. Cryst. Growth*, 135(3-4):633–635, 1994.
- [136] W. Zhang, Y. Someno, M. Sasaki, and T. Hirai. Heteroepitaxy of AlN on α -al₂O₃ by electron cyclotron resonance plasma-assisted chemical vapor deposition at low temperatures. *J. Cryst. Growth*, 132(1-2):337–340, 1993.

- [137] W. Zhang, Y. Someno, M. Sasaki, and T. Hirai. Low-temperature epitaxial growth of AlN films on sapphire by electron cyclotron resonance plasma-assisted chemical vapor deposition. *J. Cryst. Growth*, 130(1-2):308–312, 1993.
- [138] W. Zhang, R. Vargas, T. Goto, and T. Hirai. Preparation of epitaxial AlN films by electron cyclotron resonance plasma-assisted chemical vapor deposition on Ir- and Pt-coated sapphire substrates. *Appl. Phys. Lett.*, 64(11):1359–1361, 1994.
- [139] I. Grzegory, J. Jun, St. Krukowski, M. Boćkowski, and S. Porowski. Crystal growth of III-N compounds under high nitrogen pressure. *Physica B*, 185(1-4):99–102, 1993.
- [140] K. S. Boutros, F. G. McIntosh, J. C. Roberts, and N. A. El-Masry. High quality InGaN films by atomic layer epitaxy. *Appl. Phys. Lett.*, 67(13):1856–1858, 1995.
- [141] S. Strite and H. Morkoç. GaN, AlN, and InN: a review. *J. Vac. Sci. Technol. B*, 10(4):1237–1266, 1992.
- [142] T. Sasaki and T. Matsuoka. Analysis of two-step-growth conditions for GaN on an AlN buffer layer. *J. Appl. Phys.*, 77(1):192–200, 1995.
- [143] A. Saxler, P. Kung, C. J. Sun, and M. Razeghi. High quality aluminum nitride epitaxial layers grown on sapphire substrates. *Appl. Phys. Lett.*, 64(3):339–341, 1994.
- [144] G. B. Stringfellow. *Organometallic vapor-phase epitaxy*. Academic Press, New York, 1999.
- [145] J. Han, J. J. Figiel, M. H. Crawford, and A. V. Nurmikko. OMVPE growth and gas-phase reactions of AlGaN for UV emitters. *J. Cryst. Growth*, 195(1-4):291–296, 1998.
- [146] S. C. Choi, J. H. Kim, J. Y. Choi, and G. M. Yang. Al concentration control of epitaxial AlGaN alloys and interface control of GaN/AlGaN quantum well structures. *J. Appl. Phys.*, 87(1):172–176, 2000.
- [147] T. G. Mihopoulos, V. Gupta, and K. F. Jensen. A reaction-transport model for AlGaN MOVPE growth. *J. Cryst. Growth*, 195(1-4):733–739, 1998.

- [148] J.R. Creighton, W.G. Breiland, and M.E. Coltrin. *Electrochem. Soc. Proc.*, 28, 2002–2003.
- [149] S. Keller, G. Parish, P. T. Fini, and Y. F. Wu. Metalorganic chemical vapor deposition of high mobility AlGaN/GaN heterostructures. *J. Appl. Phys.*, 86:5850–5857, 1999.
- [150] A. Love and A. K. Hochberg. The dynamics of bubblers as vapor delivery systems. *J. Cryst. Growth*, 129(1-2):119–133, 1993.
- [151] K. Deppert, H. C. Hansson, and A. Wiedensohier. Aerosol particles from metalorganic vapor phase epitaxy bubblers. *J. Cryst. Growth*, 145(1-4):636–641, 1994.
- [152] B. Mayer, C. C. Collins, and M. Walton. Transient analysis of carrier gas saturation in liquid source vapor generator. *J. Vac. Sci. Technol. A*, 19(1):329–344, 2001.
- [153] S. D. Hersee and J. M. Ballingali. The operation of metalorganic bubblers at reduced pressure. *J. Vac. Sci. Technol. A*, 8(2):800–8004, 1990.
- [154] L. M. Smitha, R. Odedraa, A. J. Purdiea, and R. K. Kanjolia. Trimethylindium transport studies: the effect of different bubbler designs. *J. Cryst. Growth*, 272(1-4):37–41, 2004.
- [155] D. Bour, Z. Yang, and C. Chua. Simple technique for measuring the filled volume of liquid or solid CVD precursor chemicals in bubblers. *J. Cryst. Growth*, 310(10):2673–2677, 2008.
- [156] J. C. Lötters. Digital mass flow control. *III-Vs Review*, 17(9):21, January 2005.
- [157] Manager Research Dr. Ir. J.C. Lötters and Development. New generation of digital mass flow controllers for MOVPE of III-V compound semiconductor devices. Technical report, Bronkhorst High-Tech B.V.
- [158] P. O'Brien, N. L. Pickett, and D. J. Otway. Developments in CVD delivery systems: A chemist's perspective on the chemical and physical interactions between precursors. *Chem. Vapor Deposition*, 8(6):237–249, 2002.
- [159] <http://www.bronkhorst.com/>.

- [160] Y. S. Cho. *MOVPE growth and characterization of Cr-doped GaN*. PhD thesis, Faculty of Georesources and Materials Engineering Engineering, RWTH Aachen University, 2007.
- [161] P. M. Frijlink. A new versatile, large size MOVPE reactor. *J. Cryst. Growth*, 93(1-4):207–215, 1988.
- [162] <http://lumasense.net/>, 2007. Photri Temperature Sensor.
- [163] <http://www.laytec.de/>. EpiR DA UV TT.
- [164] E. Luthardt and H. Juergensen. *Proceedings of Semicon Europa*, 1, 1988.
- [165] J. M. Colabella, R. A. Stall, and C. T. Sorenson. The adsorption and subsequent oxidation of AsH₃ and PH₃ on activated carbon. *J. Cryst. Growth*, 92(1-2):189–195, 1988.
- [166] <http://yosemite.epa.gov/>. Lesson 10 Design Evaluation of Particulate Wet Scrubbing Systems.
- [167] R. H. Perry. *Perrys chemical engineers handbook*, 1999.
- [168] W. J. Bartels and W. Nijman. X-ray double-crystal diffractometry of Ga_{1-x}Al_xAs epitaxial layers. *J. Cryst. Growth*, 44(5):518–525, 1978.
- [169] W. J. Bartels and H. Veenliet. Number 45. Inst. Phys. Conf. Ser., 1979.
- [170] V. Srikant, J. S. Speck, and D. R. Clarke. Mosaic structure in epitaxial thin films having large lattice mismatch. *J. Appl. Phys.*, 82(9):4286 – 4295, 1997.
- [171] A. Nakajima, Y. Furukawa, H. Yokoya, and H. Yonezu. Growth of low-dislocation-density AlN under Ga irradiation. *Jpn. J. Appl. Phys.*, 45(4A):2422–2425, 2006.
- [172] B. W. Rossiter and J. F. Hamilton, editors. *Physical methods of chemistry*. John Wiley & Sons, Inc., 1991.
- [173] Veeco Metrology Group Digital Instruments. Scanning probe microscopy training notebook. Technical report, Digital Instruments, Veeco Metrology Group, 2000.
- [174] D. P. DeWitt and G. D. Nutter, editors. *Theory and practice of radiation thermometry*. John Wiley & Sons, Inc., 1988.

- [175] G. Andor. Resolution limits in radiation temperature measurements using unfiltered photodiodes as detectors. *Metrologia*, 32(6):709–711, 1995.
- [176] D. E. Aspnes. Minimal-data approaches for determining outer-layer dielectric responses of films from kinetic reflectometric and ellipsometric measurements. *J. Opt. Soc. Am. A*, 10(5):947–983, 1993.
- [177] P. S. Hauge. Polycrystalline silicon film thickness measurement from analysis of visible reflectance spectra. *J. Opt. Soc. Am. A*, 69:1143–1152, 1979.
- [178] F. K. III and M. F. Tabet. Virtual interface method for in situ ellipsometry of films grown on unknown substrates. *J. Vac. Sci. Technol. A*, 11(4):976–980, 1993.
- [179] W. G. Breiland and K. P. Killeen. A virtual interface method for extracting growth rates and high temperature optical constants from thin semiconductor films using in situ normal incidence reflectance. *J. Appl. Phys.*, 78(11):6726–6736, 1995.
- [180] I. Akasaki and H. Amano. Crystal growth and conductivity control of group III nitride semiconductors and their application to short wavelength light emitters. *Jpn. J. Appl. Phys.*, 36:5393–5408, 1997.
- [181] N. Yoshimoto, T. Matsuoka, T. Sasaki, and A. Katsui. Photoluminescence of inGaN films growth at high temperature by metalorganic vapor phase epitaxy. *Appl. Phys. Lett.*, 59(18):2251–2253, 1991.
- [182] S. Nakamura, T. Mukai, and M. Senoh. Candela-class high-brightness inGaN/AlGaN double-heterostructure blue-lightemitting diodes. *Appl. Phys. Lett.*, 64(13):1687–1689, 1994.
- [183] S. Nakamura, M. Senoh, S. Nagahama, and Y. Sugimoto. InGaN-based multi-quantum-well-structure laser diodes. *Jpn. J. Appl. Phys.*, 35:L74–L76, 1996.
- [184] O. H. Nam, M. D. Bremser, T. S. Zheleva, and R. F. Davis. Lateral epitaxy of low defect density GaN layers via organometallic vapor phase epitaxy. *Appl. Phys. Lett.*, 71(18):2638–2640, 1997.
- [185] S. Nakamura. InGaN/GaN/AlGaN-based laser diodes with an estimated lifetime of longer than 10,000 hours. *MRS Bullet.*, 38:37–43, 1998.

- [186] Y. Koide, N. Itoh, K. Itoh, and I. Akasaki. Effect of AlN buffer layer on AlGaN / α -Al₂O₃ heteroepitaxial growth by metalorganic vapor phase epitaxy. *Jpn. J. Appl. Phys.*, 27:1156–1161, 1988.
- [187] Y. Ohba and A. Hatano. Growth of high-quality AlN and AlN/GaN/AlN heterostructure on sapphire substrate. *Jpn. J. Appl. Phys.*, 35:L1013–L1015, 1996.
- [188] Y. Ohba, H. Yoshida, and R. Sato. Growth of high-quality AlN, GaN and AlGaN with atomically smooth surfaces on sapphire substrates. *Jpn. J. Appl. Phys.*, 36:L1565–L1567, 1997.
- [189] K. Wongchotigul, S. Wilson, C. Dickens, and M. G. Spencer. Growth of aluminum nitride with superior optical and morphological properties. *Materials Science Forum*, 264:1137, 1998.
- [190] Y. Ohba and R. Sato. Growth of AlN on sapphire substrates by using a thin AlN buffer layer grown two-dimensionally at a very low V/III ratio. *J. Cryst. Growth*, 221(1-4):258–261, 2000.
- [191] Y. Ohba, R. Sato, and K. Kaneko. Two-dimensional growth of AlN and GaN on lattice-relaxed Al_{0.4}Ga_{0.6}N buffer layers prepared with high-temperature-grown AlN buffer on sapphire substrates and fabrication of multiple-quantum-well structures. *Jpn. J. Appl. Phys.*, 40:L1293–L1296, 2001.
- [192] E. Kuokstis, J. Zhang, Q. Fareed, and L. Schowalter. Near-band-edge photoluminescence of wurtzite-type AlN. *Appl. Phys. Lett.*, 81(15):2755–2757, 2002.
- [193] A. Hanlon, P. M. Pattison, J. F. Kaeding, and S. Nakamura. 292nm AlGaN single-quantum well light emitting diodes grown on transparent Aln base. *Jpn. J. Appl. Phys.*, 42:L628–L630, 2003.
- [194] M. Tsuda, K. Balakrishnan, M. Iwaya, and I. Akasaki. Impact of H₂-preannealing of the sapphire substrate on the crystallinity of low-temperature-deposited AlN buffer layer. *Jpn. J. Appl. Phys.*, 44:3913–3917, 2005.
- [195] K. Kawaguchi and A. Kuramata. Defect structures of AlN on sapphire (0001) grown by metalorganic vapor-phase epitaxy with different preflow sources. *Jpn. J. Appl. Phys.*, 44:L1400–L1402, 2005.

- [196] Y. Ohba, S. Iida, and S. Nunoue. Room-temperature CW operation of GaN-based blue-violet laser diodes fabricated on sapphire substrate using high-temperature-grown single-crystal AlN buffer layer. *Jpn. J. Appl. Phys.*, 45:73–75, 2006.
- [197] A. Dadgar, A. Krost, J. Christen, and A. Hoffmann. MOVPE growth of high-quality AlN. *J. Cryst. Growth*, 297(2):306–310, 2006.
- [198] Y. A. Xi, K. X. Chen, F. Mont, and J. A. Smart. Very high quality AlN grown on (0001) sapphire by metal-organic vapor phase epitaxy. *Appl. Phys. Lett.*, 89(10):103106–103109, 2006.
- [199] Y. A. Xi, K. X. Chen, F. Mont, and J. A. Smart. Optimization of high-quality AlN epitaxially grown on (0001) sapphire by metal-organic vapor - phase epitaxy. *J. Elect. Materials*, 36(4):533 – 537, 2007.
- [200] M. Imura, K. Nakano, N. Fujimoto, and A. Bandoh. Dislocations in AlN epilayers grown on sapphire substrate by high-temperature metal-organic vapor phase epitaxy. *Jpn. J. Appl. Phys.*, 46:1458–1462, 2007.
- [201] F. A. Ponce. *Group III nitride semiconductor compounds*. Oxford University Press, New York, 1988.
- [202] Z. J. Yu, J. H. Edgar, A. U. Ahmed, and A. Rys. Metalorganic surface chemical adsorption deposition of AlN films by ammonia and trimethylaluminum. *J. Electrochem. Soc.*, 138(1):196–199, 1991.
- [203] T. Uchida, K. Kusakabe, and K. Ohkawa. Influence of polymer formation on metalorganic vapor-phase epitaxial growth of AlN. *J. Cryst. Growth*, 304(1):133–140, 2007.
- [204] H. Hardtdegen. *Proceedings of the twenty-fourth state-of-art-program on compound semiconductors*, chapter Use of nitrogen as te ambient in the LP-MOVPE of III-Vs. The Electrochemical Society, Inc., 1996.
- [205] R. S. Balmer, C. Pickering, A. J. Piddock, and T. Martin. Modelling of high temperature optical constants and surface roughness evolution during MOVPE growth of GaN using in-situ spectral reflectometry. *J. Cryst. Growth*, 245(3-4):198–206, 2004.

- [206] M. Pelliccione and T. M. Lu, editors. *Evolution of thin film morphology modeling and simulations*, volume 108. Springer Series in Materials Science, Berlin Heidelberg, 2008.
- [207] W.G. Breiland. Reflectance-correcting pyrometry in thin film deposition applications. Technical Report SAND2003-1868, Sandia National Laboratories, Albuquerque, New Mexico 87185 and Livermore, California 94550, June 2003.