

BIBLIOGRAFIA CITADA

- Acebal, S., Mijovilovich, E., Rueda, E., Aguirre, M., Saragovi, C. 2000.** Iron-oxide mineralogy of a mollisol from Argentina: a study by selective-dissolution techniques, X-Ray diffraction, and Mössbauer spectroscopy. *Clays and Clay minerals* 48 (3): 322-330.
- Allen, B.L., Hajek, B.F. 1989.** Mineral occurrence in soil environments. En: *Minerals in Soil Environment*, 2º Ed., Dixon, J.B., Weed, S.B. (Eds.), Soil Science Society America, Madison, Wisconsin, 199-278.
- Askill, J. 1970.** Tracer Diffusion Data for Metals, Alloys, and Simple Oxides. IFI/Plenum Data Corporation, London. 107 p.
- Atlas de suelos de la República Argentina. 1990.** Secretaría de Agricultura Ganadería y Pesca e Instituto Nacional de Tecnología Agropecuaria. Proyecto PNUD-ARG 85/019, 677 p.
- Avramov, V., Jordanova, D., Hoffman, V., Roesler, W. 2006.** The role of dust source area and pedogenesis in three loess-paleosol sections from north Bulgaria: a mineral magnetic study. *Studia Geophysica et Geodaetica* 50: 259-282.
- Banerjee, S.K., Hunt, C.P., Liu, X.M. 1993.** Separation of local signals from the regional palaeomonsoon record of the Chinese loess plateau: a rock magnetic approach. *Geophysical Research Letters* 20: 843-846.
- Bartel, A., Bidegain, J.C., Sinito, A. 2005a.** Propiedades magnéticas de diferentes suelos del Partido de La Plata, Provincia de Buenos Aires. *Revista de la Asociación Geológica Argentina* 60: 591-598.
- Bartel, A., Bidegain, J.C., Sinito, A. 2005b.** Resultados preliminares de la caracterización magnética de suelos recientes en Cuchillo-Có, provincia de La Pampa. 16º Congreso Geológico Argentino, LLambías, E., de Barrio, R., González, P., Leal, P. (Eds.), CD-ROM, trabajo nº 272, 8 p, La Plata.
- Beget, J.E., Hawkins, D. 1989.** Influence of orbital parameters on Pleistocene loess deposition in central Alaska. *Nature* 337: 151-153.
- Bidart, S. 1996.** Sedimentological study of aeolian soil parent materials in the Río Sauce Grande basin, Buenos Aires province, Argentina. *Catena* 27: 191-207.
- Bidegain, J.C. 1991.** Sedimentary development, magnetostratigraphy and sequence of events of the Late Cenozoic in Entre Ríos and surrounding areas in Argentina,

Ph.D. thesis, Stockholm University. Akademityck AB, Edsbruk. ISBN 91-7146-915-X. 128 p., Stockholm.

- Bidegain, J.C. 1998.** New evidence of the Brunhes/Matuyama polarity boundary in the Hernández-Gorina quarries, northwest of the city of La Plata, Buenos Aires Province, Argentina. *Quaternary of South America and Antarctic Peninsula* 11:207-228.
- Bidegain, J.C., Sinito, A., Rodríguez, M.E. 1999.** Remanent magnetization in portland-cement- based materials. *Studia Geophysica et Geodaetica* 43: 289-302.
- Bidegain, J.C., Van Velzen, A. y Rico, Y. 2001.** Parámetros magnéticos en una secuencia de loess y paleosuelos del Cenozoico tardío en la cantera de Gorina, La Plata: su relevancia en el estudio de los cambios paleoclimáticos y paleoambientales. *Revista de la Asociación Geológica Argentina* 56 (4): 503-516.
- Bidegain, J.C., Bartel, A., Gogorza, C., Hurtado M., Da Silva, M. 2002.** Características magnéticas de suelos de la localidad de Punta Indio, provincia de Buenos Aires. 15º Congreso Geológico Argentino, Actas 2: 572-576, Santa Cruz.
- Bidegain, J.C., Rico Y. 2004.** Mineralogía magnética y registros de susceptibilidad en sedimentos cuaternarios de polaridad normal (Brunhes) y reversa (Matuyama) de la cantera de Juárez, provincia de Buenos Aires. *Revista de la Asociación Geológica Argentina* 59 (3): 451-461.
- Bidegain, J.C., Terminiello, L., Rico, Y., Mercader, R., Aragón, E. 2004.** Mineralogía magnética en la transición Brunhes-Matuyama. Pleistoceno de la provincia de Buenos Aires. *Revista de la Asociación Geológica Argentina* 59 (2): 193-199.
- Bidegain, J.C., Evans, M., Van Velzen, A. 2005.** A magnetological investigation of Pampean loess, Argentina. *Geophysical Journal International* 160: 55-62.
- Bidegain, J.C., van Velzen, A.J., Rico, Y. 2007a.** The Brunhes/Matuyama boundary and magnetic parameters related to climatic changes in Quaternary sediments of Argentina. *Journal of South American Earth Sciences*, 23: 17-29.
- Bidegain, J.C., Bartel, A., Sives, F., Mercader, R. 2007b.** Mössbauer and magnetic studies of parent material from argentine pampas soils. *Hyperfine Interactions* 175: 35-41.

- Bidegain, J.C., Chaparro, M., Sinito, A., Jurado, S., Marie, D. 2008.** Los minerales magnéticos como indicadores de contaminación ambiental. 17º Congreso Geológico Argentino, Actas en CD, 1123-1124, Jujuy.
- Borda, M. 2003.** Sequías históricas. Material de divulgación de la Chacra Experimental Integrada Barrow N° 28. 20 p.
- Burgos, J., Vidal, A. 1951.** Los climas de la República Argentina según la nueva clasificación de Thorntwhite. Revista Meteoros (Servicio Meteorológico Nacional), Buenos Aires, Año 1, N°1: 3-32.
- Cabrera, A. 1963.** Esquema fitogeográfico de la República Argentina. Revista Museo de la Plata (Nueva serie) VIII Botánica 3: 87-168.
- Cabria, F., Bianchini, M., Mediavilla, M. 2005.** Free iron oxides associated to organic carbon in soils aggregates in Balcarce county. Ciencia del Suelo 23: 23-29.
- Caminos, R. (Ed.): 1999.** Geología Argentina. Instituto de Geología y Recursos Minerales. Anales 29, 796 p. Buenos Aires.
- Cano, E., Casagrande, G., Conti, H., Salazar Lea Plaza, J., Peña Zubiato, C., Maldonado Pinedo, D., Martínez, H., Hevia, R., Scoppa, C., Fernández, B., Montes, M., Musto, J., Pittaluga, A. 1980.** Inventario Integrado de los Recursos Naturales de la provincia de La Pampa. ISAG, 493 p. Buenos Aires.
- Casadío, S., Manera, T., Parras, A., Montalvo, C., Cornachione, G. 2000.** Primer registro en superficie de sedimentitas continentales del Cretácico Superior en la Cuenca del Colorado, sureste de La Pampa. Revista de la Asociación Geológica Argentina 55 (1-2): 129-133.
- Cerón Loaiza, M. 2001.** Estudio mineralógico de suelos por espectroscopía Mössbauer. Tesis de Licenciatura Facultad de Ciencias Físicas, Universidad Nacional Mayor de San Marcos, 132 p., Lima, Perú.
- Chaparro, M. 2005.** Análisis y Estudio de Parámetros Magnéticos de Suelos y Sedimentos de Arroyos y Lagunas Relativamente Contaminados – Métodos de Mediciones Magnéticas. Tesis de Doctorado, 248 p, Universidad Nacional del Centro de la provincia de Buenos Aires.
- Chaparro, M., Bidegain, J.C., Sinito, A., Jurado, S., Gogorza, C. 2004.** Relevant magnetic parameters and heavy metals from relatively polluted stream sediments-vertical and longitudinal distribution along a cross-city stream in

- Buenos Aires Province, Argentina. *Studia Geophysica et Geodaetica* 48: 615-636.
- Chaparro, M., Gogorza, C., Lavat, A., Pazos, S., Sinito, A. 2002.** Preliminary results of magnetic characterisation of different soils in the Tandil region (Argentina) affected by the pollution of metallurgical factory. *European Journal Environmental and Engineering Geophysics* 7: 35-58.
- Chaparro, M., Gogorza, C., Irurzun, M.A., Sinito, A. 2006.** Review of Magnetism and Heavy Metal Pollution Studies of Various Environments from Argentina. *Earth Planet Space* 58:1411-1422.
- Chlachula, J., Evans, M.E., Rutter, N.W. 1998.** A magnetic investigation of a Late Quaternary loess/paleosol record in Siberia. *Geophysical Journal International* 132: 128-132.
- Daitsch, N., Bellini Saibene, Y., Lucchetti, P., Caldera, J., Ramos, L., Lorda, H., Roberto, Z., Cepeda, J., Pezzola, A. 2007.** CD interactivo SIG AgroRADAR 1999-2004. Instituto Nacional de Tecnología Agropecuaria, Argentina. Boletín de divulgación técnica N° 92.
- Dankers, P.H.M. 1978.** Magnetic properties of dispersed natural iron-oxides of known grain-size. Doctoral thesis, State University of Utrecht, 142 p.
- de Boer, C.B., Mullender, T., Dekkers, M.J. 2001.** Low-temperature behaviour of haematite: susceptibility and magnetization increase on cycling through the Morin transition. *Geophysical Journal International* 146: 201-216.
- de Elorriaga, E., Visconti, G. 2005.** Estratigrafía de la Cuenca del Colorado en la provincia de La Pampa. 16° Congreso Geológico Argentino, Actas: 351-358, La Plata.
- de Jong, E., Pennock, D., Nestor, P. 2000.** Magnetic susceptibility of soils in different slope positions in Saskatchewan, Canada. *Catena* 40: 291-305.
- Dearing, J., Hay, K., Baban, S., Huddleston, A., Wellington, E., Loveland, P. 1996.** Magnetic susceptibility of soil; an evaluation of conflicting theories using a national data set. *Geophysical Journal International* 127: 728-734.
- Dearing, J.A., Hannam, J., Anderson, A., Wellington, E. 2001.** Magnetic, geochemical and DNA properties of highly magnetic soils in England. *Geophysical Journal International* 144: 183-196.
- Delille, F., Dieny, B., Moussy, J.B., Guittet, M.J., Gota, S., Gautier-Soyer, M., Marine, C. 2005.** Study of the electronic paraproces and antiphase boundaries

- as sources of the demagnetisation phenomenon in magnetite. *Journal of Magnetism and Magnetic Materials* 294 (1): 27-39.
- Destefano, M., Mazzoni, M. 1992.** Textura superficial y composición de trizas vítreas de la erupción 1991 del volcán Hudson. Cuarta Reunión Argentina de Sedimentología, 211-218, La Plata.
- Duchaufour, P. 1978.** Manual de Edafología. Toray-Masson, S.A., Barcelona, 476 p.
- Dunlop, D.J., Özdemir, Ö. 1997.** Rock magnetism. Fundamentals and frontiers. Cambridge University Press, 573 p.
- Dunne, T., Leopold, B. 1978.** Water in Environmental Planning. W. H. Freeman and Co., San Francisco.
- El-Hasan, T. 2008.** The detection of roadside pollution of rapidly growing city in arid region using the magnetic proxies. *Environment Geology* 54 (1): 23-40.
- Etchevehere, P. 1976.** Normas de reconocimiento de suelos (2º Ed) INTA, Dpto Suelos, Castelar. Publicación Nº 152, 211 p.
- Etchichury, M., Tófaló, R. 2004.** Mineralogía de arenas y limos en suelos, sedimentos fluviales y eólicos actuales del sector austral de la cuenca Chacoparanense. Regionalización y áreas de aporte. *Revista de la Asociación Geológica Argentina* 59 (2): 317-329.
- Evans, M., Heller, F. 2003.** Environmental Magnetism. Principles and Applications of Enviromagnetics, Academic Press, Elsevier Science, Amsterdam, 299 p.
- Fassbinder, J., Stanjek, H., Vali, H. 1990.** Occurrences of magnetic bacteria in soil. *Nature* 43: 161-163.
- Fialová, H. Maier, G., Petrovsky, E, Kapicka, A., Boyko, T. Scholger, R. 2006.** Magnetic properties of soils from sites different geological and environmental settings. *Journal Applied Geophysics* 59:273-283.
- Frenguelli, J. 1950.** Rasgos generales de la morfología y la geología de la provincia de Buenos Aires. Laboratorio de Ensayo de materiales e investigaciones tecnológicas, Serie 2, 33: 1-72.
- Garming, J., von Dobeneck, T., Franke, C., Bleil, U. 2007.** Low-temperature partial magnetic self-reversal in marine sediments by magnetostatic interaction of titanomagnetite and titanohematite intergrowths. *Geophysical Journal International* 170: 1067-1075.
- Gaucher, G. 1971.** Tratado de pedología agrícola. El suelo y sus características agronómicas. Ediciones Omega, S. A. Barcelona. 647 p.

- Geiss, C., Zanner, C., Banerjee, S., Joanna, M. 2004.** Signature of magnetic enhancement in a loessic soil in Nebraska, United States of America. *Earth and Planetary Science Letters* 228: 355- 367.
- Geiss, C., Zanner, W. 2007.** Sediment magnetic signature of climate in modern loessic soils from the Great Plains. *Quaternary International* 162/163: 97-110.
- Gimenez, J., Hurtado, M., Cabral, M., Da Silva, M. 1992.** Estudio de Suelos del Partido de La Plata. Etapa I: sector Oeste-Noroeste. Convenio CFI-FCN y Museo, UNLP. Informe de tirada reducida: (inédito), 180 p., La Plata.
- Grimley, D., Arruda, N., Bramstedt, M. 2004.** Using magnetic susceptibility to facilitate more rapid, reproducible and precise delineation of hydric soils in the midwestern USA. *Catena* 58: 183-213.
- Guichón, B., Imbellone, P., Giménez, J. 2000.** Hidrotoposecuencia de suelos ligeramente hidromórficos. Partido de La Plata, Argentina. *Edafología* 7-1: 85-95.
- Halgedahl, S.L., Jarrard, R.D. 1995.** Low temperature behavior of single-domain through multidomain magnetite. *Earth and Planetary Science Letters* 130: 127-139.
- Hanesch, M., Petersen, N. 1999.** Magnetic properties of a recent parabrown-earth from Southern Germany. *Earth and Planetary Science Letters* 169: 85-97.
- Hanesch, M., Scholger, R. 2005.** The influence of soil type on the magnetic susceptibility measured throughout soil profiles. *Geophysical Journal International* 161: 50-56.
- Hasso-Agopsowicz, A., Jelenska, M., Wicik, B. 2004.** Magnetic susceptibility of Chernozems. *Miscellanea Geographica* 11: 57-61.
- Heider, F., Zitzelsberger, A., Fabian, K. 1996.** Magnetic susceptibility and remanent coercive force in grown magnetite crystals from 0.1 μm a 6 mm. *Physics of the Earth and Planetary Interiors* 93: 239-256.
- Heller, F., Evans, M.E. 1995.** Loess magnetism. *Reviews of Geophysics* 33: 211-240.
- Hoffmann, V., Knab, M., Appel, E. 1999.** Magnetic Susceptibility Mapping of Roadside Pollution. *Journal of Geochemical Exploration* 66: 313-326.
- Howard, A.J., Gilliland, G.L., Finzel, B.C., Poulos, T.L., Ohlendorf, D.H., Salamme, F. 1987.** The use of an imaging proportional counter in macromolecular crystallography. *Journal of Applied Crystallography* 20: 383-387.

- Hunt, C.P., Banerjee, S.K., Han, J., Solheid, P.A., Oches, E., Sun, W., Liu, T. 1995.** Rock-magnetic proxies of climate change in the loess-paleosol sequences of the western loess plateau of China. *Geophysical Journal International* 123: 232-244.
- Imbellone, P., Cumba, A., Sunesen, P. 2003.** Suelos arcillosos de la zona de La Plata. Provincia de Buenos aires. 1ra Jornada Geología del Cuaternario, paleomagnetismo y magnetismo ambiental. Actas en CD. LEMIT, La Plata.
- Iriondo, M., Kröhling, D. 1995.** El Sistema Eólico Pampeano. *Comunicaciones del Museo Provincial de Ciencias Naturales "Florentino Ameghino"* 5 (1): 68p.
- Ishikawa, Y., Akimoto, S. 1957.** Magnetic properties of the $\text{FeTiO}_3\text{-Fe}_2\text{O}_3$ solid solution series. *Journal of Physical Society of Japan* 12: 1083-1098.
- Jenny, H. 1941.** *Factors of Soil Formation: A System of Quantitative Pedology* Mc Graw-Hill, New York. Copy as pdf file (public domain) from the 1994 Dover Edition, ISBN: 0486681289.
- Jia, R.F., Yan, B.Z., Li, R.S., Fan, G.C., Lin, B.H. 1996.** Characteristic of magnetotactic bacteria in Duanjiapo loess section, Shaanxi Province and their environmental significance. *Science in China, Series D39*: 478-485.
- Jordanova, D., Petrovsky, E., Jordanova, N., Evlogiev, J., Butchvarova, V. 1997.** Rock magnetic properties of recent soils from northeastern Bulgaria. *Geophysical Journal International* 128: 474-488.
- Jordanova, D., Jordanova, N. 1999.** Magnetic characteristic of different soil types from Bulgaria. *Studia Geophysica et Geodaetica* 43: 303-318.
- Juan, R. del C., De Jager, J., Russel, J., Gebhard, I. 1996.** Flanco Norte de la Cuenca del Colorado. En: *Geología y Recursos Naturales de la Plataforma Continental Argentina*. Ramos, V.A., Turic, M.A. (Eds.). 13° Congreso Geológico Argentino y 3° Congreso de Exploración de Hidrocarburos, Relatorio, Actas 7: 117-133, Buenos Aires.
- Kakol, Z., Sabol, J., Stickler, J., Honig, J. 1992.** Effect of low-level titanium (IV) doping on the resistivity of magnetite near the Verwey transition. *Physical Review B* 46: 1975-1978.
- Kakol, Z., Sabol, J., Stickler, J., Koskowsky, A., Honig, J. 1994.** Influence of titanium doping on the magnetocrystalline anisotropy of magnetite. *Physical Review B* 49: 12767-12772.

- Kapicka, A., Jordanova, N., Petrovsky, E., Ustjak, S. 2001.** Effect of different soil conditions on magnetic parameters of power-plant fly ashes. *Journal of Applied Geophysics* 48: 93–102.
- Kapicka, A., Jordanova, N., Petrovsky, E., Podrazsky, V. 2003.** Magnetic study of weakly contaminated forest soils. *Water, Air, and Soil Pollution* 148: 31-44.
- Ketterings, Q., Bigham, J., Laprerche, V. 2000.** Changes in soil mineralogy and texture caused by Slash-and-burn Fires in Sumatra, Indonesia. *Soil Science Society America Journal* 64: 1108-1117.
- King, J., Banerjee, S., Marvin, J., Ozdemir, O. 1982.** A comparison of different magnetic methods for determining the relative grain size of magnetite in natural materials: some results from lake sediments. *Earth and Planetary Science Letters* 59: 404-419.
- Klose, S., Koch, J., Bäucker, E., Makeschin, F. 2001.** Indicative properties of fly-ash affected forest soils in Northeastern Germany. *Journal of Plant Nutrition and Soil Science* 164: 561-568.
- Klose, S., Tölle, R., Bäucker, E., Makeschin, F. 2003.** Stratigraphic distribution of lignite-derived atmospheric deposits in forest soils of the Upper Lusatian region, East Germany. *Water, Air and Soil Pollution* 142: 3-25.
- Kostadinoff, J., Font, G. 1982.** Cuenca Interserrana bonaerense. 5° Congreso Latinoamericano de Geología, Buenos Aires. Actas IV: 105-121.
- Kukla, G., Heller, F., Ming, L., Chun, X., Sheng, L., Sheng, A. 1988.** Pleistocene climates in China dated by magnetic susceptibility. *Geology* 16: 811-814.
- Lanfranco, J., Carrizo, R. 1983.** Carta de suelos de la Estación Experimental Central. 19 p. (Inédito). La Plata.
- Le Borgne, E. 1960.** Influence du feu sur les propriétés magnétiques du sol et du granite. *Annales Geophysicale* 16: 159-195.
- Lesta, P., Sylwan, C. 2005.** Cuenca de Claromecó. En Chebli, Cortiñas, Spalletti, Legarreta y Vallejo (Eds). 6° Congreso de Exploración y Desarrollo de Hidrocarburos. Simposio Frontera Exploratoria de Argentina, Actas: 217-231, Mar del Plata.
- Linares, E., Llambías, E.J., Latorre, C.O. 1980.** Geología de la provincia de La Pampa, República Argentina y geocronología de sus rocas metamórficas y eruptivas. *Revista de la Asociación Geológica Argentina* 35 (1): 87-146.

- Liu, J., Zhu, R., Ge, Z. 2002.** Magnetic properties and their paleoclimatic implications revealed from the last glacial eolian sedimentary sequence in Pengze, Jiangxi. *Science in China (serie D)* 45 (8): 691-701.
- Liu, X., Shaw, J., Liu, T.S., Heller, F., Yuan, B. 1992.** Magnetic mineralogy of Chinese loess and its significance. *Geophysical Journal International* 108: 301-308.
- Liu, X.M., Hesse, P., Rolph, T., Begét, J.E. 1999.** Properties of magnetic mineralogy of Alaskan loess: evidence for pedogenesis. *Quaternary International* 62 (1): 93-102.
- Lu, S.G., Yu, J.Y., Zhang, M.K. 2000.** Environmental magnetism of magnetic enhancement for soils formed on Quaternary sediments in Yangtze River Valley. *Acta Sedimentologica Sinica* 18 (3): 336–340.
- Lüters, J.A. 1982.** Edafogénesis de la climosecuencia existente entre el sureste de la provincia de la pampa y el litoral atlántico. Tesis de maestría, Universidad Nacional del Sur, 200 p, Bahía Blanca.
- Magiera, T., Strzyszcz, Z. 2000.** Ferrimagnetic minerals of anthropogenic origin in soils of some polish national parks. *Water, Air, and Soil Pollution* 124: 37–48.
- Maher, B.A. 1986.** Characterization of soil by mineral magnetic measurements. *Physics of the Earth and Planetary Interiors* 42: 76-92.
- Maher, B.A. 1988.** Magnetic properties of some synthetic submicron magnetites. *Geophysical Journal International* 94: 83-96.
- Maher, B.A. 1995.** Paleorainfall reconstructions from pedogenic magnetic susceptibility variations in the Chinese loess and paleosols. *Quaternary Research* 44: 383-391.
- Maher, B.A. 1998.** Magnetic properties of modern soils and Quaternary loessic paleosols: paleoclimatic implications. *Palaeogeography, Palaeoclimatology, Palaeoecology* 137: 25-54.
- Maher, B.A., Alekseev, A., Alekseeva, T. 2002.** Variation of soil magnetism across the Russian steppe; its significance for use of soil magnetism as a palaeorainfall proxy. *Quaternary Science Reviews* 21: 1571-1576.
- Maher, B.A., Alekseev, A., Alekseeva, T. 2003.** Magnetic mineralogy of soils across the Russian Steppe: climatic dependence of pedogenic magnetite formation. *Palaeogeography, Palaeoclimatology, Palaeoecology* 201: 321-341.
- Maher, B.A., Taylor, R. 1988.** Formation of ultrafine-grained magnetite in soils. *Nature* 336: 368-370.

- Maher, B.A., Thompson, R. 1991.** Mineral magnetic record of the Chinese loess and paleosols. *Geology* 19 (1): 3-6.
- Maher, B.A., Thompson, R. 1992.** Paleoclimatic significance of the mineral magnetic record of the Chinese loess and paleosols. *Quaternary Research* 37: 155–170.
- Maher, B.A., Thompson, R. 1995.** Paleorainfall reconstructions from pedogenic magnetic susceptibility variations in the Chinese loess and paleosols. *Quaternary International* 44: 383-391.
- McIntosh, G., Gómez-Paccard, M., Osete, M.L. 2007.** The magnetic properties of particles deposited on *Platanus x hispanica* leaves in Madrid, Spain, and their temporal and spatial variations. *Science of the Total Environment* 382: 135-146.
- Melchor, R., Visconti, G. Montalvo, C. 2000.** Late Miocene calcic vertisols from central La Pampa, Argentina. 2º Congreso Latinoamericano de Sedimentología y 8º Reunión Argentina de Sedimentología, Resúmenes: 119-120, Mar del Plata.
- Meng, X., Derbyshire, E., Kemp, R. 1997.** Origin of the magnetic susceptibility signal in Chinese loess. *Quaternary Science Reviews* 16: 833-839.
- Mercader, R., Sives, F., Imbellone, P., Vandenberghe, R. 2005.** Magnetic and Mössbauer studies of Quaternary Argentine loessic soils and paleosols. *Hyperfine Interactions* 161: 43–53.
- Mijovilovich, A., Morrás, H., Causevic, H., Saragovi, C. 1999.** Mössbauer study of the Fe mineralogy in two different Argentine soils. *Hyperfine Interactions* 122: 83-95.
- Milner, H.B. 1962.** *Sedimentary Petrography. Volume II: Principles and Applications.* Allen & Unwin. 625 p.
- Morrás, H. 1997.** Origen y mineralogía del material parental de los suelos de la región pampeana ¿Homogeneidad o heterogeneidad? Resúmenes del 1º taller de sedimentología y medioambiente, AAS, 19-20, Buenos Aires.
- Morrás, H. 1999.** Geochemical differentiation of Quaternary sediments from the Pampean region based on soil phosphorous contents as detected in the early 20th century. *Quaternary International* 62: 57-67.
- Morrás, H., Mijovilovich, A., Causevic, H., Orgeira, M.J., Saragovi, C. 2004.** Composición y origen de la fracción magnética de un suelo ferralítico de Misiones. 10º Reunión Argentina de Sedimentología, Actas: 104, San Luis.

- Moscattelli, G. 1991.** Los Suelos de la Región Pampeana. Capítulo 1. El Desarrollo Rural Pampeano. INDEC, INTA, IICA, Barsky O (Ed). Grupo Editor Latinoamericano. 804 p.
- Moskowitz, B., Jackson, M., Kissel, C. 1998.** Low-temperature magnetic behavior of titanomagnetites. *Earth and Planetary Science Letters* 157: 141-149.
- Murad, E., Johnston, J. 1987.** Mössbauer spectroscopy applied to inorganic chemistry. Long, G. (Ed). Plenum Publishing Corp., New York, 2: 507-582.
- Muxworthy, A. 1999.** Low-temperature susceptibility and hysteresis of magnetite. *Earth and Planetary Science Letters* 169: 51–58.
- Nabel, P. 1993.** The Brunhes-Matuyama boundary in Pleistocene sediments of Buenos Aires province, Argentina. *Quaternary International* 17: 79-85.
- Nabel, P., Morrás, H., Petersen, N., Zech, W. 1999.** Correlation of magnetic and lithologic features of soils and Quaternary sediments from the Undulating Pampa, Argentina. *Journal of South American Earth Science* 12: 311-323.
- Oldfield, F. 1991.** Environmental magnetism-A personal perspective. *Quaternary Science Reviews* 10: 73-85.
- Oldfield, F., Mercuri, A.M., Juggins, S., Langone, L., Rolph, T., Trincardi, F., Wolff, G., Gibbs, Z., Vigliotti, L., Frignani, M., Van der Post, K., Branch, N., Asioli, A., Accorsi, C.A. 2003.** A high resolution late Holocene palaeo environmental record from the central Adriatic Sea. *Quaternary Science Reviews* 22: 319- 342.
- Orgeira, M.J., Walther, A.M., Vásquez, C.A., Di Tommaso, I., Alonso, S., Sherwood, G., Hu, Y., Vilas, J.F. 1998.** Mineral magnetic record paleoclimatic variation in loess and paleosol from the Buenos Aires formation (Buenos Aires, Argentina). *Journal of South American Earth Science* 11 (6): 561-570.
- Orgeira, M.J., Walther, A., Tófaló, R., Vásquez, C., Lippai, H., Campagnucci, R. 2001.** Estratigrafía y magnetismo de rocas en un perfil del arroyo Tapalqué, Cuaternario de la provincia de Buenos Aires: Implicancias paleoambientales y paleoclimáticas. *Revista de la Asociación Geológica Argentina* 56 (3): 353-366.
- Orgeira, M.J., Walther, A., Tófaló, R., Vásquez, C., Berquó, T., Favier Dobois, C., Böhnel, H. 2002.** Environmental magnetism of a paleosol in the Lujan Formation (Luján, Buenos Aires Province): comparison with other areas in the province and palaeoclimatic considerations. *Revista de la Asociación Geológica Argentina* 57 (4): 451-462.

- Orgeira, M.J., Compagnucci, R. 2006.** Correlation between paleosol-soil magnetic signal and climate. *Earth Planets Space* 58: 1373-1380.
- Orgeira, M.J., Pereyra, F.X., Vásquez, C., Castañeda, E., Compagnucci, R. 2008.** Rock magnetism in modern soils, Buenos Aires province, Argentina. *Journal of South American Earth Science* 26:217-224.
- Ortega-Guerrero, B., Sedov, S., Solleiro-Rebolledo, E., Soler, A. 2004.** Magnetic mineralogy in Barranca Tlalpan exposure paleosols, Tlaxcala, Mexico. *Revista Mexicana de Ciencias Geológicas* 21(1): 120-132.
- Özdemir, O. 1992.** Low-temperature properties of a single crystal of magnetite oriented along principal magnetic axes. *Earth and Planetary Science Letters* 165 (2): 229-239.
- Pan, Y., Petersen, N., Davila, A.F., Zhang, L., Winklhofer, M., Liu, Q., Hanzlik, M., Zhu, R. 2005.** The detection of bacterial magnetite in recent sediments of Lake Chiemsee (southern Germany). *Earth and Planetary Science Letters* 232: 109-123.
- Panaiotu, C., Panaiotu, E., Grama, A., Necula, C. 2001.** Paleoclimatic record from a Loess-Paleosol Profile in Southeastern Romania. *Physics and Chemistry of the Earth (A)* 26 (11-12): 893-898.
- Parfenoff, A., Pomerol, C., Tourenq, J. 1970.** Les Minérox en grains. Méthodes d'étude et détermination. Masson et Cie, Éditeurs. 578 p.
- Pazos, M. 1984.** Relación arcilla iluvial/arcilla total en Molisoles del sudeste de la provincia de Buenos Aires. *Ciencia del Suelo* 2 (11): 131-136.
- Peck, J.A., King, W., Colman, S.M., Kravchinsky, V.A. 1994.** A rock-magnetic record from Lake Baikal, Siberia. Evidence of late Quaternary climate change. *Earth and Planetary Science Letters* 122: 221-238.
- Peck, J.A., King, J.W., 1996.** Magnetofossils in the sediment of Lake Baikal, Siberia. *Earth and Planetary Science Letters* 140: 159-172.
- Peng, X., Jia, R., Li, R., Dai, S., Liu, T.S. 2000.** Paleo-environmental study on the growth of magnetotactic bacteria and precipitation of magnetosomes in Chinese loess-paleosol sequences. *Chinese Science Bulletin* 45: 21-25.
- Peters, C., Dekkers, M. 2003.** Selected room temperature magnetic parameters as a function of mineralogy, concentration and grain size. *Physics and Chemistry of the Earth* 28: 659-667.

- Petersen, N., Vali, H. 1987.** Observation of shrinkage cracks in ocean floor titanomagnetites. *Physics of the Earth and Planetary Interiors* 46: 197-205.
- Petrovský, E., Elwood, B. 1999.** Magnetic monitoring of air, land and water pollution. In: *Quaternary Climates, Environments and Magnetism*. Maher, B.A., Thompson, R. (Eds), Cambridge University Press, 279-322. Cambridge.
- Phartiyal, B., Appel, E., Blaha, U., Hoffmann, V., Kotlia, B. 2003.** Palaeoclimatic significance of magnetic properties from Late Quaternary lacustrine sediments at Pithoragarh, Kumaun Lesser Himalaya, India. *Quaternary International* 108: 51-62.
- Porta, J., López Acevedo, M., Roquero, C. 2003.** Edafología para la agricultura y el medio ambiente. Mundi Prensa. Madrid, España. 929 p.
- Rabassa, J. 1973.** Geología superficial en la Hoja "Sierras de Tandil", provincia de Buenos Aires. *Anales, serie II*, 240: 115-150, LEMIT, La Plata.
- Radhakrishnamurty, S., Likhite, S. 1993.** Frequency dependence of low-temperature susceptibility peak in some titanomagnetites. *Physics of the Earth and Planetary Interiors* 76: 131-135.
- Rico, Y., Elsner, C., Bidegain, J.C., Sives, F. 2005.** Tratamientos térmicos sobre pigmentos sintéticos de óxidos y oxihidróxidos de hierro. Aplicación de la técnica de voltamperometría de micropartículas. 16º Congreso Geológico Argentino, Actas: 545-547, La Plata.
- Rico, Y., Elsner, C., Bidegain, J.C. 2007.** La voltamperometría de micropartículas en la diferenciación de óxidos y oxihidróxidos de hierro. *Revista de la Asociación Geológica Argentina* 62 (3): 417-424.
- Rivers, J., Nyquist, J., Roh, Y., Terry, D., Doll, W. 2004.** Investigation into the Origin of Magnetic Soils on the Oak Ridge Reservation, Tennessee. *Soil Science Society of America Journal* 68: 1772-1779.
- Roberto, Z., Adema, E., Rucci, T. 2005.** Relevamiento fisonómico de la vegetación en el área del Caldenal. Publicación técnica N° 60. INTA. Anguil. 24 p.
- Rosenbaum, J.G., Reynolds, R.L., Adam, D.P., Drexler, J., Sarna-Wojcicki, A.M., Whitney, G.C. 1996.** A middle Pleistocene climate record from Buck lake, Cascade range, southern Oregon-evidence from sediment magnetism, trace-element geochemistry, and pollen. *Geological Society of America Bulletin* 108: 1328-1341.

- Royall, D. 2001.** Use of mineral magnetic measurements to investigate soil erosion and sediment delivery in small agricultural catchment in limestone terrain. *Catena* 46: 14-34.
- Saragovi, C., Acebal, S., Labenski, F. 1994.** Mössbauer studies on some Argentinian soils: Mollisols from Bahía Blanca. *Hyperfine Interactions* 91: 765-769.
- Sartori, M., Heller, F., Forster, T., Borkovec, M., Hammann, J. Vincent, E. 1999.** Magnetic properties of loess grain size fractions from the section at Paks (Hungary). *Physics of the Earth and Planetary Interiors* 116: 53-64.
- Sayago, J.M., Collantes, M., Karlson, A., Sanabria, J. 2001.** Genesis and distribution of the Late Pleistocene and Holocene loess of Argentina: a regional approximation. *Quaternary International* 76-77: 247-257.
- Scasso, R., Limarino, C. 1997.** Petrología y diagénesis de rocas clásticas. Asociación Argentina de Sedimentología, publicación especial Nº 1. 258 p.
- Schellenberger, A., Heller, F., Veit, H. 2003.** Magnetostratigraphy and magnetic susceptibility of the Las Carreras loess-paleosol sequence in Valle de Tafí, Tucumán, NW-Argentina. *Quaternary International* 106-107: 159-167.
- Schlichting, E., Blume, H., Stahr, K. 1995.** *Bodenkundliches Praktikum. Pareys Studentexte* 81. Blackwell Wissenschafts-Verlag. Berlin. 295 p.
- Schwertmann, U., Cornell, R. 2000.** *Iron Oxides in the laboratory*. 2nd ed. Wiley-VCH Verlag, Weinheim, Federal Republic of Germany.
- Scoppa, C.O., Vargas Gil, J.R. 1969.** Delimitación de sub-zonas geomorfológicas en un sector de la Región Pampeana y sus relaciones edafogenéticas. 5º Reunión Argentina de la Ciencia del Suelo, Actas: 424-434, Santa Fé.
- Servicio Meteorológico Nacional.** Estadísticas climatológicas 1961-1990.
- Singer, M., Fine, P. 1989.** Pedogenic Factors Affecting Magnetic Susceptibility of Northern California Soils. *Soil Science Society of America Journal* 53:1119-1127.
- Singer, M., Fine, P., Verusob, K., Chadwick, O. 1992.** Time dependence of magnetic susceptibility of soil chronosequences on the California coast. *Quaternary Research* 37: 323-332.
- Singer, M.J., Verosub, K., Fine, P., TenPas, J. 1996.** A conceptual model for the enhancement of magnetic susceptibility in soils. *Quaternary International Journal* 34-36: 243-248.

- Snowball, I. 1994.** Bacterial magnetite and the magnetic properties of sediments in a Swedish lake. *Earth and Planetary Science Letters* 126: 129-142.
- Snowball, I., Zillén, L., Sandgren, P. 2002.** Bacterial magnetite in Swedish varved lake-sediments: a potential bio-marker of environmental change. *Quaternary International* 88: 13-19.
- Soil Survey Staff. 1999.** A Basic System of Soil Classification for Making and Interpreting Soil Surveys. 2° Ed. Agriculture Handbook, vol. 436. United States Department of Agriculture. Resources Conservation Service, Washington, DC, USA, 863 p.
- Stoltz, J.F., Lovley, D.R., Haggerty, S.E. 1990.** Biogenic magnetite and the magnetization of sediments. *Journal of Geophysical Research* 95: 4355-4361.
- Sun, Y.B., Sun, D.H., An, Z.S. 2001.** Paleoclimatic implication of frequency dependent magnetic susceptibility of red clay loess–paleosol sequences in the Lingtai profile. *Geological Journal of China Universities* 7 (3): 300–306.
- Taboada, M., Álvarez, C. 2008.** Fertilidad Física de los Suelos. Editorial Facultad de Agronomía (UBA), 272 p.
- Tang, Y., Jia, J., Xie, X. 2003.** Records of magnetic properties in Quaternary loess and its paleoclimatic significance: a brief review. *Quaternary International* 108: 33-50.
- Terhorst, B., Appel, E., Werner, A. 2001.** Palaeopedology and magnetic susceptibility of a loess-palaeosol sequence in southwest Germany. *Quaternary International* 76/77: 231-240.
- Terminiello, L., Bidegain, J.C., Rico, Y., Mercader, R.C. 2001.** Characterization of Argentine loess and paleosols by Mössbauer spectroscopy. *Hyperfine Interactions* 136: 97-104.
- Teruggi, M. 1957.** The nature and origin of Argentine loess. *Journal of Sedimentology and Petrology* 27 (3): 322-332.
- Thompson, R., Oldfield, F. 1986.** Environmental magnetism. Allen & Unwin, London, 225 p.
- Thompson, R., Bloemendal, J. Dearing, J., Oldfield, F., Rummery, T., Stober, J., Turner, G. 1980.** Environmental applications of magnetic measurements. *Science* 207: 481-486.
- Thorntwaite, C. W. 1948.** An approach toward a rational classification of climate. *Geog. Review* 38: 55-94.

- Van Oorschot, I. 2001.** Chemical distinction between lithogenic and pedogenic iron oxides in environmental magnetism. Doctoral thesis. Utrecht University, The Netherlands, 199 p.
- Van Velzen, A., Dekkers, M. 1999a.** Low-temperature oxidation of magnetite in loess-paleosol sequences: a correction of rock magnetic parameters. *Studia Geophysica et Geodaetica* 43: 357-375.
- Van Velzen, A., Dekkers, M. 1999b.** The incorporation of thermal methods in mineral magnetism of loess-paleosol sequences: a brief overview. *Chinese Science Bulletin* 44: 53-63.
- Vanderberghe, R., De Grave, E., Landuydt, C., Bowen, L. 1990.** Some aspects concerning the characterization of iron oxides and hydroxides in soils and clays. *Hyperfine Interactions* 53: 175-196.
- Vasquez, C., Orgeira, M. J., Sinito, A. 2008.** Origin of superparamagnetic particles in Argiudolls developed on loess, Buenos Aires (Argentina). *Environmental Geology* DOI 10.1007/s00254-008-1262-8.
- Venegas, R., Labenski, F., Acebal, S., Grassi, S., Rueda, E., Aguirre, M., Saragovi, C. 1994.** Analysis of iron state in some Argentinean soils by dissolution methods and Mössbauer spectroscopy. *Hyperfine Interactions* 83: 443-450.
- Verusob, K., Roberts, A. 1995.** Environmental magnetism: Past, present, and future. *Journal of geophysical Research* 100: 2175-2192.
- Verwey, E. 1939.** Electronic conduction of magnetite (Fe_3O_4) and its transition point at low-temperature. *Nature* 44: 327-328.
- Visconti, G., Montalvo, C., Cardonatto, M.C., Púgener, L. 1996.** Análisis estratigráfico e interpretación paleoambiental de la Formación Cerro Azul (Mioceno tardío) en el valle Argentino, provincia de La Pampa. 6º Jornadas Pampeanas de Ciencias Naturales, 86-88, Santa Rosa.
- Visconti, G., de Elorriaga, E., Parras, A. 2003.** Sedimentitas marinas de la Formación Barranca Final (Mioceno medio – superior de la cuenca del Colorado), aflorantes en el sureste de la provincia de La Pampa, Argentina. *Revista de la Asociación Geológica Argentina* 58 (2): 187-193.
- Visconti, G., de Elorriaga, E., Umazano, A.M. 2004.** La Formación Barranca Final (Mioceno medio-superior, Cuenca del Colorado) en la Laguna Colorada Grande,

Provincia de La Pampa. 10° Reunión Argentina de Sedimentología, Actas: 177-178, San Luis.

- Visconti, G. 2007.** Sedimentología de la Formación Cerro Azul (Mioceno superior) en la provincia de La Pampa. Tesis doctoral. Facultad de Ciencias Exactas y Naturales de la Universidad de Buenos Aires. Biblioteca Luis Federico Leloir, 203 p.
- Walden, J., Oldfield, F., Smith, J. (eds). 1999.** Environmental magnetism: a practical guide. Technical Guide, Nº 6. Quaternary Research Association, London, 243 p.
- Walkley, A., Black, I. 1934.** An examination of the Degtjareff method for determining soil organic matter, and a proposed modification of the chromic acid titration method. *Soil Sciences* 37: 29-38.
- Walther, A., Orgeira, M.J., Lippai, H.F. 2004.** Rock magnetism in late Cenozoic sediments at San Antonio de Areco, Buenos Aires province. *Revista de la Asociación Geológica Argentina* 59 (3): 433-442.
- Wang, Y., Evans, M.E., Ruttner, N., Ding, Z. 1990.** Magnetic susceptibility of Chinese loess and its bearing on paleoclimate. *Geophysical Research Letters* 17: 2449-2451.
- Wang, H., Liu, H., Liu, Y., Cui, H. 2004.** Mineral magnetism of lacustrine sediments and Holocene palaeoenvironmental changes in Dali Nor area, southeast Inner Mongolia Plateau, China. *Palaeogeography, Palaeoclimatology, Palaeoecology* 208: 175-193.
- White, K., Walden, J. 1997.** The rate of iron oxide enrichment in arid zone alluvial fan soils, Tunisian southern atlas, measured by mineral magnetic techniques. *Catena* 30: 215-227.
- Yamamoto, Y. 2006.** Possible TCRM acquisition of the Kilauea 1960 lava, Hawaii: failure of the Thellier paleointensity determination inferred from equilibrium temperature of the Fe-Ti oxide. *Earth Planets Space* 58: 1033-1044.
- Yrigoyen, M. 1999.** Los depósitos cretácicos y terciarios de las Cuencas del Salado y del Colorado. En: *Geología Argentina, Anales. Caminos, R. (Ed.).* 29 (21): 645-649.
- Zárate, M., Blasi, A. 1991.** Late Pleistocene and Holocene Loess Deposits of the Southeastern Buenos Aires Province *Geo-Journal* 24 (2): 211-220.

- Zárate, M., Blasi, A. 1993.** Late Pleistocene-Holocene eolian deposits of the southern Buenos Aires province, Argentina: A preliminary model. *Quaternary International* 17: 15-20.
- Zárate, M. 2005.** El Cenozoico tardío continental de la provincia de Buenos Aires. En *Geología y Recursos minerales de la provincia de Buenos Aires*. 16° Congreso Geológico Argentino, Relatorio: 139-158, La Plata.
- Zárate, M., Rabassa, J. 2005.** Geomorfología de la provincia de Buenos Aires. En *Geología y Recursos minerales de la provincia de Buenos Aires*. 16° Congreso Geológico Argentino, Relatorio: 119-138, La Plata.
- Zhang, W., Yu, L., Lu, M., Zheng, X., Shi, Y. 2007.** Magnetic properties and geochemistry of the Xiashu Loess in the present subtropical area of China, and their implications for pedogenic intensity. *Earth and Planetary Science Letters* 260: 86-97.
- Zheng, H., Oldfield, F., Yu, L., Shaw, J., An, Z. 1991.** The magnetic properties of particle-sized samples from the Luo Chuan loess section: evidence for pedogenesis. *Physics of the Earth and Planetary Interiors* 68: 250-258.
- Zheng, H., An, Z.S., Shaw, J. 1992.** New contributions to Chinese Plio-Pleistocene magnetostratigraphy. *Physics of the Earth and Planetary Interiors* 70: 146–153.
- Zhou, L.P., Oldfield, F., Wintle, A.G., Robinson, S.G., Wang, J.T. 1990.** Partly pedogenic origin of magnetic variations in Chinese loess. *Nature* 346: 737–739.