

Bibliografía

Abrahan, C., Miranda, G., Agnolazza, D., Politi, L., y Rotstein, N. Synthesis of sphingosine is required for oxidative stress-induced apoptosis of photoreceptors. 2009a. *Invest Ophthalmol Vis Sci.* Doi: 10.1167/iovs.09-3909.

Abrahan, C. E. Rol de los esfingolípidos en los procesos activados por estrés oxidativo en neuronas y células gliales de retina. 2009. Tesis Doctoral.

Abrahan, C. E., Insua, M. F., Politi, L. E., German, O. L., y Rotstein, N. P. Oxidative stress promotes proliferation and dedifferentiation of retina glial cells in vitro. 2009b. *J.Neurosci.Res.* **87**; 964-977.

Abrams, L., Politi, L. E., y Adler, R. Differential susceptibility of isolated mouse retinal neurons and photoreceptors to kainic acid toxicity. In vitro studies. 1989. *Invest Ophthalmol Vis Sci.* **30**; 2300-2308.

Acharya, J. K., Dasgupta, U., Rawat, S. S., Yuan, C., Sanxaridis, P. D., Yonamine, I., Karim, P., Nagashima, K., Brodsky, M. H., Tsunoda, S., y Acharya, U. Cell-nonautonomous function of ceramidase in photoreceptor homeostasis. 2008. *Neuron.* **57**; 69-79.

Acharya, U., Patel, S., Koundakjian, E., Nagashima, K., Han, X., y Acharya, J. K. Modulating sphingolipid biosynthetic pathway rescues photoreceptor degeneration. 2003. *Science.* **299**; 1740-1743.

Adler, R. Regulation of neurite growth in purified retina neuronal cultures: effects of PNPF, a substratum-bound, neurite-promoting factor. 1982. *J.Neurosci.Res.* **8**; 165-177.

Ahuja, P., Caffe, A. R., Ahuja, S., Ekstrom, P., y van, V. T. Decreased glutathione transferase levels in rd1/rd1 mouse retina: replenishment protects photoreceptors in retinal explants. 2005. *Neuroscience.* **131**; 935-943.

Ahuja-Jensen, P., Johnsen-Soriano, S., Ahuja, S., Bosch-Morell, F., Sancho-Tello, M., Romero, F. J., Abrahamson, M., y van, V. T. Low glutathione peroxidase in rd1 mouse retina increases oxidative stress and proteases. 2007. *Neuroreport.* **18**; 797-801.

Akagawa, K. y Barnstable, C. J. Identification and characterization of cell types in monolayer cultures of rat retina using monoclonal antibodies. 1986. *Brain Res.* **383**; 110-120.

Alemany, R., van Koppen, C. J., Danneberg, K., Ter, B. M., y Meyer Zu, H. D. Regulation and functional roles of sphingosine kinases. 2007. *Naunyn Schmiedebergs Arch.Pharmacol.* **374**; 413-428.

Altshuler, D., Lo Turco, J. J., Rush, J., y Cepko, C. Taurine promotes the differentiation of a vertebrate retinal cell type in vitro. 1993. *Development.* **119**; 1317-1328.

Alvarez, S. E., Milstien, S., y Spiegel, S. Autocrine and paracrine roles of sphingosine-1-phosphate. 2007. *Trends Endocrinol.Metab.* **18**; 300-307.

Anchan, R. M., Reh, T. A., Angello, J., Balliet, A., y Walker, M. EGF and TGF-alpha stimulate retinal neuroepithelial cell proliferation in vitro. 1991. *Neuron.* **6**; 923-936.

Anderson, R. E. Lipids of ocular tissues. IV. A comparison of the phospholipids from the retina of six mammalian species. 1970. *Exp.Eye Res.* **10**; 339-344.

Anderson, R. E., Maude, M. B., Lewis, R. A., Newsome, D. A., y Fishman, G. A. Abnormal plasma levels of polyunsaturated fatty acid in autosomal dominant retinitis pigmentosa. 1987. *Exp.Eye Res.* **44**; 155-159.

Anderson, R. E., Maude, M. B., McClellan, M., Matthes, M. T., Yasumura, D., y LaVail, M. M. Low docosahexaenoic acid levels in rod outer segments of rats with P23H and S334ter rhodopsin mutations. 2002. *Mol.Vis.* **8**; 351-358.

Andrieu-Abadie, N., Gouaze, V., Salvayre, R., y Levade, T. Ceramide in apoptosis signaling: relationship with oxidative stress. 2001. *Free Radic.Biol.Med.* **31**; 717-728.

Anelli, V., Bassi, R., Tettamanti, G., Viani, P., y Riboni, L. Extracellular release of newly synthesized sphingosine-1-phosphate by cerebellar granule cells and astrocytes. 2005. *J.Neurochem.* **92**; 1204-1215.

Arboleda, G., Morales, L. C., Benitez, B., y Arboleda, H. Regulation of ceramide-induced neuronal death: cell metabolism meets neurodegeneration. 2009. *Brain Res.Rev.* **59**; 333-346.

Arnoult, D., Gaume, B., Karbowski, M., Sharpe, J. C., Cecconi, F., y Youle, R. J. Mitochondrial release of AIF and EndoG requires caspase activation downstream of Bax/Bak-mediated permeabilization. 2003. *EMBO J.* **22**; 4385-4399.

Auslender, N., Sharon, D., Abbasi, A. H., Garzozi, H. J., Banin, E., y Ben-Yosef, T. A common founder mutation of CERKL underlies autosomal recessive retinal degeneration with early macular involvement among Yemenite Jews. 2007. *Invest Ophthalmol.Vis.Sci.* **48**; 5431-5438.

Bajjalieh, S. M., Martin, T. F., y Floor, E. Synaptic vesicle ceramide kinase. A calcium-stimulated lipid kinase that co-purifies with brain synaptic vesicles. 1989. *J.Biol.Chem.* **264**; 14354-14360.

Barak, A., Morse, L. S., y Goldkorn, T. Ceramide: a potential mediator of apoptosis in human retinal pigment epithelial cells. 2001. *Invest Ophthalmol.Vis.Sci.* **42**; 247-254.

Barnstable, C. J., Hofstein, R., y Akagawa, K. A marker of early amacrine cell development in rat retina. 1985. *Brain Res.* **352**; 286-290.

Barragan, I., Marcos, I., Borrego, S., y Antinolo, G. Mutation screening of three candidate genes, ELOVL5, SMAP1 and GLULD1 in autosomal recessive retinitis pigmentosa. 2005. *Int.J.Mol.Med.* **16**; 1163-1167.

Bartke, N. y Hannun, Y. A. Bioactive sphingolipids: metabolism and function. 2009. *J.Lipid Res.* **50 Suppl**; S91-S96.

Bazan, N. G. y Scott, B. L. Docosahexaenoic acid metabolism and inherited retinal degenerations. 1987. *Prog.Clin.Biol.Res.* **247**; 103-118.

Belecky-Adams, T. L., Scheurer, D., y Adler, R. Activin family members in the developing chick retina: expression patterns, protein distribution, and in vitro effects. 1999. *Dev.Biol.* **210**; 107-123.

Berson, E. L., Rosner, B., Sandberg, M. A., Weigel-DiFranco, C., Moser, A., Brockhurst, R. J., Hayes, K. C., Johnson, C. A., Anderson, E. J., Gaudio, A. R., Willett, W. C., y Schaefer, E. J. Further evaluation of

docosahexaenoic acid in patients with retinitis pigmentosa receiving vitamin A treatment: subgroup analyses. 2004. Arch.Ophthalmol. **122**; 1306-1314.

Besch, D., Jagle, H., Scholl, H. P., Seeliger, M. W., y Zrenner, E. Inherited multifocal RPE-diseases: mechanisms for local dysfunction in global retinoid cycle gene defects. 2003. Vision Res. **43**; 3095-3108.

Besharse, J. C. y Pfenninger, K. H. Membrane assembly in retinal photoreceptors I. Freeze-fracture analysis of cytoplasmic vesicles in relationship to disc assembly. 1980. J.Cell Biol. **87**; 451-463.

Bielawska, A., Greenberg, M. S., Perry, D., Jayadev, S., Shayman, J. A., McKay, C., y Hannun, Y. A. (1S,2R)-D-erythro-2-(N-myristoylamoно)-1-phenyl-1-propanol as an inhibitor of ceramidase. 1996. J.Biol.Chem. **271**; 12646-12654.

Bobrow, M. N., Shaughnessy, K. J., y Litt, G. J. Catalyzed reporter deposition, a novel method of signal amplification. II. Application to membrane immunoassays. 1991. J.Immunol.Methods. **137**; 103-112.

Bode, C. y Wolfrum, U. Caspase-3 inhibitor reduces apoptotic photoreceptor cell death during inherited retinal degeneration in tubby mice. 2003. Mol.Vis. **9**; 144-150.

Borges, S., Lindstrom, S., Walters, C., Warrier, A., y Wilson, M. Discrete influx events refill depleted Ca²⁺ stores in a chick retinal neuron. 2008. J.Physiol. **586**; 605-626.

Boudker, O. y Futerman, A. H. Detection and characterization of ceramide-1-phosphate phosphatase activity in rat liver plasma membrane. 1993. J.Biol.Chem. **268**; 22150-22155.

Boujrad, H., Gubkina, O., Robert, N., Krantic, S., y Susin, S. A. AIF-mediated programmed necrosis: a highly regulated way to die. 2007. Cell Cycle. **6**; 2612-2619.

Bowes, C., Li, T., Danciger, M., Baxter, L. C., Applebury, M. L., y Farber, D. B. Retinal degeneration in the rd mouse is caused by a defect in the beta subunit of rod cGMP-phosphodiesterase. 1990. Nature. **347**; 677-680.

Brindley, D. N. Lipid phosphate phosphatases and related proteins: signaling functions in development, cell division, and cancer. 2004. J.Cell Biochem. **92**; 900-912.

Broker, L. E., Kruyt, F. A., y Giaccone, G. Cell death independent of caspases: a review. 2005. Clin.Cancer Res. **11**; 3155-3162.

Bryan, L., Kordula, T., Spiegel, S., y Milstien, S. Regulation and functions of sphingosine kinases in the brain. 2008. Biochim.Biophys.Acta. **1781**; 459-466.

Buehrer, B. M. y Bell, R. M. Inhibition of sphingosine kinase in vitro and in platelets. Implications for signal transduction pathways. 1992. J.Biol.Chem. **267**; 3154-3159.

Buki, K. G., Bauer, P. I., y Kun, E. Isolation and identification of a proteinase from calf thymus that cleaves poly(ADP-ribose) polymerase and histone H1. 1997. Biochim.Biophys.Acta. **1338**; 100-106.

Calderon, F. y Kim, H. Y. Docosahexaenoic acid promotes neurite growth in hippocampal neurons. 2004. J.Neurochem. **90**; 979-988.

- Calderon, F. y Kim, H. Y. Role of RXR in neurite outgrowth induced by docosahexaenoic acid. 2007. Prostaglandins Leukot.Essent.Fatty Acids. **77**; 227-232.
- Cao, D., Xue, R., Xu, J., y Liu, Z. Effects of docosahexaenoic acid on the survival and neurite outgrowth of rat cortical neurons in primary cultures. 2005. J.Nutr.Biochem. **16**; 538-546.
- Cao, G., Xing, J., Xiao, X., Liou, A. K., Gao, Y., Yin, X. M., Clark, R. S., Graham, S. H., y Chen, J. Critical role of calpain I in mitochondrial release of apoptosis-inducing factor in ischemic neuronal injury. 2007. J.Neurosci. **27**; 9278-9293.
- Carella, G. Introduction to apoptosis in ophthalmology. 2003. Eur.J.Ophthalmol. **13 Suppl 3**; S5-10.
- Carmody, R. J., McGowan, A. J., y Cotter, T. G. Reactive oxygen species as mediators of photoreceptor apoptosis in vitro. 1999. Exp.Cell Res. **248**; 520-530.
- Carpio, L. C., Stephan, E., Kamer, A., y Dziak, R. Sphingolipids stimulate cell growth via MAP kinase activation in osteoblastic cells. 1999. Prostaglandins Leukot.Essent.Fatty Acids. **61**; 267-273.
- Cepko, C. L., Austin, C. P., Yang, X., Alexiades, M., y Ezzeddine, D. Cell fate determination in the vertebrate retina. 1996. Proc.Natl.Acad.Sci.U.S.A. **93**; 589-595.
- Chader, G. J. Animal models in research on retinal degenerations: past progress and future hope. 2002. Vision Res. **42**; 393-399.
- Chang, B., Hawes, N. L., Hurd, R. E., Davisson, M. T., Nusinowitz, S., y Heckenlively, J. R. Retinal degeneration mutants in the mouse. 2002. Vision Res. **42**; 517-525.
- Chang, G. Q., Hao, Y., y Wong, F. Apoptosis: final common pathway of photoreceptor death in rd, rds, and rhodopsin mutant mice. 1993. Neuron. **11**; 595-605.
- Chen, L., Yang, P., y Kijlstra, A. Distribution, markers, and functions of retinal microglia. 2002. Ocul.Immunol.Inflamm. **10**; 27-39.
- Cheng, H., Aleman, T. S., Cideciyan, A. V., Khanna, R., Jacobson, S. G., y Swaroop, A. In vivo function of the orphan nuclear receptor NR2E3 in establishing photoreceptor identity during mammalian retinal development. 2006. Hum.Mol.Genet. **15**; 2588-2602.
- Choi, J. W., Lee, C. W., y Chun, J. Biological roles of lysophospholipid receptors revealed by genetic null mice: an update. 2008. Biochim.Biophys.Acta. **1781**; 531-539.
- Chowdhury, I., Tharakan, B., y Bhat, G. K. Caspases - an update. 2008. Comp Biochem.Physiol B Biochem.Mol.Biol. **151**; 10-27.
- Colina, C., Flores, A., Castillo, C., Garrido, M. R., Israel, A., DiPolo, R., y Benaim, G. Ceramide-1-P induces Ca²⁺ mobilization in Jurkat T-cells by elevation of Ins(1,4,5)-P₃ and activation of a store-operated calcium channel. 2005. Biochem.Biophys.Res.Commun. **336**; 54-60.
- Colombaioni, L. y Garcia-Gil, M. Sphingolipid metabolites in neural signalling and function. 2004. Brain Res.Brain Res.Rev. **46**; 328-355.
- Condorelli, F., Sortino, M. A., Stella, A. M., y Canonico, P. L. Relative contribution of different receptor subtypes in the response of neuroblastoma cells to tumor necrosis factor-alpha. 2000. J.Neurochem. **75**; 1172-1179.

Converse, C. A., Hammer, H. M., Packard, C. J., y Shepherd, J. Plasma lipid abnormalities in retinitis pigmentosa and related conditions. 1983. *Trans.Ophthalmol.Soc.U.K.* **103** (Pt 5); 508-512.

Cottet, S., Michaut, L., Boisset, G., Schlecht, U., Gehring, W., y Schorderet, D. F. Biological characterization of gene response in Rpe65-/- mouse model of Leber's congenital amaurosis during progression of the disease. 2006. *FASEB J.* **20**; 2036-2049.

Cottet, S. y Schorderet, D. F. Triggering of Bcl-2-related pathway is associated with apoptosis of photoreceptors in Rpe65-/- mouse model of Leber's congenital amaurosis. 2008. *Apoptosis.* **13**; 329-342.

Cottet, S. y Schorderet, D. F. Mechanisms of apoptosis in retinitis pigmentosa. 2009. *Curr.Mol.Med.* **9**; 375-383.

Crousillac, S., Colonna, J., McMains, E., y Gleason, E. L. Sphingosine-1-phosphate elicits receptor-dependent calcium signaling in retinal amacrine cells. 2009. *J.Neurophysiol.* Doi: 10.1152/jn.00119.2009.

Dagai, L., Peri-Naor, R., y Birk, R. Z. Docosahexaenoic acid significantly stimulates immediate early response genes and neurite outgrowth. 2009. *Neurochem.Res.* **34**; 867-875.

Davis, A. A., Matzuk, M. M., y Reh, T. A. Activin A promotes progenitor differentiation into photoreceptors in rodent retina. 2000. *Mol.Cell Neurosci.* **15**; 11-21.

de Melo Reis, R. A., Ventura, A. L., Schitine, C. S., de Mello, M. C., y de Mello, F. G. Muller glia as an active compartment modulating nervous activity in the vertebrate retina: neurotransmitters and trophic factors. 2008. *Neurochem.Res.* **33**; 1466-1474.

Delyfer, M. N., Leveillard, T., Mohand-Said, S., Hicks, D., Picaud, S., y Sahel, J. A. Inherited retinal degenerations: therapeutic prospects. 2004. *Biol.Cell.* **96**; 261-269.

Deretic, D. y Papermaster, D. S. Polarized sorting of rhodopsin on post-Golgi membranes in frog retinal photoreceptor cells. 1991. *J.Cell Biol.* **113**; 1281-1293.

Deretic, D., Traverso, V., Parkins, N., Jackson, F., Rodriguez de Turco, E. B., y Ransom, N. Phosphoinositides, ezrin/moesin, and rac1 regulate fusion of rhodopsin transport carriers in retinal photoreceptors. 2004. *Mol.Biol.Cell.* **15**; 359-370.

Doonan, F., Donovan, M., y Cotter, T. G. Caspase-independent photoreceptor apoptosis in mouse models of retinal degeneration. 2003. *J.Neurosci.* **23**; 5723-5731.

Doonan, F., Donovan, M., y Cotter, T. G. Activation of multiple pathways during photoreceptor apoptosis in the rd mouse. 2005. *Invest Ophthalmol.Vis.Sci.* **46**; 3530-3538.

Du, L., Zhang, X., Han, Y. Y., Burke, N. A., Kochanek, P. M., Watkins, S. C., Graham, S. H., Carcillo, J. A., Szabo, C., y Clark, R. S. Intra-mitochondrial poly(ADP-ribosylation) contributes to NAD⁺ depletion and cell death induced by oxidative stress. 2003. *J.Biol.Chem.* **278**; 18426-18433.

Edsall, L. C., Cuvillier, O., Twitty, S., Spiegel, S., y Milstien, S. Sphingosine kinase expression regulates apoptosis and caspase activation in PC12 cells. 2001. *J.Neurochem.* **76**; 1573-1584.

Farber, D. B., Flannery, J. G., y Bowes-Rickman, C. The rd mouse story: Seventy years of research on an animal model of inherited retinal degeneration. 1994. *Prog.Retrin.Eye Res.* **13**; 31-64.

- Farber, D. B. y Lolley, R. N. Cyclic guanosine monophosphate: elevation in degenerating photoreceptor cells of the C3H mouse retina. 1974. *Science*. **186**; 449-451.
- Farrar, G. J., Kenna, P. F., y Humphries, P. On the genetics of retinitis pigmentosa and on mutation-independent approaches to therapeutic intervention. 2002. *EMBO J.* **21**; 857-864.
- Fauser, S., Luberichs, J., y Schuttauf, F. Genetic animal models for retinal degeneration. 2002. *Surv.Ophthalmol.* **47**; 357-367.
- Fischer, A. J. y Reh, T. A. Muller glia are a potential source of neural regeneration in the postnatal chicken retina. 2001. *Nat.Neurosci.* **4**; 247-252.
- Fischer, A. J. y Reh, T. A. Potential of Muller glia to become neurogenic retinal progenitor cells. 2003. *Glia*. **43**; 70-76.
- Fliesler, S. J. y Anderson, R. E. Chemistry and metabolism of lipids in the vertebrate retina. 1983. *Prog.Lipid Res.* **22**; 79-131.
- Frasch, S. C., Nick, J. A., Fadok, V. A., Bratton, D. L., Worthen, G. S., y Henson, P. M. p38 mitogen-activated protein kinase-dependent and -independent intracellular signal transduction pathways leading to apoptosis in human neutrophils. 1998. *J.Biol.Chem.* **273**; 8389-8397.
- Frasson, M., Picaud, S., Leveillard, T., Simonutti, M., Mohand-Said, S., Dreyfus, H., Hicks, D., y Sabel, J. Glial cell line-derived neurotrophic factor induces histologic and functional protection of rod photoreceptors in the rd/rd mouse. 1999. *Invest Ophthalmol.Vis.Sci.* **40**; 2724-2734.
- Fukushima, N., Ishii, I., Contos, J. J., Weiner, J. A., y Chun, J. Lysophospholipid receptors. 2001. *Annu.Rev.Pharmacol.Toxicol.* **41**; 507-534.
- Furukawa, T., Morrow, E. M., y Cepko, C. L. Crx, a novel otx-like homeobox gene, shows photoreceptor-specific expression and regulates photoreceptor differentiation. 1997. *Cell*. **91**; 531-541.
- Gangoiti, P., Granado, M. H., Arana, L., Ouro, A., y Gomez-Munoz, A. Involvement of nitric oxide in the promotion of cell survival by ceramide 1-phosphate. 2008a. *FEBS Lett.* **582**; 2263-2269.
- Gangoiti, P., Granado, M. H., Wang, S. W., Kong, J. Y., Steinbrecher, U. P., y Gomez-Munoz, A. Ceramide 1-phosphate stimulates macrophage proliferation through activation of the PI3-kinase/PKB, JNK and ERK1/2 pathways. 2008b. *Cell Signal.* **20**; 726-736.
- Garcia-Pacios, M., Collado, M. I., Bustos, J. V., Sot, J., Alonso, A., Arrondo, J. L., y Goni, F. M. Sphingosine-1-phosphate as an amphipathic metabolite: its properties in aqueous and membrane environments. 2009. *Biophys.J.* **97**; 1398-1407.
- Garelli, A., Rotstein, N. P., y Politi, L. E. Docosahexaenoic acid promotes photoreceptor differentiation without altering Crx expression. 2006. *Invest Ophthalmol.Vis.Sci.* **47**; 3017-3027.
- Gargini, M., Asta, A., Piano, I., Musianti, C., Novelli, E., Strettoi, E., y Ghidoni, R. Inhibition of Ceramide de novo Synthesis in an animal model of retinitis Pigmentosa: II. Effects on photoreceptor survival and function. 2009. ARVO Annual Meeting.

Gellings, L. N., Swaney, J. S., Moreno, K. M., y Sabbadini, R. A. Sphingosine-1-phosphate and sphingosine kinase are critical for transforming growth factor-beta-stimulated collagen production by cardiac fibroblasts. 2009. *Cardiovasc.Res.* **82**; 303-312.

German, O. L., Buzzi, E., Rotstein, N. P., Rodriguez-Boulan, E., y Politi, L. E. Retinal pigment epithelial cells promote spatial reorganization and differentiation of retina photoreceptors. 2008. *J.Neurosci.Res.* **86**; 3503-3514.

German, O. L., Insua, M. F., Gentili, C., Rotstein, N. P., y Politi, L. E. Docosahexaenoic acid prevents apoptosis of retina photoreceptors by activating the ERK/MAPK pathway. 2006a. *J.Neurochem.* **98**; 1507-1520.

German, O. L., Miranda, G. E., Abrahan, C. E., y Rotstein, N. P. Ceramide is a mediator of apoptosis in retina photoreceptors. 2006b. *Invest Ophthalmol.Vis.Sci.* **47**; 1658-1668.

Ghidoni, R., Sala, G., Signorelli, P., Novelli, E., Ilaria, B., Gardini, M., y Strettoi, E. Inhibition of ceramide de novo biosynthesis in an animal model of Retinitis Pigmentosa: I. Morphological and biochemical effects. 2009. ARVO Annual Meeting.

Gijsbers, S., Mannaerts, G. P., Himpens, B., y Van Veldhoven, P. P. N-acetyl-sphingenine-1-phosphate is a potent calcium mobilizing agent. 1999. *FEBS Lett.* **453**; 269-272.

Gomez-Munoz, A. Ceramide-1-phosphate: a novel regulator of cell activation. 2004. *FEBS Lett.* **562**; 5-10.

Gomez-Munoz, A. Ceramide 1-phosphate/ceramide, a switch between life and death. 2006. *Biochim.Biophys.Acta.* **1758**; 2049-2056.

Gomez-Munoz, A., Kong, J. Y., Parhar, K., Wang, S. W., Gangoiti, P., Gonzalez, M., Eivemark, S., Salh, B., Duronio, V., y Steinbrecher, U. P. Ceramide-1-phosphate promotes cell survival through activation of the phosphatidylinositol 3-kinase/protein kinase B pathway. 2005. *FEBS Lett.* **579**; 3744-3750.

Gomez-Munoz, A., Kong, J. Y., Salh, B., y Steinbrecher, U. P. Ceramide-1-phosphate blocks apoptosis through inhibition of acid sphingomyelinase in macrophages. 2004. *J.Lipid Res.* **45**; 99-105.

Gordon, W. C. y Bazan, N. G. Docosahexaenoic acid utilization during rod photoreceptor cell renewal. 1990. *J.Neurosci.* **10**; 2190-2202.

Graf, C., Niwa, S., Muller, M., Kinzel, B., y Bornancin, F. Wild-type levels of ceramide and ceramide-1-phosphate in the retina of ceramide kinase-like-deficient mice. 2008. *Biochem.Biophys.Res.Commun.* **373**; 159-163.

Granado, M. H., Gangoiti, P., Ouro, A., Arana, L., y Gomez-Munoz, A. Ceramide 1-phosphate inhibits serine palmitoyltransferase and blocks apoptosis in alveolar macrophages. 2009a. *Biochim.Biophys.Acta.* **1791**; 263-272.

Granado, M. H., Gangoiti, P., Ouro, A., Arana, L., Gonzalez, M., Trueba, M., y Gomez-Munoz, A. Ceramide 1-phosphate (C1P) promotes cell migration Involvement of a specific C1P receptor. 2009b. *Cell Signal.* **21**; 405-412.

Green, D. R. y Reed, J. C. Mitochondria and apoptosis. 1998. *Science.* **281**; 1309-1312.

- Grutter, M. G. Caspases: key players in programmed cell death. 2000. *Curr.Opin.Struct.Biol.* **10**; 649-655.
- Hannun, Y. A. Functions of ceramide in coordinating cellular responses to stress. 1996. *Science.* **274**; 1855-1859.
- Hannun, Y. A. y Obeid, L. M. The Ceramide-centric universe of lipid-mediated cell regulation: stress encounters of the lipid kind. 2002. *J.Biol.Chem.* **277**; 25847-25850.
- Hannun, Y. A. y Obeid, L. M. Principles of bioactive lipid signalling: lessons from sphingolipids. 2008. *Nat.Rev.Mol.Cell Biol.* **9**; 139-150.
- Harada, J., Foley, M., Moskowitz, M. A., y Waeber, C. Sphingosine-1-phosphate induces proliferation and morphological changes of neural progenitor cells. 2004. *J.Neurochem.* **88**; 1026-1039.
- Harel, R. y Futerman, A. H. Inhibition of sphingolipid synthesis affects axonal outgrowth in cultured hippocampal neurons. 1993. *J.Biol.Chem.* **268**; 14476-14481.
- Hartong, D. T., Berson, E. L., y Dryja, T. P. Retinitis pigmentosa. 2006. *Lancet.* **368**; 1795-1809.
- Hengartner, M. O. The biochemistry of apoptosis. 2000. *Nature.* **407**; 770-776.
- Hennig, A. K., Peng, G. H., y Chen, S. Regulation of photoreceptor gene expression by Crx-associated transcription factor network. 2007. *Brain Res.* Doi: 10.1016/j.brainres.2007.06.036.
- Herr, D. R. y Chun, J. Effects of LPA and S1P on the nervous system and implications for their involvement in disease. 2007. *Curr.Drug Targets.* **8**; 155-167.
- Hicks, D. y Barnstable, C. J. Different rhodopsin monoclonal antibodies reveal different binding patterns on developing and adult rat retina. 1987. *J.Histochem.Cytochem.* **35**; 1317-1328.
- Hicks, D. y Courtois, Y. Acidic fibroblast growth factor stimulates opsin levels in retinal photoreceptor cells in vitro. 1988. *FEBS Lett.* **234**; 475-479.
- Hicks, D. y Courtois, Y. Fibroblast growth factor stimulates photoreceptor differentiation in vitro. 1992. *J.Neurosci.* **12**; 2022-2033.
- Hinkovska-Galcheva, V. T., Boxer, L. A., Mansfield, P. J., Harsh, D., Blackwood, A., y Shayman, J. A. The formation of ceramide-1-phosphate during neutrophil phagocytosis and its role in liposome fusion. 1998. *J.Biol.Chem.* **273**; 33203-33209.
- Hirsch, T., Dallaporta, B., Zamzami, N., Susin, S. A., Ravagnan, L., Marzo, I., Brenner, C., y Kroemer, G. Proteasome activation occurs at an early, premitochondrial step of thymocyte apoptosis. 1998. *J.Immunol.* **161**; 35-40.
- Hogback, S., Leppimaki, P., Rudnas, B., Bjorklund, S., Slotte, J. P., y Tornquist, K. Ceramide 1-phosphate increases intracellular free calcium concentrations in thyroid FRTL-5 cells: evidence for an effect mediated by inositol 1,4,5-trisphosphate and intracellular sphingosine 1-phosphate. 2003. *Biochem.J.* **370**; 111-119.
- Hollyfield, J. G. y Witkovsky, P. Pigmented retinal epithelium involvement in photoreceptor development and function. 1974. *J.Exp.Zool.* **189**; 357-378.

Holman, R. T., Bibus, D. M., Jeffrey, G. H., Smethurst, P., y Crofts, J. W. Abnormal plasma lipids of patients with Retinitis pigmentosa. 1994. *Lipids*. **29**; 61-65.

Hopman, A. H., Ramaekers, F. C., y Speel, E. J. Rapid synthesis of biotin-, digoxigenin-, trinitrophenyl-, and fluorochrome-labeled tyramides and their application for In situ hybridization using CARD amplification. 1998. *J.Histochem.Cytochem*. **46**; 771-777.

Hughes, F. M., Jr., Evans-Storms, R. B., y Cidlowski, J. A. Evidence that non-caspase proteases are required for chromatin degradation during apoptosis. 1998. *Cell Death.Differ*. **5**; 1017-1027.

Humphries, M. M., Rancourt, D., Farrar, G. J., Kenna, P., Hazel, M., Bush, R. A., Sieving, P. A., Sheils, D. M., McNally, N., Creighton, P., Erven, A., Boros, A., Gulya, K., Capecchi, M. R., y Humphries, P. Retinopathy induced in mice by targeted disruption of the rhodopsin gene. 1997. *Nat.Genet*. **15**; 216-219.

Hunter, D. D., Murphy, M. D., Olsson, C. V., y Brunkent, W. J. S-laminin expression in adult and developing retinae: a potential cue for photoreceptor morphogenesis. 1992. *Neuron*. **8**; 399-413.

Huwiler, A., Pfeilschifter, J., y van den Bosch, H. Nitric oxide donors induce stress signaling via ceramide formation in rat renal mesangial cells. 1999. *J.Biol.Chem*. **274**; 7190-7195.

Igarashi, N., Okada, T., Hayashi, S., Fujita, T., Jahangeer, S., y Nakamura, S. Sphingosine kinase 2 is a nuclear protein and inhibits DNA synthesis. 2003. *J.Biol.Chem*. **278**; 46832-46839.

Inagaki, Y., Mitsutake, S., y Igarashi, Y. Identification of a nuclear localization signal in the retinitis pigmentosa-mutated RP26 protein, ceramide kinase-like protein. 2006. *Biochem.Biophys.Res.Commun*. **343**; 982-987.

Insua, M. F., Garelli, A., Rotstein, N. P., German, O. L., Arias, A., y Politi, L. E. Cell cycle regulation in retinal progenitors by glia-derived neurotrophic factor and docosahexaenoic acid. 2003. *Invest Ophthalmol.Vis.Sci*. **44**; 2235-2244.

Insua, M. F., Simon, M. V., Garelli, A., de Los, S. B., Rotstein, N. P., y Politi, L. E. Trophic factors and neuronal interactions regulate the cell cycle and Pax6 expression in Muller stem cells. 2008. *J.Neurosci.Res*. **86**; 1459-1471.

Ishii, I., Fukushima, N., Ye, X., y Chun, J. Lysophospholipid receptors: signaling and biology. 2004. *Annu.Rev.Biochem*. **73**; 321-354.

Jarvis, W. D., Fornari, F. A., Jr., Auer, K. L., Freemerman, A. J., Szabo, E., Birrer, M. J., Johnson, C. R., Barbour, S. E., Dent, P., y Grant, S. Coordinate regulation of stress- and mitogen-activated protein kinases in the apoptotic actions of ceramide and sphingosine. 1997. *Mol.Pharmacol*. **52**; 935-947.

Jensen, A. M. y Wallace, V. A. Expression of Sonic hedgehog and its putative role as a precursor cell mitogen in the developing mouse retina. 1997. *Development*. **124**; 363-371.

Jomary, C., Neal, M. J., y Jones, S. E. Characterization of cell death pathways in murine retinal neurodegeneration implicates cytochrome c release, caspase activation, and bid cleavage. 2001. *Mol.Cell Neurosci*. **18**; 335-346.

Joza, N., Susin, S. A., Daugas, E., Stanford, W. L., Cho, S. K., Li, C. Y., Sasaki, T., Elia, A. J., Cheng, H. Y., Ravagnan, L., Ferri, K. F., Zamzami, N., Wakeham, A., Hakem, R., Yoshida, H., Kong, Y. Y., Mak, T. W.,

Zuniga-Pflucker, J. C., Kroemer, G., y Penninger, J. M. Essential role of the mitochondrial apoptosis-inducing factor in programmed cell death. 2001. *Nature*. **410**; 549-554.

Kan, I., Melamed, E., Offen, D., y Green, P. Docosahexaenoic acid and arachidonic acid are fundamental supplements for the induction of neuronal differentiation. 2007. *J.Lipid Res.* **48**; 513-517.

Katakura, M., Hashimoto, M., Shahdat, H. M., Gamoh, S., Okui, T., Matsuzaki, K., y Shido, O. Docosahexaenoic acid promotes neuronal differentiation by regulating basic helix-loop-helix transcription factors and cell cycle in neural stem cells. 2009. *Neuroscience*. **160**; 651-660.

Kennan, A., Aherne, A., y Humphries, P. Light in retinitis pigmentosa. 2005. *Trends Genet.* **21**; 103-110.

Khanna, H., Akimoto, M., Siffroi-Fernandez, S., Friedman, J. S., Hicks, D., y Swaroop, A. Retinoic acid regulates the expression of photoreceptor transcription factor NRL. 2006. *J.Biol.Chem.* **281**; 27327-27334.

Kihara, A., Anada, Y., y Igarashi, Y. Mouse sphingosine kinase isoforms SPHK1a and SPHK1b differ in enzymatic traits including stability, localization, modification, and oligomerization. 2006. *J.Biol.Chem.* **281**; 4532-4539.

Kluk, M. J. y Hla, T. Signaling of sphingosine-1-phosphate via the S1P/EDG-family of G-protein-coupled receptors. 2002. *Biochim.Biophys.Acta*. **1582**; 72-80.

Kofuji, P. y Newman, E. A. Potassium buffering in the central nervous system. 2004. *Neuroscience*. **129**; 1045-1056.

Kono, M., Allende, M. L., y Proia, R. L. Sphingosine-1-phosphate regulation of mammalian development. 2008. *Biochim.Biophys.Acta*. **1781**; 435-441.

Laemmli, U. K., Beguin, F., y Gujer-Kellenberger, G. A factor preventing the major head protein of bacteriophage T4 from random aggregation. 1970. *J.Mol.Biol.* **47**; 69-85.

Lahiri, S. y Futerman, A. H. The metabolism and function of sphingolipids and glycosphingolipids. 2007. *Cell Mol.Life Sci.* **64**; 2270-2284.

Laird, D. W. y Molday, R. S. Evidence against the role of rhodopsin in rod outer segment binding to RPE cells. 1988. *Invest Ophthalmol.Vis.Sci.* **29**; 419-428.

Lamour, N. F. y Chalfant, C. E. Ceramide-1-phosphate: the "missing" link in eicosanoid biosynthesis and inflammation. 2005. *Mol.Interv.* **5**; 358-367.

Lebman, D. A. y Spiegel, S. Cross-talk at the crossroads of sphingosine-1-phosphate, growth factors, and cytokine signaling. 2008. *J.Lipid Res.* **49**; 1388-1394.

Lee, D. H. y Goldberg, A. L. Proteasome inhibitors: valuable new tools for cell biologists. 1998. *Trends Cell Biol.* **8**; 397-403.

Lee, E. S., Burnside, B., y Flannery, J. G. Characterization of peripherin/rds and rom-1 transport in rod photoreceptors of transgenic and knockout animals. 2006. *Invest Ophthalmol.Vis.Sci.* **47**; 2150-2160.

Lem, J., Krasnoperova, N. V., Calvert, P. D., Kosaras, B., Cameron, D. A., Nicolo, M., Makino, C. L., y Sidman, R. L. Morphological, physiological, and biochemical changes in rhodopsin knockout mice. 1999. Proc.Natl.Acad.Sci.U.S.A. **96**; 736-741.

Levi, M., Meijler, M. M., Gomez-Munoz, A., y Zor, T. Distinct receptor-mediated activities in macrophages for natural ceramide-1-phosphate (C1P) and for phospho-ceramide analogue-1 (PCERA-1). 2009. Mol.Cell Endocrinol. Doi: 10.1016/j.mce.2009.05.007.

Levine, E. M., Fuhrmann, S., y Reh, T. A. Soluble factors and the development of rod photoreceptors. 2000. Cell Mol.Life Sci. **57**; 224-234.

Levine, E. M., Roelink, H., Turner, J., y Reh, T. A. Sonic hedgehog promotes rod photoreceptor differentiation in mammalian retinal cells in vitro. 1997. J.Neurosci. **17**; 6277-6288.

Li, J. y Yuan, J. Caspases in apoptosis and beyond. 2008. Oncogene. **27**; 6194-6206.

Lillien, L. Changes in retinal cell fate induced by overexpression of EGF receptor. 1995. Nature. **377**; 158-162.

Lillien, L. y Cepko, C. Control of proliferation in the retina: temporal changes in responsiveness to FGF and TGF alpha. 1992. Development. **115**; 253-266.

Linden, R. y Reese, B. E. Programmed cell death. 2006. Retinal Development. Cambridge University Press. 208-241.

Lippincott-Schwartz, J., Donaldson, J. G., Schweizer, A., Berger, E. G., Hauri, H. P., Yuan, L. C., y Klausner, R. D. Microtubule-dependent retrograde transport of proteins into the ER in the presence of brefeldin A suggests an ER recycling pathway. 1990. Cell. **60**; 821-836.

Liu, H., Chakravarty, D., Maceyka, M., Milstien, S., y Spiegel, S. Sphingosine kinases: a novel family of lipid kinases. 2002. Prog.Nucleic Acid Res.Mol.Biol. **71**; 493-511.

Liu, H., Sugiura, M., Nava, V. E., Edsall, L. C., Kono, K., Poulton, S., Milstien, S., Kohama, T., y Spiegel, S. Molecular cloning and functional characterization of a novel mammalian sphingosine kinase type 2 isoform. 2000. J.Biol.Chem. **275**; 19513-19520.

Liu, J. W., Almaguel, F. G., Bu, L., De Leon, D. D., y De, L. M. Expression of E-FABP in PC12 cells increases neurite extension during differentiation: involvement of n-3 and n-6 fatty acids. 2008. J.Neurochem. **106**; 2015-2029.

Livesey, F. J. y Cepko, C. L. Vertebrate neural cell-fate determination: lessons from the retina. 2001. Nat.Rev.Neurosci. **2**; 109-118.

Lohr, H. R., Kuntchithapautham, K., Sharma, A. K., y Rohrer, B. Multiple, parallel cellular suicide mechanisms participate in photoreceptor cell death. 2006. Exp.Eye Res. **83**; 380-389.

Luo, X., Budihardjo, I., Zou, H., Slaughter, C., y Wang, X. Bid, a Bcl2 interacting protein, mediates cytochrome c release from mitochondria in response to activation of cell surface death receptors. 1998. Cell. **94**; 481-490.

Maceyka, M., Milstien, S., y Spiegel, S. Sphingosine kinases, sphingosine-1-phosphate and sphingolipidomics. 2005a. Prostaglandins Other Lipid Mediat. **77**; 15-22.

- Maceyka, M., Sankala, H., Hait, N. C., Le, S. H., Liu, H., Toman, R., Collier, C., Zhang, M., Satin, L. S., Merrill, A. H., Jr., Milstien, S., y Spiegel, S. SphK1 and SphK2, sphingosine kinase isoenzymes with opposing functions in sphingolipid metabolism. 2005b. *J.Biol.Chem.* **280**; 37118-37129.
- Maines, L. W., French, K. J., Wolpert, E. B., Antonetti, D. A., y Smith, C. D. Pharmacologic manipulation of sphingosine kinase in retinal endothelial cells: implications for angiogenic ocular diseases. 2006. *Invest Ophthalmol.Vis.Sci.* **47**; 5022-5031.
- Mandal, M. A., Tran, J. T. A., Zheng, L., y Brush, R. S. Sphingolipid Signalling in Retinal Cell Death. 2009. ARVO Annual Meeting.
- Mandala, S. M. Sphingosine-1-phosphate phosphatases. 2001. *Prostaglandins Other Lipid Mediat.* **64**; 143-156.
- Martins, R. A. y Pearson, R. A. Control of cell proliferation by neurotransmitters in the developing vertebrate retina. 2008. *Brain Res.* **1192**; 37-60.
- Mathias, S., Dressler, K. A., y Kolesnick, R. N. Characterization of a ceramide-activated protein kinase: stimulation by tumor necrosis factor alpha. 1991. *Proc.Natl.Acad.Sci.U.S.A.* **88**; 10009-10013.
- McLaughlin, M. E., Ehrhart, T. L., Berson, E. L., y Dryja, T. P. Mutation spectrum of the gene encoding the beta subunit of rod phosphodiesterase among patients with autosomal recessive retinitis pigmentosa. 1995. *Proc.Natl.Acad.Sci.U.S.A.* **92**; 3249-3253.
- McLaughlin, M. E., Sandberg, M. A., Berson, E. L., y Dryja, T. P. Recessive mutations in the gene encoding the beta-subunit of rod phosphodiesterase in patients with retinitis pigmentosa. 1993. *Nat.Genet.* **4**; 130-134.
- Mears, A. J., Kondo, M., Swain, P. K., Takada, Y., Bush, R. A., Saunders, T. L., Sieving, P. A., y Swaroop, A. Nrl is required for rod photoreceptor development. 2001. *Nat.Genet.* **29**; 447-452.
- Medema, J. P., Scaffidi, C., Kischkel, F. C., Shevchenko, A., Mann, M., Krammer, P. H., y Peter, M. E. FLICE is activated by association with the CD95 death-inducing signaling complex (DISC). 1997. *EMBO J.* **16**; 2794-2804.
- Merrill, A. H., Jr., van, E. G., Wang, E., y Sandhoff, K. Fumonisin B1 inhibits sphingosine (sphinganine) N-acyltransferase and de novo sphingolipid biosynthesis in cultured neurons *in situ*. 1993. *J.Biol.Chem.* **268**; 27299-27306.
- Mizota, A., Sato, E., Taniai, M., Adachi-Usami, E., y Nishikawa, M. Protective effects of dietary docosahexaenoic acid against kainate-induced retinal degeneration in rats. 2001. *Invest Ophthalmol.Vis.Sci.* **42**; 216-221.
- Mizugishi, K., Yamashita, T., Olivera, A., Miller, G. F., Spiegel, S., y Proia, R. L. Essential role for sphingosine kinases in neural and vascular development. 2005. *Mol.Cell Biol.* **25**; 11113-11121.
- Molday, R. S., Hicks, D., y Molday, L. Peripherin. A rim-specific membrane protein of rod outer segment discs. 1987. *Invest Ophthalmol.Vis.Sci.* **28**; 50-61.
- Moriguchi, K., Yuri, T., Yoshizawa, K., Kiuchi, K., Takada, H., Inoue, Y., Hada, T., Matsumura, M., y Tsubura, A. Dietary docosahexaenoic acid protects against N-methyl-N-nitrosourea-induced retinal degeneration in rats. 2003. *Exp.Eye Res.* **77**; 167-173.

Nakagawa, T., Zhu, H., Morishima, N., Li, E., Xu, J., Yankner, B. A., y Yuan, J. Caspase-12 mediates endoplasmic-reticulum-specific apoptosis and cytotoxicity by amyloid-beta. 2000. *Nature*. **403**; 98-103.

Negoescu, A., Lorimier, P., Labat-Moleur, F., Drouet, C., Robert, C., Guillermet, C., Brambilla, C., y Brambilla, E. In situ apoptotic cell labeling by the TUNEL method: improvement and evaluation on cell preparations. 1996. *J.Histochem.Cytochem*. **44**; 959-968.

Neuringer, M. y Connor, W. E. n-3 fatty acids in the brain and retina: evidence for their essentiality. 1986. *Nutr.Rev*. **44**; 285-294.

Neuringer, M., Connor, W. E., Van, P. C., y Barstad, L. Dietary omega-3 fatty acid deficiency and visual loss in infant rhesus monkeys. 1984. *J.Clin.Invest*. **73**; 272-276.

Newman, E. y Reichenbach, A. The Muller cell: a functional element of the retina. 1996. *Trends Neurosci*. **19**; 307-312.

Nir, I., Agarwal, N., Sagie, G., y Papermaster, D. S. Opsin distribution and synthesis in degenerating photoreceptors of rd mutant mice. 1989a. *Exp.Eye Res*. **49**; 403-421.

Nir, I., Cohen, D., y Papermaster, D. S. Immunocytochemical localization of opsin in the cell membrane of developing rat retinal photoreceptors. 1984. *J.Cell Biol*. **98**; 1788-1795.

Nir, I. y Papermaster, D. S. Immunocytochemical localization of opsin in degenerating photoreceptors of RCS rats and rd and rds mice. 1989b. *Prog.Clin.Biol.Res*. **314**; 251-264.

Obeid, L. M. y Hannun, Y. A. Ceramide, stress, and a "LAG" in aging. 2003. *Sci.Aging Knowledge.Environment*. **2003**. Doi: 10.1126/sageke.2003.39.pe27.

Okada, T., Ding, G., Sonoda, H., Kajimoto, T., Haga, Y., Khosrowbeygi, A., Gao, S., Miwa, N., Jahangeer, S., y Nakamura, S. Involvement of N-terminal-extended form of sphingosine kinase 2 in serum-dependent regulation of cell proliferation and apoptosis. 2005. *J.Biol.Chem*. **280**; 36318-36325.

Olivera, A., Kohama, T., Edsall, L., Nava, V., Cuvillier, O., Poulton, S., y Spiegel, S. Sphingosine kinase expression increases intracellular sphingosine-1-phosphate and promotes cell growth and survival. 1999. *J.Cell Biol*. **147**; 545-558.

Olivera, A., Rosenfeldt, H. M., Bektas, M., Wang, F., Ishii, I., Chun, J., Milstien, S., y Spiegel, S. Sphingosine kinase type 1 induces G12/13-mediated stress fiber formation, yet promotes growth and survival independent of G protein-coupled receptors. 2003. *J.Biol.Chem*. **278**; 46452-46460.

Papermaster, D. S., Schneider, B. G., y Besharse, J. C. Vesicular transport of newly synthesized opsin from the Golgi apparatus toward the rod outer segment. Ultrastructural immunocytochemical and autoradiographic evidence in *Xenopus* retinas. 1985. *Invest Ophthalmol.Vis.Sci*. **26**; 1386-1404.

Paquet-Durand, F., Azadi, S., Hauck, S. M., Ueffing, M., van, V. T., y Ekstrom, P. Calpain is activated in degenerating photoreceptors in the rd1 mouse. 2006. *J.Neurochem*. **96**; 802-814.

Pasquare, S. J., Salvador, G. A., y Giusto, N. M. Involvement of lysophosphatidic acid, sphingosine 1-phosphate and ceramide 1-phosphate in the metabolism of phosphatidic acid by lipid phosphate phosphatases in bovine rod outer segments. 2008. *Neurochem.Res*. **33**; 1205-1215.

- Pettus, B. J., Bielawska, A., Spiegel, S., Roddy, P., Hannun, Y. A., y Chalfant, C. E. Ceramide kinase mediates cytokine- and calcium ionophore-induced arachidonic acid release. 2003. *J.Biol.Chem.* **278**; 38206-38213.
- Pettus, B. J., Bielawska, A., Subramanian, P., Wijesinghe, D. S., Maceyka, M., Leslie, C. C., Evans, J. H., Freiberg, J., Roddy, P., Hannun, Y. A., y Chalfant, C. E. Ceramide 1-phosphate is a direct activator of cytosolic phospholipase A2. 2004. *J.Biol.Chem.* **279**; 11320-11326.
- Pittler, S. J. y Baehr, W. Identification of a nonsense mutation in the rod photoreceptor cGMP phosphodiesterase beta-subunit gene of the rd mouse. 1991. *Proc.Natl.Acad.Sci.U.S.A.* **88**; 8322-8326.
- Politi, L. y Adler, R. Selective failure of long-term survival of isolated photoreceptors from both homozygous and heterozygous rd (retinal degeneration) mice. 1988a. *Exp.Eye Res.* **47**; 269-282.
- Politi, L., Rotstein, N., y Carri, N. Effects of docosahexaenoic acid on retinal development: cellular and molecular aspects. 2001a. *Lipids.* **36**; 927-935.
- Politi, L. E., Bouzat, C., de los Santos, E. B., y Barrantes, F. J. Heterologous retinal cultured neurons and cell adhesion molecules induce clustering of acetylcholine receptors and polynucleation in mouse muscle BC3H-1 clonal cell line. 1996. *J.Neurosci.Res.* **43**; 639-651.
- Politi, L. E., Lehar, M., y Adler, R. Development of neonatal mouse retinal neurons and photoreceptors in low density cell culture. 1988b. *Invest Ophthalmol.Vis.Sci.* **29**; 534-543.
- Politi, L. E., Rotstein, N. P., y Carri, N. G. Effect of GDNF on neuroblast proliferation and photoreceptor survival: additive protection with docosahexaenoic acid. 2001b. *Invest Ophthalmol.Vis.Sci.* **42**; 3008-3015.
- Portera-Cailliau, C., Sung, C. H., Nathans, J., y Adler, R. Apoptotic photoreceptor cell death in mouse models of retinitis pigmentosa. 1994. *Proc.Natl.Acad.Sci.U.S.A.* **91**; 974-978.
- Pyne, S., Lee, S. C., Long, J., y Pyne, N. J. Role of sphingosine kinases and lipid phosphate phosphatases in regulating spatial sphingosine 1-phosphate signalling in health and disease. 2009. *Cell Signal.* **21**; 14-21.
- Pyne, S. y Pyne, N. J. Sphingosine 1-phosphate signalling in mammalian cells. 2000. *Biochem.J.* **349**; 385-402.
- Ranty, M. L., Carpentier, S., Cournot, M., Rico-Lattes, I., Malecaze, F., Levade, T., Delisle, M. B., y Quintyn, J. C. Ceramide production associated with retinal apoptosis after retinal detachment. 2009. *Graefes Arch.Clin.Exp.Ophthalmol.* **247**; 215-224.
- Rapaport, D. H. Retinal neurogenesis. 2006. *Retinal Development.* Cambridge University Press. 30-58.
- Rapaport, D. H., Wong, L. L., Wood, E. D., Yasumura, D., y LaVail, M. M. Timing and topography of cell genesis in the rat retina. 2004. *J.Comp Neurol.* **474**; 304-324.
- Rasheva, V. I. y Domingos, P. M. Cellular responses to endoplasmic reticulum stress and apoptosis. 2009. *Apoptosis.* **14**; 996-1007.
- Reh, T. A. y Fischer, A. J. Retinal stem cells. 2006. *Methods Enzymol.* **419**; 52-73.

- Reh, T. A. y Levine, E. M. Multipotential stem cells and progenitors in the vertebrate retina. 1998. J.Neurobiol. **36**; 206-220.
- Riboni, L., Bassi, R., Anelli, V., y Viani, P. Metabolic formation of ceramide-1-phosphate in cerebellar granule cells: evidence for the phosphorylation of ceramide by different metabolic pathways. 2002. Neurochem.Res. **27**; 711-716.
- Rodriguez de Turco, E. B., Deretic, D., Bazan, N. G., y Papermaster, D. S. Post-Golgi vesicles cotransport docosahexaenyl-phospholipids and rhodopsin during frog photoreceptor membrane biogenesis. 1997. J.Biol.Chem. **272**; 10491-10497.
- Rodriguez-Lafrasse, C., Alphonse, G., Aloy, M. T., Ardaill, D., Gerard, J. P., Louisot, P., y Rousson, R. Increasing endogenous ceramide using inhibitors of sphingolipid metabolism maximizes ionizing radiation-induced mitochondrial injury and apoptotic cell killing. 2002. Int.J.Cancer. **101**; 589-598.
- Roger, J., Brajeul, V., Thomasset, S., Hienola, A., Sahel, J. A., Guillonneau, X., y Goureau, O. Involvement of Pleiotrophin in CNTF-mediated differentiation of the late retinal progenitor cells. 2006. Dev.Biol. **298**; 527-539.
- Rojas, C. V., Martinez, J. I., Flores, I., Hoffman, D. R., y Uauy, R. Gene expression analysis in human fetal retinal explants treated with docosahexaenoic acid. 2003. Invest Ophthalmol.Vis.Sci. **44**; 3170-3177.
- Rotstein, N. P., Aveldaño, M. I., Barrantes, F. J., y Politi, L. E. Docosahexaenoic acid is required for the survival of rat retinal photoreceptors in vitro. 1996. J.Neurochem. **66**; 1851-1859.
- Rotstein, N. P., Aveldaño, M. I., Barrantes, F. J., Roccamo, A. M., y Politi, L. E. Apoptosis of retinal photoreceptors during development in vitro: protective effect of docosahexaenoic acid. 1997. J.Neurochem. **69**; 504-513.
- Rotstein, N. P., Aveldaño, M. I., y Politi, L. E. Essentiality of docosahexaenoic acid in retina photoreceptor cell development. 1999. Lipids. **34 Suppl**; S115-
- Rotstein, N. P., Politi, L. E., y Aveldaño, M. I. Docosahexaenoic acid promotes differentiation of developing photoreceptors in culture. 1998. Invest Ophthalmol.Vis.Sci. **39**; 2750-2758.
- Rotstein, N. P., Politi, L. E., German, O. L., y Girotti, R. Protective effect of docosahexaenoic acid on oxidative stress-induced apoptosis of retina photoreceptors. 2003. Invest Ophthalmol.Vis.Sci. **44**; 2252-2259.
- Ruvolo, P. P. Intracellular signal transduction pathways activated by ceramide and its metabolites. 2003. Pharmacol.Res. **47**; 383-392.
- Saba, J. D. y Hla, T. Point-counterpoint of sphingosine 1-phosphate metabolism. 2004. Circ.Res. **94**; 724-734.
- Saini, H. S., Coelho, R. P., Goparaju, S. K., Jolly, P. S., Maceyka, M., Spiegel, S., y Sato-Bigbee, C. Novel role of sphingosine kinase 1 as a mediator of neurotrophin-3 action in oligodendrocyte progenitors. 2005. J.Neurochem. **95**; 1298-1310.
- Sakakura, C., Sweeney, E. A., Shirahama, T., Hagiwara, A., Yamaguchi, T., Takahashi, T., Hakomori, S., y Igarashi, Y. Selectivity of sphingosine-induced apoptosis. Lack of activity of DL-erythro-dihydrosphingosine. 1998. Biochem.Biophys.Res.Commun. **246**; 827-830.

- Sakakura, C., Sweeney, E. A., Shirahama, T., Hakomori, S., y Igarashi, Y. Suppression of bcl-2 gene expression by sphingosine in the apoptosis of human leukemic HL-60 cells during phorbol ester-induced terminal differentiation. 1996. FEBS Lett. **379**; 177-180.
- Sanges, D. y Marigo, V. Cross-talk between two apoptotic pathways activated by endoplasmic reticulum stress: differential contribution of caspase-12 and AIF. 2006. Apoptosis. **11**; 1629-1641.
- Sanvicens, N. y Cotter, T. G. Ceramide is the key mediator of oxidative stress-induced apoptosis in retinal photoreceptor cells. 2006. J.Neurochem. **98**; 1432-1444.
- Sanyal, S., De, R. A., y Hawkins, R. K. Development and degeneration of retina in rds mutant mice: light microscopy. 1980. J.Comp Neurol. **194**; 193-207.
- Sato, K., Tomura, H., Igarashi, Y., Ui, M., y Okajima, F. Exogenous sphingosine 1-phosphate induces neurite retraction possibly through a cell surface receptor in PC12 cells. 1997. Biochem.Biophys.Res.Commun. **240**; 329-334.
- Scott, B. L., Racz, E., Lolley, R. N., y Bazan, N. G. Developing rod photoreceptors from normal and mutant Rd mouse retinas: altered fatty acid composition early in development of the mutant. 1988. J.Neurosci.Res. **20**; 202-211.
- Scott, B. L., Reddy, T. S., y Bazan, N. G. Docosahexaenoate metabolism and fatty-acid composition in developing retinas of normal and rd mutant mice. 1987. Exp.Eye Res. **44**; 101-113.
- Shimizu, M., Tada, E., Makiyama, T., Yasufuku, K., Moriyama, Y., Fujino, H., Nakamura, H., y Murayama, T. Effects of ceramide, ceramidase inhibition and expression of ceramide kinase on cytosolic phospholipase A2alpha; additional role of ceramide-1-phosphate in phosphorylation and Ca²⁺ signaling. 2009. Cell Signal. **21**; 440-447.
- Shinghal, R., Scheller, R. H., y Bajjalieh, S. M. Ceramide 1-phosphate phosphatase activity in brain. 1993. J.Neurochem. **61**; 2279-2285.
- Shirahama, T., Sakakura, C., Sweeney, E. A., Ozawa, M., Takemoto, M., Nishiyama, K., Ohi, Y., y Igarashi, Y. Sphingosine induces apoptosis in androgen-independent human prostatic carcinoma DU-145 cells by suppression of bcl-X(L) gene expression. 1997. FEBS Lett. **407**; 97-100.
- Siehler, S. y Manning, D. R. Pathways of transduction engaged by sphingosine 1-phosphate through G protein-coupled receptors. 2002. Biochim.Biophys.Acta. **1582**; 94-99.
- Sims, J. L., Berger, S. J., y Berger, N. A. Poly(ADP-ribose) Polymerase inhibitors preserve nicotinamide adenine dinucleotide and adenosine 5'-triphosphate pools in DNA-damaged cells: mechanism of stimulation of unscheduled DNA synthesis. 1983. Biochemistry. **22**; 5188-5194.
- Skoura, A., Sanchez, T., Claffey, K., Mandala, S. M., Proia, R. L., y Hla, T. Essential role of sphingosine 1-phosphate receptor 2 in pathological angiogenesis of the mouse retina. 2007. J.Clin.Invest. **117**; 2506-2516.
- Spiegel, S. Sphingosine 1-phosphate: a prototype of a new class of second messengers. 1999. J.Leukoc.Biol. **65**; 341-344.
- Spiegel, S. y Milstien, S. Sphingosine-1-phosphate: signaling inside and out. 2000. FEBS Lett. **476**; 55-57.

- Spiegel, S. y Milstien, S. Sphingosine 1-phosphate, a key cell signaling molecule. 2002. *J.Biol.Chem.* **277**; 25851-25854.
- Spiegel, S. y Milstien, S. Exogenous and intracellularly generated sphingosine 1-phosphate can regulate cellular processes by divergent pathways. 2003a. *Biochem.Soc.Trans.* **31**; 1216-1219.
- Spiegel, S. y Milstien, S. Sphingosine-1-phosphate: an enigmatic signalling lipid. 2003b. *Nat.Rev.Mol.Cell Biol.* **4**; 397-407.
- Squier, M. K., Miller, A. C., Malkinson, A. M., y Cohen, J. J. Calpain activation in apoptosis. 1994. *J.Cell Physiol.* **159**; 229-237.
- Stone, J. y Dreher, Z. Relationship between astrocytes, ganglion cells and vasculature of the retina. 1987. *J.Comp Neurol.* **255**; 35-49.
- Strochlic, L., Dwivedy, A., van Horck, F. P., Falk, J., y Holt, C. E. A role for S1P signalling in axon guidance in the Xenopus visual system. 2008. *Development.* **135**; 333-342.
- Taha, T. A., Hannun, Y. A., y Obeid, L. M. Sphingosine kinase: biochemical and cellular regulation and role in disease. 2006a. *J.Biochem.Mol.Biol.* **39**; 113-131.
- Taha, T. A., Kitatani, K., Bielawski, J., Cho, W., Hannun, Y. A., y Obeid, L. M. Tumor necrosis factor induces the loss of sphingosine kinase-1 by a cathepsin B-dependent mechanism. 2005. *J.Biol.Chem.* **280**; 17196-17202.
- Taha, T. A., Mullen, T. D., y Obeid, L. M. A house divided: ceramide, sphingosine, and sphingosine-1-phosphate in programmed cell death. 2006b. *Biochim.Biophys.Acta.* **1758**; 2027-2036.
- Takabe, K., Paugh, S. W., Milstien, S., y Spiegel, S. "Inside-out" signaling of sphingosine-1-phosphate: therapeutic targets. 2008. *Pharmacol.Rev.* **60**; 181-195.
- Takano, Y., Ohguro, H., Dezawa, M., Ishikawa, H., Yamazaki, H., Ohguro, I., Mamiya, K., Metoki, T., Ishikawa, F., y Nakazawa, M. Study of drug effects of calcium channel blockers on retinal degeneration of rd mouse. 2004. *Biochem.Biophys.Res.Commun.* **313**; 1015-1022.
- Takeda, Y., Tashima, M., Takahashi, A., Uchiyama, T., y Okazaki, T. Ceramide generation in nitric oxide-induced apoptosis. Activation of magnesium-dependent neutral sphingomyelinase via caspase-3. 1999. *J.Biol.Chem.* **274**; 10654-10660.
- Takeuchi, K., Nakazawa, M., y Mizukoshi, S. Systemic administration of nilvadipine delays photoreceptor degeneration of heterozygous retinal degeneration slow (rds) mouse. 2008. *Exp.Eye Res.* **86**; 60-69.
- Takuwa, Y. Subtype-specific differential regulation of Rho family G proteins and cell migration by the Edg family sphingosine-1-phosphate receptors. 2002. *Biochim.Biophys.Acta.* **1582**; 112-120.
- Toman, R. E., Payne, S. G., Watterson, K. R., Maceyka, M., Lee, N. H., Milstien, S., Bigbee, J. W., y Spiegel, S. Differential transactivation of sphingosine-1-phosphate receptors modulates NGF-induced neurite extension. 2004. *J.Cell Biol.* **166**; 381-392.
- Toman, R. E. y Spiegel, S. Lysophospholipid receptors in the nervous system. 2002. *Neurochem.Res.* **27**; 619-627.

- Towbin, H., Staehelin, T., y Gordon, J. Electrophoretic transfer of proteins from polyacrylamide gels to nitrocellulose sheets: procedure and some applications. 1979. Proc.Natl.Acad.Sci.U.S.A. **76**; 4350-4354.
- Tropepe, V., Coles, B. L., Chiasson, B. J., Horsford, D. J., Elia, A. J., McInnes, R. R., y van der, K. D. Retinal stem cells in the adult mammalian eye. 2000. Science. **287**; 2032-2036.
- Turk, B. y Stoka, V. Protease signalling in cell death: caspases versus cysteine cathepsins. 2007. FEBS Lett. **581**; 2761-2767.
- Tuson, M., Garanto, A., Gonzalez-Duarte, R., y Marfany, G. Overexpression of CERKL, a gene responsible for retinitis pigmentosa in humans, protects cells from apoptosis induced by oxidative stress. 2009. Mol.Vis. **15**; 168-180.
- Tuson, M., Marfany, G., y Gonzalez-Duarte, R. Mutation of CERKL, a novel human ceramide kinase gene, causes autosomal recessive retinitis pigmentosa (RP26). 2004. Am.J.Hum.Genet. **74**; 128-138.
- Uauy, R. D., Birch, D. G., Birch, E. E., Tyson, J. E., y Hoffman, D. R. Effect of dietary omega-3 fatty acids on retinal function of very-low-birth-weight neonates. 1990. Pediatr.Res. **28**; 485-492.
- Uchihara, T., Nakamura, A., Nagaoka, U., Yamazaki, M., y Mori, O. Dual enhancement of double immunofluorescent signals by CARD: participation of ubiquitin during formation of neurofibrillary tangles. 2000. Histochem.Cell Biol. **114**; 447-451.
- Van Blitterswijk, W. J., Van Der Luit, A. H., Veldman, R. J., Verheij, M., y Borst, J. Ceramide: second messenger or modulator of membrane structure and dynamics? 2003. Biochem.J. **369**; 199-211.
- Van Brocklyn Jr., Lee, M. J., Menzelev, R., Olivera, A., Edsall, L., Cuvillier, O., Thomas, D. M., Coopman, P. J., Thangada, S., Liu, C. H., Hla, T., y Spiegel, S. Dual actions of sphingosine-1-phosphate: extracellular through the Gi-coupled receptor Edg-1 and intracellular to regulate proliferation and survival. 1998. J.Cell Biol. **142**; 229-240.
- Van Brocklyn Jr., Tu, Z., Edsall, L. C., Schmidt, R. R., y Spiegel, S. Sphingosine 1-phosphate-induced cell rounding and neurite retraction are mediated by the G protein-coupled receptor H218. 1999. J.Biol.Chem. **274**; 4626-4632.
- Vecino, E., Hernandez, M., y Garcia, M. Cell death in the developing vertebrate retina. 2004. Int.J.Dev.Biol. **48**; 965-974.
- Waggoner, D. W., Gomez-Munoz, A., Dewald, J., y Brindley, D. N. Phosphatidate phosphohydrolase catalyzes the hydrolysis of ceramide 1-phosphate, lysophosphatidate, and sphingosine 1-phosphate. 1996. J.Biol.Chem. **271**; 16506-16509.
- Watanabe, T. y Raff, M. C. Retinal astrocytes are immigrants from the optic nerve. 1988. Nature. **332**; 834-837.
- Wattenberg, B. W., Pitson, S. M., y Raben, D. M. The sphingosine and diacylglycerol kinase superfamily of signaling kinases: localization as a key to signaling function. 2006. J.Lipid Res. **47**; 1128-1139.
- Watterson, K., Sankala, H., Milstien, S., y Spiegel, S. Pleiotropic actions of sphingosine-1-phosphate. 2003. Prog.Lipid Res. **42**; 344-357.

Wiedmann, T. S., Pates, R. D., Beach, J. M., Salmon, A., y Brown, M. F. Lipid-protein interactions mediate the photochemical function of rhodopsin. 1988. Biochemistry. **27**; 6469-6474.

Wijesinghe, D. S., Subramanian, P., Lamour, N. F., Gentile, L. B., Granado, M. H., Szulc, Z., Bielawska, A., Gomez-Munoz, A., y Chalfant, C. E. The chain length specificity for the activation of group IV cytosolic phospholipase A2 by ceramide-1-phosphate. Use of the dodecane delivery system for determining lipid-specific effects. 2008. J.Lipid Res.

Wong, R. Introduction - from eye field to eyesight. 2006. Retinal Development. Cambridge University Press. 1-7.

Woodcock, J. Sphingosine and ceramide signalling in apoptosis. 2006. IUBMB.Life. **58**; 462-466.

Yamanaka, M., Shegogue, D., Pei, H., Bu, S., Bielawska, A., Bielawski, J., Pettus, B., Hannun, Y. A., Obeid, L., y Trojanowska, M. Sphingosine kinase 1 (SPHK1) is induced by transforming growth factor-beta and mediates TIMP-1 up-regulation. 2004. J.Biol.Chem. **279**; 53994-54001.

Yang, L. P., Wu, L. M., Guo, X. J., y Tso, M. O. Activation of endoplasmic reticulum stress in degenerating photoreceptors of the rd1 mouse. 2007. Invest Ophthalmol.Vis.Sci. **48**; 5191-5198.

Young, K. W. y Nahorski, S. R. Sphingosine 1-phosphate: a Ca²⁺ release mediator in the balance. 2002. Cell Calcium. **32**; 335-341.

Young, R. W. Cell proliferation during postnatal development of the retina in the mouse. 1985. Brain Res. **353**; 229-239.

Young, R. W. Pathophysiology of age-related macular degeneration. 1987. Surv.Ophthalmol. **31**; 291-306.

Zhao, S. y Barnstable, C. J. Differential effects of bFGF on development of the rat retina. 1996. Brain Res. **723**; 169-176.

Zhu, D., Sreekumar, P. G., Hinton, D. R., y Kannan, R. Expression and regulation of enzymes in the ceramide metabolic pathway in human retinal pigment epithelial cells and their relevance to retinal degeneration. 2009. Vision Res. Doi: 10.1016/j.visres.2009.09.002.