

BIBLIOGRAFÍA CITADA

- Abdin A.O., Zhou X., Coulman B.E., Cloutier D., Faris M.A., Smith D.L. 1998. Effect of sucrose supplementation by stem injection on the development of soybean plants. *J. Exp. Bot.* 49:2013-2018.
- Abel S., Nguyen, M.D., Chow W., Theologis A. 1995. ACS4, a primary indole acetic acid-responsive gene encoding 1-aminocyclopropane- 1-carboxylate synthase in *Arabidopsis thaliana*. Structural characterization, expression in *Escherichia coli*, and expression characteristics in response to auxin. *J. Biol. Chem.* 270:19093-19099.
- Adams S.R., Pearson S., Hadley P., Patefield W.M. 1999. The Effects of Temperature and Light Integral on the Phases of Photoperiod Sensitivity in *Petunia x hybrida*. *Ann. Bot.* 83:263-269.
- Adams S.R., Pearson S., Hadley P. 2001. Improving quantitative flowering models through a better understanding of the phases of photoperiod sensitivity. *J. Exp. Bot.* 52(357):655-662.
- Adams S.R., Langton F.A. 2005. Photoperiod and plant growth: a review. *J. Hortic. Sci. Biotech.* 80(1):2-10.
- Adams S.R. 2006. The physiology of flowering: quantifying the effects of photo-thermal environment. *Acta Hort.* 718:557-566.
- Ahmad Alhadi F., Yasseen B.T., Jabr M. 1999. Water stress and gibberellic acid effects on growth of fenugreek plants. *Irrigation Sci.* 18(4):185-190.
- Ahmad S., Saha S.R., Uddin M.N., Choudhury S.S., Awal M.A., Salam M.A. 2003. Performance evaluation of some cauliflower genotypes in the Eastern region of Bangladesh. *Pakistan J. Biol. Sci.* 6(21):1792-1794.
- Ainsworth C. 2006. Flowering and its Manipulation. Blackwell Publishing Ltd. 204 p.
- Albrechtová J.T.P., Wiedmann T., Walczysko P., Wagner E. 2001. Involvement of glucose in pH-regulation in cells at the apical meristem of vegetative an flower-induced *Chenopodium rubrum* plants. *Endocyt. Cell. Res.* 14:57-66.
- Alcántar G., Trejo L.I., Fernández L., Rodríguez M. 2007. Elementos esenciales (pp. 7-43) In: Alcántar G.,Trejo L.I. (coord.). Nutrición de Cultivos. Mundi Prensa. México D.F. 438 p.
- Aloni R. 1995. The induction of vascular tissues by auxin and cytokinin. (pp. 531-546). In: Davies, P.J. (ed.). Plant Hormones. Kluwer Publishers. The Netherlands. 833 p.

- Aloni R., Aloni E., Langhans M., Ullrich C.I. 2006. Role of auxin in regulating *Arabidopsis* flower development. *Planta* 223:315-328.
- Alt C. 1999. Modelling nitrogen demand of cauliflower (*Brassica oleracea L. botrytis*) by using productivity-nitrogen relationships. Thesis Doktors der Gartenbauwissenschaften. Universität Hannover. 108 p.
- Alt C., Kage H., Stützel H. 2000. Modelling nitrogen content and distribution in cauliflower (*Brassica oleracea L. botrytis*). *Ann. Bot.* 86:963-973.
- Andrade A., Wolfe D.W., Fereres E. 1993. Leaf expansion, photosynthesis, and water relations of sunflower plants grown on compacted soil. *Plant Soil* 149(2):175-184.
- Anthony R.G., James P.E., Jordan B.R., 1996. Cauliflower (*Brassica oleracea* var. *botrytis* L.) curd development: the expression of meristem identity genes. *J. Exp. Bot.* 47(295):181-188.
- Araki T., Komeda Y. 1993. Flowering in darkness in *Arabidopsis thaliana*. *Plant J.* 4:801-811.
- Arp W.J. 1991. Effects of source-sink relations on photosynthetic acclimation to elevated CO₂. *Plant Cell Environ.* 14:869-875.
- Aston A.R., Milington R.J., Peters D.B. 1969. Radiation exchange in controlling leaf temperature. *Agron. J.* 61:797-800.
- Atherton J.G.; Hand D.J., Williams C.A. 1987. Curd initiation in the cauliflower (*Brassica oleracea* var. *botrytis*) (pp. 133-145) In: Atherton, J.G.(edit.). Manipulation of flowering. Harnoll Ltd., London. 438 p.
- Auderset G., Gahan P.B., Dawson A.L., Greppin H. 1980. Glucose-6-phosphate dehydrogenase as an early marker of floral induction in shoot apices of *Spinacia olearea* var. Nobel. *Plant. Sci. Lett.* 20(2):109-113.
- Azcón-Bieto J., Talón M. 2008. Fundamentos de Fisiología Vegetal. McGraw-Hill. Madrid. 651 p.
- Barceló Coll J., Nicolás Rodrigo G., Sabater García B., Sánchez Tamés R. 1995. Fisiología Vegetal. Ediciones Pirámide, Madrid, 661 p.
- Barker A.V., Bryson G.M. 2006. Nitrogen (pp. 22-44). In: Barker A.V., Pilbeam D.J. (eds.). Handbook Of Plant Nutrition. Vol. 117, Series-Books Soils, Plants, and The Environment. 613 p.
- Baroja-Fernandez E., Etxeberria E., Muñoz F.J., Morán-Zorzano M.T., Alonso-Casajús N., Gonzalez P., Pozueta-Romero J. 2006. An Important Pool of Sucrose Linked to Starch

- Biosynthesis is Taken up by Endocytosis in Heterotrophic Cells. *Plant Cell Physiol.* 47(4):447-456.
- Barrales V.L., Peña R.I., Fernández de la Reguera B.P. 2004. Validación de modelos: Un enfoque aplicado. *Agric. Téc.* 64(1):66-73.
- Barrs H.D., Weatherley P.E. 1962. A re-examination of the relative turgidity technique for estimating water deficits in leaves. *Aust. J. Biol. Sci.* 15: 413-428.
- Bar-Tal A., Feigin A., Sheinfeld S., Rosenberg R., Sternbaum B., Rylski I., Pressman E. 1995. Root restriction and N-NO₃ solution concentration effects on nutrient uptake, transpiration and dry matter production of tomato. *Sci. Hort.* 63:195-208.
- Bar-Tal A., Pressman E. 1996. Root restriction and potassium and calcium solution concentrations affects dry-matter production, cation uptake, and blossom-end rot in greenhouse tomato. *J. Amer. Soc. Hort. Sci.* 121:649-655.
- Batal K.M., Gran Berry D.M., Mullinix B.G. 1997. Nitrogen, magnesium, and boron applications affect cauliflower yield, curd mass and hollow stem disorder. *HortSci.* 32(1):75-78.
- Battey N.H., Lyndon R.F., 1984. Changes in Apical Growth and Phyllotaxis on Flowering and Reversion in *Impatiens balsamina* L. *Ann. Bot-London* 54:553-567.
- Bäurle I., Dean C. 2006. The Timing of Developmental Transitions in Plants. *Cell* 125:655-664.
- Beaudoin N., Serizet, C., Gosti F., Giraudat J. 2000. Interactions between abscisic acid and ethylene signaling cascades. *Plant Cell* 12: 1103-1115.
- Beerling D.J., Chaloner W.G. 1993. The impact of atmospheric CO₂ and temperature change on stomatal density: observations from *Quercus robur* Lammad leaves. *Ann. Bot.* 71:231-235.
- Begna S.H., Dwyer L.M., Cloutier D., Assemat L., DiTommaso A., Zhou X., Prithiviraj B., Smith D.L. 2002. Decoupling of light intensity effects on the growth and development of C₃ and C₄ weed species through sucrose supplementation. *J. Exp. Bot.* 53(376):1935-1940.
- Ben Haj S.H., Tardieu F. 1996. Quantitative analysis of the combined effects of temperature, evaporative demand and light on leaf elongation rate in well watered field and laboratory-grown maize plants. *J. Exp. Bot.* 47:1689-1698.
- Bengough A.G., Bransby H., McKenna M.F.J., Tim Roberts S.J., Valentine T.A. 2006. Root responses to soil physical conditions; growth dynamics from field to cell. *J. Exp. Bot.* 57(2):437-447.

- Bernier G., Kinet J.M., Jacqmard A., Havelange A., Bodson M. 1977. Cytokinin as a Possible Component of the Floral Stimulus in *Sinapis alba*. *Plant Physiol.* 60:282-285.
- Bernier G., Kinet J.M., Sachs R.M. 1981. The Physiology of Flowering. Vol. I and II, Boca Raton: CRC Press. 149 p.
- Bernier G. 1988. The control of floral evocation and morphogenesis. *Annu. Rev. Plant. Phys.* 39:175-219.
- Bernier G., Havelange A. Houssa C., Petitjean A., Lejeune P. 1993. Physiological signals that induce flowering. *Plant Cell* 5:1147-1155.
- Bernier G. 1997. Growth changes in the shoot apex of *Sinapis alba* during transition to flowering. *J. Exp. Bot.* 48:1071-1077
- Bernier G., Corbesier L., Périlleux C. 2002. The Flowering Process: On the Track of Controlling Factors In *Sinapis alba*. *Russ. J. Plant. Physl.* 49(4):445-450.
- Bernier G., Périlleux C. 2005. A physiological overview of the genetics of flowering time control. *Plant Biotech. J.* 3(1):3-16.
- Bertero H.D., 2001. Effects of photoperiod, temperature and radiation on the rate of leaf appearance in quinoa (*Chenopodium quinoa* Willd.) under field conditions. *Ann. Bot.* 87(4):495-502.
- Bertram L., Veierskov B. 1989. A relationship between irradiation, carbohydrates and rooting in cuttings of *Pisum sativum*. *Physiol. Plant.* 76(1):81-85.
- Bevacqua R.F., Cardenas T.R. 2002. Nitrogen Monitoring Techniques for Vegetable Crops Cooperative Extension Service. Circular 579. College of Agriculture and Home Economics. 11 p.
- Bhalla P.L., Smith N. 1998. Comparison of shoot regeneration potential from seedling explants of Australian cauliflowers (*Brassica oleracea* L. var. *botrytis*) varieties. *Aust. J. Agric. Res.* 49:1261-1266.
- Bianco V.V. 1990. Cavolfiore (pp. 359-380). In: V.V. Bianco, F. Pimpini (ed.). *Orticoltura*. Patron Editore, Bologna, Italia. 990 p.
- Biddington N.L., Dearman A.S. 1982. The effect of abscisic acid on root and shoot growth of cauliflower plants. *Plant Growth Regul.* 1(1):15-24.
- Biddington N.L., Dearman A.S. 1986. A comparison of the effects of mechanically-induced stress, ethephon and silver thiosulphate on the growth of cauliflower seedlings. *Plant Growth Regulation* 4:33-41.

- Biddington N.L., Dearman A.S. 1987. The effects of mechanically-induced stress and plant growth regulators on the growth of lettuce, cauliflower and bean (*Phaseolus vulgaris* L.) plants. *Plant Growth Regul.* 5:183-194.
- Bingham I.J., Bengough A.G. 2003. Morphological plasticity of wheat and barley roots in response to spatial variation in soil strength. *Plant Soil* 250:273-282.
- Birch C.J., Vos J., Kiniry J., Bos H.J., Elings A. 1998. Phyllochron responds to acclimation to temperature and irradiance in maize. *Field Crop Res.* 59:187-200.
- Bitonti M.B., Cozza R., Ciappetta A., Giannino D., Castiglione M.R., Dewitte W., Mariotti D., Van Onckelen H., Innocenti A.M. 2002. Distinct nuclear organization, DNA methylation pattern and cytokinin distribution mark juvenile, juvenile-like and adult vegetative apical meristem in peach (*Prunus persica* L. Batsch). *J. Exp. Bot.* 53(371):1047-1054.
- Blake P.S., Browning G., Benjamin L.J., Mander L.N. 2000. Gibberellins in seedlings and flowering trees of *Prunus avium* L. *Phytochemistry* 53:519-528.
- Blanchard M.G., Runkle E.S. 2008. Benzyladenine Promotes Flowering in Doritaenopsis and Phalaenopsis Orchids. *J. Plant Growth Regul.* 27:141-150.
- Blázquez M.A., Green R., Nilsson O., Sussman M.R., Weigela D. 1998. Gibberellins Promote Flowering of *Arabidopsis* by Activating the LEAFY Promoter. *Plant Cell* 10:791-800.
- Blázquez M.A. 2000. Flower development pathways. *J. Cell Sci.* 113:3547-3548.
- Blázquez M., Koornneef M., Putterill J. 2001. Flowering on time: genes that regulate the floral transition. *EMBO reports* 2(12):1078-1082.
- Bodson M., King R.W., Evans L.T., Bernier G. 1977. The role of photosynthesis in flowering of the long-day plant *Sinapis alba*. *Aust. J. Plant Physiol.* 4, 467-478.
- Bodson M., Outlaw W.H. 1985. Elevation in the sucrose content of the shoot apical meristem of *Sinapis alba* at floral evocation. *Plant Physiol.* 79:420-424.
- Boege K. 2005. Influence of plant ontogeny on compensation to leaf damage. *Am. J. Bot.* 92(10):1632-1640.
- Bonhomme M., Peuch M., Ameglio T., Rageau R., Guillot A., Decourteix M., Alves G., Sakr S., Lacointe A. 2010. Carbohydrate uptake from xylem vessels and its distribution among stem tissues and buds in walnut (*Juglans regia* L.). *Tree Physiol.* 30:89-102.
- Booij R. 1987. Environmental factors in curd initiation and curd growth of cauliflower in the field. *Neth. J. Agric. Sci.* 35:435-445.
- Booij R. 1989. Effect of growth regulators on curd diameter of cauliflower. *Scientia Hort.* 38(1-2):23-32.

- Booij R. 1990a. Effects of gibberellic acids on time of maturity and on yield and quality of cauliflower. *Neth. J. Agric. Sci.* 38:641-651.
- Booij R. 1990b. Effects of juvenility and temperature on time of curd initiation and maturity of cauliflower. *Acta Hort.* 267:305-312.
- Booij R. 1990c. Influence of transplant size and raising temperature on cauliflower curd weight. *Gartenbauwis.* 55(3):103-109.
- Booij R., 1990. Cauliflower curd initiation and maturity: Variability within a crop. *J. Hortic. Sci.* 65:167-175.
- Booij R., Struik P.C. 1990. Effects of temperature on leaf and curd initiation in relation to juvenility of cauliflower. *Sci. Hort.* 44:201-214.
- Bos H.J., Tijani-Eniola H., Struik P.C. 2000. Morphological analysis of leaf growth of maize: responses to temperature and light intensity. *Neth. J. Agric. Sci.* 48(2):181-198.
- Bouzo C.A., Astegiano E.D., Favaro J.C. 2003. Procedimiento para determinar la necesidad de abonos en cultivos hortícolas. FAVE. Sección Ciencias Agrarias 2:7-18.
- Boyer J.S. 1968. Relationship of water potential to growth of leaves. *Plant Physiol.* 43:1056-1062.
- Braam J. 2005. In touch: Plant responses to mechanical stimuli. *New Phytol.* 165:373-389.
- Brown P.H., Shelp B.J. 1997. Boron mobility in plants. *Plant Soil* 193(1-2):85-101.
- Busó Sáez E. 2005. Efectos de la sobreexpresión de S-adenosil-Lmetionina descarboxilasa1 en la respuesta a estrés en *Arabidopsis*. Tesis doctoral. Universitat de Valencia. 172 p.
- Cakmak I. 1994. Activity of ascorbate-dependent H₂O₂-scavenging enzymes and leaf chlorosis are enhanced in magnesium- and potassium-deficient leaves, but not in phosphorus-deficient leaves. *J. Exp. Bot.* 45(9):1259-1266.
- Caloin M., Yu O. 1984. Analysis of the time course of change in nitrogen content in *Dactylis glomerata* L. using a model of plant growth. *Ann. Bot.* 54:69-76.
- Campbell R., Drew M.C. 1983. Electron microscopy of gas space (aerenchyma) formation in adventitious roots of *Zea mays* L. subjected to oxygen shortage. *Planta* 157:350–357.
- Campostrini E., Yamanishi O.K.. 2001. Influence of mechanical root restriction on gas-exchange of four papaya genotypes. *R. Bras. Fisiol. Veg.* 13(2):129-138
- Canales C., Grigg S., Tsiantis M., 2005. The formation and patterning of leaves: recent advances. *Planta* 221:752-756.
- Cantliffe D.J. 1993. Pre and postharvest practices for improved vegetable transplant quality. *HortTech.* 3:415-417.

- Cao W., Moss D.N. 1991. Phyllochron change in winter wheat with planting date and environmental changes. *Agron. J.* 83:396-401.
- Cardoza V., Stewart N. 2004. Brassica biotechnology: progress in cellular and molecular biology. *Vitro Cell. Dev. Biol. Plant* 40:542-551.
- Carew J., Thompsom H.C. 1948. A study of certain factors affecting “buttoning” of cauliflower. *Proceedings of Am. Soc. Hortic. Sci.* 51:406-414.
- Carmi A., Heuer B. 1981. The role of roots in control of bean shoot growth. *Ann. Bot.* 48:519-527.
- Cary A.J., Liu W., Howell S.H. 1995. Cytokinin action is coupled to ethylene in its effects on the inhibition of root and hypocotyl elongation in *Arabidopsis thaliana* seedlings. *Plant Physiol.* 107: 1075-1082.
- Castellano M.M., Sablowski R. 2005. Intercellular signaling in the transition from stem cells to organogenesis in meristems. *Curr. Opin. Plant Biol.* 8:26-31.
- Castro P.R.C. 1981. Análise de crescimento e produção da soja (*Glycine max* cv. Davis) sob efeito de fitorreguladores. *Ciência e Cultura*, 33: 1346-1349.
- Cebula S. 2009. The effect of pot size and transplant age on the yield and quality of white, green and romanesco cauliflower curds. *Veg. Crop. Res. Bull.* 70:101-110.
- Chakravarti S.C., 1953. Organization of shoot apex during the ontogeny of *Brassica campestris* L., *Nature* 171:222-223.
- Chandler J., Wilson A., Dean C. 1996. Arabidopsis mutants showing an altered response to vernalization. *Plant J.* 10:637-44.
- Chapman H., Pratt P. 1979. Métodos de análisis para suelos, plantas y aguas. Ed. Trilla. Mexico. 195 p.
- Chatterjee C., Nautiyal N., Agarwala S.C. 1985. Metabolic changes in mustards plants associated with molybdenum deficiency. *New Phytol.* 100:511-518.
- Chaudhur A. M., Letham, D. S., Craig, S., Dennis, E.S. 1993. *ampl-a* mutant with high cytokinin levels and altered embryonic pattern, faster vegetative growth, constitutive photomorphogenesis and precocious flowering. *Plant J.* 4:907-916.
- Chen W.S., Liu Z.H., Yang L., Chen W.H. 1994. Gibberellin and temperature influence carbohydrate content and flowering in *Phalaenopsis*. *Physiol. Plant.* 90:391-395.
- Chen J., Reynolds J.F. 1997. A coordination model of whole-plant carbon allocation in relation to water stress. *Ann. Bot.* 80:45-55.

- Chien J.C., Sussex I.M. 1996. Differential regulation of trichome formation on the adaxial and abaxial leaf surfaces by gibberellins and photoperiod in *Arabidopsis thaliana* (L.) Heynh. *Plant Physiol.* 111:1321-1328.
- Chiou T.J., Bush, D.R. 1998. Sucrose is a signal molecule in assimilate partitioning. *Proc. Natl. Acad. Sci.* 95:4784-4788.
- Chuck G., Hake S. 2005. Regulation of developmental transitions. *Curr. Op. Plant Biol.* 8:67-70.
- Chung B. 1985. The effects of sowing time and plant density on the onceover harvest yields of broccoli. *J. Hort. Sci.* 60:57-64.
- Chung B., Strickland H.L. 1986. Effect of sowing time on the once-over harvest yield of broccoli cultivars in north-west Tasmania. *Austr. J. Exp. Agric.* 26:497-500.
- Chung G.C., Rowe R.N., Field R.J. 1989. Solution depth affects root morphology and growth of cucumber plants grown in circulating nutrient solution. *J. Amer. Soc. Hort. Sci.* 114:890-893.
- Clark S.E., Williams R.W., Meyerowitz E.M. 1997. The CLAVATA1 gene encodes a putative receptor kinase that controls shoot and floral meristem size in *Arabidopsis*. *Cell* 89:575-585.
- Clark S.E. 1997. Organ formation at the vegetative shoot meristem. *Plant Cell* 9:1067–1076.
- Cocucci M.C., Dalla Rosa S. 1980. Effects of cordycepin on IAA- and fusicoccin-stimulated cell enlargement, proton extrusion and potassium uptake in maize coleoptiles. *Physiol. Plant.* 48(2):302-306.
- Collinson S.T., Ellis R.H., Summerfield R.J., Roberts E.H. 1992. Durations of the photoperiod-sensitive and photoperiod-insensitive phases of development to flowering in four cultivars of rice (*Oryza sativa* L.). *Ann. Bot.* 70:339-346.
- Corbesier L., Coupland G. 2005. Photoperiodic flowering of *Arabidopsis*: integrating genetic and physiological approaches to characterization of the floral stimulus. *Plant Cell Environ.* 28:54-66.
- Corbesier L., Lejeune P., Bernier G. 1998. The role of carbohydrates in the induction of flowering in *Arabidopsis thaliana*: Comparison between the wild type and a starchless mutant. *Planta* 206:131-137.
- Corbesier L., Prinsen E., Jacqmard A., Lejeune P., Van Onckelen H., Périlleux C., Bernier G. 2003. Cytokinin levels in leaves, leaf exudate and shoot apical meristem of *Arabidopsis thaliana* during floral transition. *J. Expt. Bot.* 54:2511-2517.

- Cornforth I.S., Sinclair A.G. 1984. Fertiliser and Liming Recommendations for Pastures and Crops in New Zealand. Second Revised Edition. New Zealand Ministry of Agriculture and Fisheries, Wellington, 76 p.
- Craufurd P.Q., Subedi M., Summerfield R.J. 1997. Leaf appearance in cowpea: effects of temperature and photoperiod. *Crop Sci.* 37:167-171.
- Crawford N.M., Smith M., Bellissimo D., Davis R.W. 1988. Sequence and nitrate regulation of the *Arabidopsis thaliana* mRNA encoding nitrate reductase, a metalloflavoprotein with three functional domains. *PNAS* 85(14):5006-5010.
- Creelman R.A.; Mullet J.E. 1997. Biosynthesis and action of jasmonates in plants. *Annu. Rev. Plant Physiol. Plant Mol. Biol.* 48:355-381
- Cremer F., Coupland G. 2003. Distinct photoperiodic responses are conferred by the same genetic pathway in *Arabidopsis* and in rice. *Trends Plant Sci.* 8:405-407.
- Crips P., Tapsell C.R. 1993. Cauliflower (*Brassica oleracea* L.) p. 157-178. In: Kalloo G., Bergh B.O. (eds.). *Genetic Improvement of Vegetable Crops*. Pergamon Press. Oxford. 833 p.
- Csizinsky A.A. 1996. Optimum planting time, plant spacing, and nitrogen and potassium rates to maximize yield of green cauliflower. *HortSci.* 31(6):930-933.
- Csizinszky A.A., Schuster D.J. 1988. Impact of insecticide schedule, N and K rates, and transplant container size on cauliflower yield. *Applied Agr. Res.* 3:12-16.
- Csizinszky A.A., Schuster D.J. 1993. Impact of insecticide schedule N and K rates and transplant container size on cabbage yield. *HortSci.* 28:299-301.
- Cumming B.G. 1967. Circadian rhythmic flowering responses in *Chenopodium rubrum*: effects of glucose and sucrose. *Can. J. Bot.* 45:2173-2193.
- Cutcliffe J.A., Munro D.C. 1976. Effects of nitrogen, phosphorous and potassium on yield and maturity of cauliflower. *Can. J. Plant Sci.* 56:127-131.
- Cutler J.M., Rains D.W., Loomis R.S. 1977. The Importance of Cell Size in the Water Relations of Plants. *Physio. Plant.* 40(4):255-260.
- Czapski J. 2009. Cancer preventing properties of cruciferous vegetables. *Veg. Crops Res. Bull.* 70:5-18.
- Czechowski T. 2005. Nitrogen signalling in *Arabidopsis thaliana*. Thesis Dr. Universität Potsdam. 148 p.
- D'Ambrogio de Argüeso, A. 1986. Manual de Técnicas en Histología Vegetal. Ed. Hemisferio Sur, Buenos Aires. 88 p.

- Da Costa Mello, S., De Camargo, M.S., Vivian R., Nascimento T.S., De Oliveira E.S., Bertanha R.. 2009. Nitrogênio e boro na producao e incidencia de hasta oca em couve-flor 'Sharon'. *Bragantia* 68(3):761-764.
- Dahanayake S.R., Galwey N.W. 1999. Effects of Interactions between Low-temperature Treatments, Gibberellin (GA_3) and Photoperiod on Flowering and Stem Height of Spring Rape (*Brassica napus* var. *annua*). *Ann. Bot.* 84:321-327.
- Damato G., Trotta L., Elia A. 1994. Cell size, transplant age and cultivars effects on timing field production of broccoli (*Brassica oleracea* L. var. *italica* Plenck.) for processing. *Acta Hort.* 371:53-60.
- Davenport T.L., Nunez-Elisea, R. 1990. Ethylene and other endogenous factors possibly involved in mango flowering. *Acta Hort.* 275:441-448.
- De Camargo M.S., Da Costa Mello S., Foltran D.E., De Camargo C. 2008. Produtividade e podridao parda em couve-flor de inverno influenciadas pelo nitrogênio e boro. *Bragantia* 67(2):371-375.
- De Jong J. 1981. Effects of irradiance and juvenility on the selection of *chrysanthemums*. *Euphytica* 30(2):493-500.
- Decourteix M., Alves G., Bonhomme M., Peuch M., Ben Baaziz K., Brunel N., Guilliot A., Rageau R., Améglio T., Pétel G., Sakr S. 2008. Sucrose (JrSUT1) and hexose (JrHT1 and JrHT2) transporters in walnut xylem parenchyma cells: their potential role in early events of growth resumption. *Tree Physiol.* 28(2):215-224.
- Deltour R. 1967. Action du saccharose sur la croissance et la mise a fleurs de plantes issues d'apex de *Sinapis alba* L. cultives *in vitro*. *C. R. Acad Sci. Paris* 264:2765-2767.
- Dewitte W., Chiappetta A., Azmi, A., Witters E., Strnad M., Rembur J., Noin M., Chriqui D., Van Onckelen H. 1999. Dynamics of cytokinins in apical shoot meristems of a day-neutral tobacco during floral transition and flower formation. *Plant Physiol.* 119:111-122.
- Dietz K.J., Harris G.C. 1997. Photosynthesis under nutrient deficiency (pp. 951-976). In: Pessarakli, M. (ed.). *Handbook of Photosynthesis*. Marcel Dekker Inc. 990 p.
- Dill A., Thomas S.G., Hu J., Steber C.M. Sun T.P. 2004. The *Arabidopsis* F-box protein SLEEPY1 targets gibberellin repressor for gibberellin-induced degradation. *Plant Cell* 16:1392-1405.
- Diputado M.T., Nichols M.A. 1989. The effect of sowing date and cultivar on the maturity characteristics of broccoli (*Brassica oleracea* var. *italica*). *Acta Hort.* 247:59-66.
- Dixon G.R. 2007. *Vegetable Brassicas and Related Crucifers*. CABI International, UK. 327 p.

- Dood I.C., Davies W.J. 2005. Hormones and the regulation of the water balance (493-512 pp.). In: Davies P.J. (ed.). Plant Hormones. Biosynthesis, Signal Transduction, Action. Kluwer Academic Publishers. 750 p.
- Dornelas M.C., Dornelas O. 2005. From leaf to flower: revisiting Goethe's concepts on the "metamorphosis" of plants. *Braz. J. Plant Physiol.* 17(4):335-344.
- Drew M.C., He C.J., Morgan P.W. 2000. Programmed cell death and aerenchyma formation in roots. *Trends Plant Sci.* 5(3):123-127.
- Dubik S.P., Krizek D.T., Stimart D.P. 1989. Influence of root zone restriction on morphogenetic responses of spreading euonymus (*E. kiautschovica* Loes. 'Sieboldiana'). *J. Plant Nutr.* 12:1021-1044.
- Dubik S.P., Krizek D.P., Stimart D.P. 1990. Influence of root zone restriction on mineral element concentration, water potential, chlorophyll concentration, and partitioning of assimilate in spreading euonymus (*E. kiautschovica* loes. 'Sieboldiana'). *J. Plant Nutr.* 13:677-699.
- Dufault R.J., Waters Jr. L. 1985a. Container size influences broccoli and cauliflower transplant growth but not yield. *HortSci.* 20:682-684.
- Dufault R.J., Waters Jr. L. 1985b. Interaction of nitrogen fertility and plant populations on transplanted broccoli and cauliflower yields. *HortSci.* 20:127-128.
- Dufault R.J., 1997. Determining heat unit requirements for broccoli harvest in coastal South Carolina. *J. Amer. Soc. Hort. Sci.* 122(2):169-174.
- Dufault R.J., Ward B. 2003. Influence of defoliation timing and severity on cauliflower earliness yield and quality. *Acta Hort.* 618:421-426.
- Eckardt N.A. 2005. A time to grow, a time to flower. *Plant Cell* 17:2615-2617.
- Eckardt N.A., 2008. A Bioinformatics Approach to Investigating Leaf Development. *Plant Cell* 20:2283.
- Efroni I., Blum E., Goldshmidt A., Eshed Y. 2008. A Protracted and Dynamic Maturation Schedule Underlies *Arabidopsis* Leaf Development. *Plant Cell* 20:2293-2306.
- Eguchi T., Yoshida S. 2008. Effects of application of sucrose and cytokinin to roots on the formation of tuberous roots in sweetpotato (*Ipomoea batatas* (L.) Lam.). *Plant Root* 2:7-13.
- Erickson R. O. 1976. Modeling of plant growth. *Annu. Rev. Plant. Phys.* 27:407-434.
- Erwin J. 2007. Factors affecting flowering in ornamental plants. (pp. 7-48). In: Anderson N.O. (ed.). Flower Breeding and Genetics. Issues, Challenges and Opportunities for the 21st Century. 801 p.

- Eshghi S., Tafazoli E., Dokhani S., Rahemi M., Emam Y. 2007. Changes in carbohydrate contents in shoot tips, leaves and roots of strawberry (*Fragaria x ananassa* Duch.). Sci. Hortic. 113:255-260.
- Etienne-Pascal J., Blignay R., Douce R. 1986. Biochemical changes during sucrose deprivation in higher plant cells. J. Biol. Chem. 261(7):3193-3199.
- Evans L.T. 1975. Crop physiology: Some case histories. Cambridge University Press. London. 374 p.
- Evans A.S. 1991. Whole-plant responses of *Brassica campestris* (Cruciferae) to altered sink-source relations. Am. J. Bot. 78:394-400.
- Evans M.M.S., Poethig R.S. 1995. Gibberellins promote vegetative phase change and reproductive maturity in maize. Plant Physiol. 108:475-487.
- Everaarts A.P. 1994. Nitrogen fertilization and head rot in broccoli. Neth. J. Agric. Sci. 42(3):195-201.
- Everaarts, A.P., De Moel C.P. 1995. The effect of nitrogen and the method of application on the yield of cauliflower. Neth. J. Agr. Sci. 43 (4):409-418.
- Everaarts A.P., Putter H. 2003. Hollow stem in cauliflower. Acta Hortic. 607:187-190.
- Feldman L.J., Cutter E.G. 1970. Regulation of Leaf Form in *Centaurea solstitialis* L. I. Leaf Development on Whole Plants in Sterile Culture. Bot. Gaz. 131(1):31-39.
- Fellows J.R., Reader R.J., Wurr D.C.E. 1997. A model for leaf production and apex development in calabrese. J. Hortic. Sci. 72(2):327-337.
- Fellows J.R.; Wurr D.C.E., Phelps K., Reader R.J.. 1999. Initiation of early cauliflowers in response to temperature. J. Hortic. Sci. Biotech. 74 (3): 328-336.
- Fernández G., Johnston M. 1986. Fisiología Vegetal Experimental. Servicio Editorial IICA. San José, Costa Rica. 410 p.
- Fernández M.S., Rosiello R.O.P. 1995. Mineral nitrogen in plant physiology and plant nutrition. Crit. Rev. Plant Sci. 14(2):111-148.
- Fernández J.A., Bañón S., Franco J.A., González A., Martínez P.F., 1997. Effects of vernalization and exogenous gibberellins on curd induction and carbohydrate levels in the apex of cauliflower (*Brassica oleracea* var. *botrytis*). Sci. Hortic. 70:223-230.
- Field C., Mooney H.A. 1983. Leaf age and seasonal effects on light, water, and nitrogen use efficiency in a California shrub. Oecologia 56: 348–355.
- Finnegan E.J., Genger R.K., Kovac K., Peacock W. J., Dennis E. S.. 1998. DNA methylation and the promotion of flowering by vernalization. PNAS 95(10):5824-5829.

- Fitter A.H., Hay R.K.M. 2002. Environmental Physiology of Plants (3rd ed.). Academic Press. San Diego, California. 397 pp.
- Fleisher D.H., Shillito R.M., Timlin D.J., Kim S., Reddy V.R. 2006. Approaches to modeling potato leaf appearance rate. Agron. J. 98:522-528.
- Fleming A.J., Mandel T., Roth I., Kuhlemeier C.. 1993. The Patterns of Gene Expression in the Tomato Shoot Apical Meristem. Plant Cell 5(3):297-309.
- Fleming A.J., 2005. Formation of primordia and phyllotaxy. Curr. Opin. Plant Biol. 8(1):53-58.
- Fleming A.J., 2006. Metabolic aspects of organogenesis in the shoot apical meristem. J. Exp. Bot. 57(9):1863-1870.
- Fontes M.R., Ozbun J.L. 1972. Relationship between carbohydrates level and flower initiation in broccoli. J. Am. Soc. Hortic. Sci. 97:346-348.
- Foth H.D., Ellis, D.G. 1996. Soil Fertility. 2th edn. CRC Press. 304 p.
- Fowke J.H. 2007. Head and neck cancer: a case for inhibition by isothiocyanates and indoles from cruciferous vegetables. Eur. J. Cancer Prev. 16:348-356.
- Fowler S., Lee K., Onouchi H., Samach A., Richardson K., Morris B., Coupland G., Putterill J. 1999. GIGANTEA: a circadian clock-controlled gene that regulates photoperiodic flowering in *Arabidopsis* and encodes a protein with several possible membrane-spanning domains. The EMBO Journal 17 :4679-4688.
- França D. B., Aragão C.A., Donizeti A.J. 2001. Calcio e desenvolvimento de aerenquimas e atividade de celulase em plantulas de milho submetidas a hipoxia. Sci. Agric. 58(2):251-257.
- Francis D., Lyndon R.F. 1985. The control of the cell cycle in relation to floral induction (pp. 199-216). In: Bryant, J. A., Francis, D. (eds.). The cell division cycle in plants. Cambridge University Press, Cambridge. 258 p.
- Francis D. 1992. The cell cycle in plant development. New Phytol. 122:1-20.
- Francis D., Halford N.G. 2006. Nutrient Sensing in Plant Meristems. Plant Mol. Biol. 60(6):981-993.
- Franklin J.A., Kav N.N.V., Yajima W., Reid D.M. 2005. Root Temperature and Aeration Effects on the Protein Profile of Canola Leaves. Crop Sci. 45:1379-1386.
- Friedman D., 1992. Determination of spiral symmetry in plants and polymers (pp. 251-280). In: Hargittai I., Pickover C.A. (eds.). Spiral Symmetry. World Scientific Inc. 468 p.
- Friend D.J.C. 1969. *Brassica campestris* L. pp. 364-375. In: Evans L.T. (ed.). The Induction of Flowering. MacMillan. Melbourne. 488 p.

- Friend D.J.F., Bodson M., Bernier G. 1984. Promotion of Flowering in *Brassica campestris* L. cv Ceres by Sucrose. *Plant Physiol.* 75:1085-1089.
- Friend D.J.C. 1989. *Brassica*. pp. 48-77. In: Halevy A.H. (ed.). *Handbook of Flowering*. Vol. II. CRC Press Inc. Boca Raton. Florida. 776 p.
- Fujime Y. 1988. A difference of response to low temperature between cauliflower and broccoli. *Acta Hort.* 218:141-152.
- Fujime Y., Saito Y., Nakayama, Y., 1988. Photothermal induction of flower head formation in broccoli plants. *J. Japan. Soc. Hort. Sci.* 57 :70-77.
- Fujime Y., Okuda N. 1996. The physiology of flowering in *Brassicas*, especially about cauliflower and broccoli. *Acta Hort.* 407:247-254.
- Fyffe D.C., Titley M.E. 1989. Phenology studies and the prediction of harvest dates of broccoli in the Lockyer Valley. *Acta Hort.* 247:53-58.
- Gallagher J.N. 1979. Field studies of cereal leaf growth. I. Initiation and expansion in relation to temperature and ontogeny. *J. Exp. Bot.* 30:625-636.
- Galmés J., Flexas J., Savé R., Medrano H. 2007. Water relations and stomatal characteristics of Mediterranean plants with different growth forms and leaf habits: responses to water stress and recovery. *Plant Soil* 290:139-155.
- Gan Y., Kumimoto R., Liu C., Ratcliffe O., Yu H., Broun, P. 2006. GLABROUS INFLORESCENCE STEMS Modulates the Regulation by Gibberellins of Epidermal Differentiation and Shoot Maturation in *Arabidopsis*. *Plant Cell* 18:1383-1395.
- García A., Guardiola J.L. 2008. Transporte en el floema (pp. 81-102). In: Azcón-Bieto J., Talón M. (eds.). *Fundamentos de fisiología vegetal* (2º edic.). McGraw Hill Interamericana. Barcelona. 651 p.
- Gaspar T., Kevers C., Penel C., Greppin H., Reid D.M., Thorpe T.A. 1996. Plant hormones and plant growth regulators in plant tissue culture. *Vitro Cell. Develop. Biol. Plant* 32(4):272-289.
- Gates D.M. 1962. Leaf temperature and energy exchange. *Theor. Appl. Climatol.* 12(2):321-336.
- George R.A.T. 2009. Vegetable Seed Production. CABI International 3rd ed., Cambridge. 315 p.
- Ghassemian M., Nambara E., Cutler S., Kawaide H., Kamiya Y., McCourt P. 2000. Regulation of abscisic acid signaling by the ethylene response pathway in *Arabidopsis*. *Plant Cell* 12: 1117-1126.

- Gibson S.I. 2000. Plant Sugar-Response Pathways. Part of a Complex Regulatory. *Plant Physiol* 124:1532-1539.
- Godoy M.C., Cardoso A.I.I. 2005. Produtividade da couveflor em função da idade de transplantio das mudas e tamanhos de células na bandeja. *Horticultura Brasileira*. 23(3):837-840.
- Gokbayrak Z., Dardeniz A., Bal M. 2008. Stomatal density adaptation of grapevine to windy conditions. *Trakia J. Sci.* 6(1):18-22.
- Goldschmidt E.E., Huber S.C., 1992. Regulation of photosynthesis by end-product accumulation in leaves of plants storing starch, sucrose and hexose sugars. *Plant Physiol.* 99:1443-1448.
- Gómez C., Oberpaur C. 2007. Efecto del sistema y densidad de la almaciguera en el cultivo de cebolla (*Allium cepa* L.). *Cien. Inv. Agr.* 34(3): 205-214.
- González M.L., Caycedo C., Velásquez M.F., Flórez V., Garzón M.R. 2007. Efecto de la aplicación del ácido giberélico sobre el crecimiento de coliflor (*Brassica oleraceae* L. var. botrytis). *Agronomía Colombiana* 25(1):54-61.
- Goren R., Huberman M., Goldschmidt E.E. 2004. Girdling: physiological and horticultural aspects. *Hort. Rev.* 30:1-26.
- Gram T., Mattsson O., Joersbo M. 1996. Division frequency of pea protoplasts in relation to starch accumulation. *Plant Cell Tiss. Org.* 45:179-183.
- Grandjean O., Jonak C., Kiêu K., Traas J. 1998. Cellular Parameters of the Shoot Apical Meristem in *Arabidopsis*. *Plant Cell* 10:1375-1389.
- Grandjean O., Vernoux T., Laufs P., Belcram K., Mizukami Y., Traas J. 2004. In vivo analysis of cell division, cell growth, and differentiation at the shoot apical meristem in *Arabidopsis*. *Plant Cell* 16:74-87.
- Granier C., Tardieu F. 1998. Is thermal time adequate for expressing the effects of temperature on sunflower leaf development? *Plant Cell Environ.* 21:695-703.
- Granier C., Tardieu F. 1999. Water deficit and spatial pattern of leaf development. variability in responses can be simulated using a simple model of leaf development. *Plant Physiol.* 119:609-619.
- Granier C., Massonnet C., Turc O., Muller B., Chenu K., Tardieu F. 2002. Individual leaf development in *Arabidopsis thaliana*: a stable thermal-time-based programme. *Ann. Bot.* 89:595-604.
- Grant R.F., 1989. Simulation of Maize Phenology. *Agron. J.* 81:451-457.

- Gray A.R. 1982. Taxonomy and evolution of broccoli (*Brassica oleracea* var. *italica*). *Econ. Bot.* 36:397-410.
- Greenwood D.J., Gerwitz A., Stone D.A., Barnes A. 1982. Root development of vegetable crops. *Plant Soil* 68:75-96.
- Grevsen K., Olesen J.E. 1994. Modelling cauliflower development from transplanting to curd initiation. *J. Hort. Sci.* 69:755-766.
- Grevsen K. 1998. Effects of temperature on head growth of broccoli (*Brassica oleracea* L. var. *italica*): Parameter estimates for a predictive model. *J. Hort. Sci. Biotech.* 73(2):235-244.
- Grevsen K., Olesen J.E. 1999. Modelling development of broccoli (*Brassica oleracea* L. var. *italica*) from transplanting to head initiation. *J. Hort. Sci. Biotech.* 74(6):698-705.
- Grevsen K. 2000. Modelling plant development of broccoli. *Acta Hort.* 533:567-574.
- Grevsen K., Olesen J.E., Veierskov B. 2003. The effects of temperature and plant developmental stage on the occurrence of the curd quality defects "bracting" and "riciness" in cauliflower. *J. Hort. Sci. Biotech.* 78(5):638-646.
- Grossnickle S.C. 2005. Importance of root growth in overcoming planting stress. *New Forests* 30(2-3):273-294.
- Guilioni L., Jones H.G., Leinonen I., Lhomme J.P. 2008. On the relationships between stomatal resistance and leaf temperatures in thermography. *Agric. Forest Meteorol.* 148(11):1908-1912.
- Guo D., Ghazanfar A.S., Zeng G., Zheng S. 2004. The interaction of plant growth regulators and vernalization on the growth and flowering of cauliflower (*Brassica oleracea* var. *botrytis*). *Plant Growth Regul.* 43:163-171.
- Guoa D.P., Guoa Y.P., Zhao, J.P., Liua H., Penga,Y.,Wanga Q.M., Chenb J.S., Rao G.Z. 2005. Photosynthetic rate and chlorophyll fluorescence in leaves of stem mustard (*Brassica juncea* var. *tsatsai*) after turnip mosaic virus infection. *Plant Sci.* 168:57-63.
- Hadley P., Roberts E.H., Summerfield R.J., Minchin F.R. 1984. Effects of Temperature and Photoperiod on Flowering in Soya bean [*Glycine max* (L.) Merrill]: a Quantitative Model. *Ann. Bot.* 53:669-681.
- Halaban R. 1972. Mitotic Index and Cell Cycle of *Lemna perpusilla* under Different Photoperiods. *Plant Physiol.* 50:308-310.
- Hamano M., Yamazaki Y., Miure H. 2003. Sugar changes in the shoot apex of strawberry under flower bud inductive conditions. *Acta Hort.* 626:305-308.

- Hameed M.A., Reid, J.B., Rowe R.N. 1987. Root Confinement and its effects on the water relations, growth and assimilate partitioning of tomato (*Lycopersicon esculentum* Mill). Annal. Bot. 59:685-692.
- Hammer G.L., Jordan D.R. 2007. An Integrated Systems Approach to Crop Improvement. pp. 45-61. In: Spiertz, J.H.J., Struik P.C., van Laar H.H. (eds.). Chapter 5. Scale and Complexity in Plant Systems. Research: Gene-Plant-Crop Relations. Springer. 328 p.
- Hammond J.P., White P.J. 2008. Sucrose transport in the phloem: integrating root responses to phosphorus starvation. J. Exp. Bot. 59(1):93-109.
- Hand D.J., Atherton J.G. 1987. Curd Initiation in the Cauliflower I. Juvenility. J. Exp. Bot. 38(12):2050-2058.
- Hand D.J. 1988. Regulation of curd initiation in the summer cauliflower. PhD thesis. Longbborough, University of Nottingham
- Hand D.J., Atherton J.L.S. 2003. Reguladores del crecimiento, desarrollo y resistencia en plantas. Ed. Mundi-Prensa. Madrid. 487 p.
- Hanlon E.A., Hochmuth G.J. 2000. Cauliflower. In: Reference sufficiency ranges for plant analysis in the Southern region of the United States (Campbell C.R. ed.). SCSB #394. Agronomic Division of the N.C. Department of Agriculture and Consumer Services.
- Harter K., Talke-Messerer C., Barz W., Schäfer E. 1993. Light and sucrose dependent gene expression in photomixotrophic cell suspension cultures and protoplasts of rape (*Brassica napus* L.). Plant J. 4:507-516.
- Hartung W., Zhang J., Davies W. 1994. Does abscisic acid play a stress physiological role in maize plants growing in heavily compacted soil? J. Exp. Bot. 45:221-226.
- Havelange A., Jeanny J.C. 1984. Changes in density of chromatin in the meristematic cells of *Sinapis alba* during transition to flowering. Protoplasma 122:222-232.
- Hay R.K.M., Kemp D.R. 1990. Primordium initiation at the stem apex as the primary event controlling plant development: preliminary evidence from wheat for the regulation of leaf development. Plant Cell Environ. 13:1005-1008.
- Hay R., Porter J.R. 2006. The physiology of crop yield. Wiley-Blackwell, 328 p.
- He C.J., Finlayson S.A., Drew M.C., Jordan W.R., Morgan P.W. 1996. Ethylene Biosynthesis during Aerenchyma Formation in Roots of Maize Subjected to Mechanical Impedance and Hypoxia. Plant Physiol. 112:1679-1685.
- Hedden P., Proebsting W.M. 1999. Genetic analysis of gibberellin biosynthesis. Plant Physiol. 119:365-370.

- Helliwell C.A., Wood C.C., Robertson M., Peacock W., Dennis E.S. 2006. The *Arabidopsis* FLC protein interacts directly in vivo with SOC1 and FT chromatin and is part of a high-molecular-weight protein complex. *Plant J.* 46: 183-92
- Hempel F.D., Welch D.R., Feldman L.J. 2000. Floral induction and determination: where is flowering controlled? *Trends Plant Sci.* 5(1):17-21.
- Hemphill D. 2005. Cauliflower. *Brassica oleracea* (*Botrytis* Group)(en línea). Commercial Vegetable, Production Guides. Oregon State University, USA. Consultado el 13/06/10. Disponible en:<http://hort-devel-nwrec.hort.oregonstate.edu/vegindex.html>
- Herbert R.J.H., Francis D., Ormrod J.C. 2006. Cellular and morphological changes at the terminal shoot apex of the short-day plant *Pharbitis nil* during the transition to flowering. *Physiol. Plant.* 86(1):85-92.
- Higdon J.V., Delage B., Williams D.E., Dashwood R.H. 2007. Cruciferous vegetable and human cancer risk: epidemiologic evidence and mechanistic basis. *Pharmacol. Res.* 55: 224-236.
- Hikosaka K. 2004. Leaf Canopy as a Dynamic System: Ecophysiology and Optimality in Leaf Turnover. *Ann. Bot.* 95(3):21-533.
- Hikosaka K., Osone Y. 2009. A paradox of leaf-trait convergence: why is leaf nitrogen concentration higher in species with higher photosynthetic capacity? *J. Plant Res.* 122:245-251.
- Hilton M.G., Wilson P.D. 1995. Growth and the uptake of sucrose and mineral ions by transformed root cultures of *Datura stramonium*, *Datura Candida* x *aurea*, *Datura wrightii*, *Hyoscyamus muticus* and *Atropa belladonna*. *Planta Med.* 61(4):345-50.
- Hirose T. , Werger M.J.A. 1987. Maximising dayly canopy photosynthesis with respect to leaf nitrogen alloation pattern in the canopy. *Oecologia* 72:520-526.
- Ho L.C., White P.J. 2005. A Cellular hypothesis for the induction of blossom-end rot in tomato fruit. *Ann. Bot.* 95(4):571-581.
- Hochmuth G.J. 1994. Efficiency ranges for nitrate-nitrogen and potassium for vegetable petiole sap quick tests. *HortTech. Rev.* 4:218-222.
- Hoogenboom G., White J.W., Jones J.W., Boote K.J. 1991. Dry Bean Crop Growth Simulation Model-BEANGRO V1.01. User´s Guide. Florida Agricultural Experimental Station Journal N° N-00379. Gainsville, Florida: Florida Agricultural Experiment Station.
- Horton H.R., Moran L.A., Ochs R.S., Rawn J.D., Scrimgeour K.G. 1995. Bioquímica. Prentice-Hall Hispanoamérica S.A. México. 864 p.

- Houssa P., Bernier G., Kinet J.M. 1991. Qualitative and quantitative analysis of carbohydrates in leaf exudate of the short-day plant *Xanthium strumarium* L. during floral transition. *J. Plant Physiol.* 138:24-28.
- Huang J.Z., Shrestha A., Tollenaar M., Deen W. 2001. Effect of temperature and photoperiod on the phenological development of common lambsquarters. *Weed Science* 49:500-508.
- Hurley M.B., Rowarth J.S. 1999. Resistance to root growth and changes in the concentrations of ABA within the root and xylem sap during root-restriction stress. *J. Exp. Bot.* 50(335):799-804.
- Hussain A., Black, C.R., Taylor I.B., Roberts J.A. 2000. Does an antagonistic relationship between ABA and ethylene mediate shoot growth when tomato (*Lycopersicon esculentum* Mill.) plants encounter compacted soil? *Plant Cell Environ* 23: 1217-1226.
- I.S.I. 2009. International Starch Institute, Denmark. [En línea]. Disponible en: <http://www.starch.dk/isi/starch> (Consulta: 05/10/2011).
- Imaizumi T., Kay S.A. 2006. Photoperiodic control of flowering not only by coincidence. *Trends Plant Sci.* 11(11):550-558.
- Ishikawa H., Evans M.L. 1995. Specialized zones of development in roots. *Plant Physiol.* 109:725-727.
- Ismail M.R., Davies W.J. 1998. Root restriction affects leaf growth and stomatal response: the role of xylem sap ABA. *Sci. Hortic.* 74:257-268.
- Jackson L. E. 1995. Root architecture in cultivated and wild lettuce (*Lactuca* spp.) *Plant Cell Environ.* 18:885-894.
- Jacqmard A., Detry N., Dewitte W., Van Onckelen H., Bernier G. 2002. In situ localisation of cytokinins in the shoot apical meristem of *Sinapis alba* at floral transition. *Planta* 214:970-973.
- Jacqmard A., Gadisseur I., Bernier G., 2003. Cell division and morphological changes in the shoot apex of *Arabidopsis thaliana* during floral transition. *Ann. Bot.* 91:571-576.
- Jamieson P.D., Brooking I.R., Porter J.R., Wilson D.R. 1995. Prediction of leaf appearance in wheat: a question of temperature. *Field Crop Res.* 41(1):35-44.
- Jamieson P.D., Brooking I.R., Semenov M.A., Porter J.R. 1998. Making sense of wheat development: a critique of methodology. *Field Crops Res.* 55:117-127.
- Jang J.C., Sheen J 1994. Sugar sensing in higher plants. *Plant Cell* 6: 1665-1679.
- Jankiewicz L.S. 2003. Reguladores del crecimiento, desarrollo y resistencia en plantas. Vol. 1. Propiedades y acción. Mundi-Prensa, México D.F. 487 p.

- Jankiewicz L.S., Acosta-Zamudio C. 2003. Auxinas. (pp. 21-66). In: Jankiewicz L.S. (ed.). Reguladores del crecimiento, desarrollo y resistencia en plantas. Propiedades y Acción. Mundi-Prensa. Madrid. 488 p.
- Jaya I., Komang D., Bell C.J., Sale P.W. 2002. Leaf production, apex expansion, and yield of cauliflower (*Brassica oleracea* var. *botrytis*) in the lowland tropics. *Trop. Agr.* 79(4):231-236.
- Jiang F., Hartung W. 2008. Long-distance signalling of abscisic acid (ABA): the factors regulating the intensity of the ABA signal. *J. Exp. Bot.* 59(1):37-43
- Johanson U., West J., Lister, C., Michaels S., Amasino R., Dean C. 2000. Molecular analysis of FRIGIDA, a major determinant of natural variation in *Arabidopsis* flowering time. *Science* 290: 344-347.
- Jones H.G. 1983. Plants and microclimate. A quantitative approach to environmental plant physiology (2º ed.). Cambridge University Press. 418 pp.
- Jones H.G. 1987. Breeding for stomatal characters (pp. 431-443). In: Zieger E., Farquhar G.D., Cowan I.R. (eds). Stomatal Function. Stanford University Press. Stanford (CA). 503 p.
- Jones R.T., Weston L.A., Harmon R. 1991. Effect of root cell size and transplant age on cole crop yields. *HortSci.* 26:688.
- Juge N., Mithen R.F., Traka M. 2007. Molecular basis for chemoprevention by sulforaphane: a comprehensive review. *Cell Mol. Life Sci.* 64: 1105-1127.
- Kage H., Stützel H. 1999. A simple empirical model for predicting development and dry matter partitioning in cauliflower (*Brassica oleracea* L. *botrytis*). *Sci. Hortic.* 80:19-38.
- Kage H., Kochler, M., Stützel H. 2000. Root growth of cauliflower (*Brassica oleracea* L. *botrytis*) under unstressed conditions: Measurement and modelling. *Plant Soil* 223:131-145.
- Kage H., Alt C., Stützel H. 2002. Nitrogen concentration of cauliflower organs as determined by organ size, N supply and radiation environment. *Plant Soil* 246:201-209.
- Kage H., Kochler M., Stützel H. 2004. Root growth and dry matter partitioning of cauliflower under drought stress conditions: measurement and simulation. *Eur. J. Agron.* 20(4):379-394.
- Kalia P., Sharma S.R. 2004. Current researches in hybrid broccoli (pp. 109-134). In: Singh P.K., Dasgupta S.K., Tripathi S.K.(eds.). Hybrid vegetable development. Food Products Press, Haworth Press, Binghamton. N.Y. 441 p.

- Kano C., Godoy A.R., Oliveira A.R., Castro M.M., Cardoso A.I.I. 2008. Produção de couve-brócolos em função do tipo de bandeja e idade das mudas. Ciênc. Agrotec., 32(1):110-114.
- Karim M.Z., Yokota S., Azad M.A.K, Eizawa J., Ishiguri F., Iizuka K., Yahara S., Yoshizawa N. 2006. Relationship between starch accumulation and organ development at the different growth stages of callus in Kihada (*Phellodendron amurense* Rupr.). Plant Biotech. 23:239-245.
- Kataoka K., Sumitomo K., Fudano T., Kawase K. 2004. Changes in sugar content of *Phalaenopsis* leaves before floral transition. Sci. Hortic. 102(1):121-132.
- Kawata J. 1987. The phasic development of *Crysanthemum* as a basis for the regulation of vegetative growth and flowering in Japan. Acta Hort. 197:115-124.
- Kehr J., Hustiak F., Walz C., Willmitzer L., Fisahn J. 1998. Transgenic plants changes in carbon allocation pattern display a shift in diurnal growth pattern. Plant J. 16:497-503.
- Kempin S.A., Savidge B., Yanofsky M.F. 1995. Molecular basis of the cauliflower phenotype in *Arabidopsis*. Science 267:522-525.
- Kende H., Zeevaart J.A.D. 1997. The five “classical” plant hormones. Plant Cell 9(1):197-121.
- Kerstetter R.A., Hake S. 1997. Shoot Meristem Formation in Vegetative Development Plant Cell 9:1001-1010.
- Ketseemang M. 2006. Response of cabbage (*Brassica oleracea* var. *capitata*) transplants to nitrogen, phosphorus and potassium nutrition. Thesis M Sc. (Agric.) Horticulture. University of Pretoria. 106 pp.
- Kharkina T.G., Ottosen C.O., Rosenqvist E. 1999. Effects of root restriction on the growth and physiology of cucumber plants. Physiol. Plant. 105:434-441.
- Khurana J.P., Tripathi L., Kumar D., Thakur J.K., Malik M.R. 2004. Cell differentiation in shoot meristem: a molecular perspective (pp. 366-386). In: Srivastava P.S., Narula A., Srivastava S. (eds.). Plant Biotechnology and Molecular Markers, Anamaya Publishers, New Delhi, India. 400 p.
- Kieffer M., Fuller M.P., Jellings A.J. 1996. Mathematical model of cauliflower curd architecture based on biometrical analysis. Acta Hort. 407:361-368.
- Kieffer M., Fuller M.P., Jellings A.J. 1998. Explaining curd and spear geometry in broccoli, cauliflower and ‘romanesco’: quantitative variation in activity of primary meristems. Planta 206:34-43.
- King R.W., 1975. Multiple circadian rhythms regulate photoperiodic flowering response in *Chenopodium rubrum*. Can. J. Bot. 53:2631-2638.

- King J.R., Kondra Z.P. 1986. Photoperiod response of spring oilseed rape (*Brassica napus* L. and *B. campestris* L.). *Field Crops Res.* 13:367-373.
- King R.W., Pharis R.P., Mander L.N. 1987. Gibberellins in relation to growth and flowering in *Pharbitis nil* Chois. *Plant Physiol.* 84:1126-1131.
- King R.W., Evans L.T. 1977. Inhibition of Flowering in *Lolium temulentum* L. By Water Stress: a role for abscisic acid. *Austr. J. Plant Physiol.* 4(2):225-233.
- King R.W., Ben-Tal Y. 2001. A florigenic effect of sucrose in *Fuchsia hybrida* is blocked by gibberelin-induced assimilate competition. *Plant Physiol.* 125:488-496.
- King R.W., Evans L.T. 2003. Gibberellins and flowering of grasses and cereals: prizing open the lid of the “florigen” black box. *Ann. Rev. Plant Biol.* 54: 307-328.
- Kiniry J.R., Ritchie J.T., Musser R.L. 1983. Dynamic nature of the photoperiod response in maize. *Agron. J.* 75:700-703.
- Kirby E.J.M. 1995. Factors affecting fate of leaf emergence in barley and wheat. *Crop Sci.* 35:11-19.
- Kirkby E.A., Römhild V. 2008. Micronutrientes en la fisiología de las plantas: funciones, absorción y movilidad. *Informaciones Agronómicas* 68:1-6.
- Kipling E.B., 1967. Measurement of leaf water potential by the dye method. *Ecology* 48(6):1037-1042.
- Koch K. 1996. Carbohydrate-modulated gene expression in plants. *Annu. Rev. Plant Physiol. Plant Mol. Biol.* 47:509-540.
- Koch K. 2004. Sucrose metabolism: regulatory mechanisms and pivotal roles in sugar sensing and plant development. *Curr. Op. Plant Biol.* 7:235-246.
- Kochler M., Kage H., Stützel H. 2004. Root growth and dry matter partitioning of cauliflower under drought stress conditions: measurement and simulation. *Eur. J. Agron.* 20(4):379-394.
- Kohli R.K., Seidlová F. 1981. Growth correlations in shoot apices of *Brassica campestris* L. during transition to flowering. *Biol. Plantarum* 23(1):41-45.
- Kojoi C., da Costa Mello S., de Camargo M.S., Fagan E.B., Ferreira Ribeiro M. 2009. Nitrogen and boron fertilization on hollow stem and yield of cauliflower. *Ciênc. Agrotec.* 33(1):13-17.
- Koornneef M., Peeters A.J.M. 1997. Floral transition mutants in *Arabidopsis*. *Plant Cell Environ.* 20:779-784.

- Kopsell D.A., Kopsell D.E., Lefsrud M.G. 2004. Variation in lutein, β -carotene and chlorophyll concentrations among *Brassica oleracea* cultigens and seasons. HortScience 39(2):361-364.
- Körner C., Pelaez Menendez-Riedl S., John P.C.L. 1989. Why are bonsai plants small? a consideration of cell size. Aust. J. Plant Physiol. 16:443-448.
- Krapp A., Stitt M. 1995. An evaluation of direct and indirect mechanism for the 'sink-regulation' of photosynthesis in spinach: changes in gas exchange, carbohydrates, metabolites, enzyme activities and steady-state transcript levels after cold-girdling source leaves Planta 195:313-323.
- Krekuile J., Horavka B. 1972. The response of short day plant *Chenopodium rubrum* L. to abscisic acid and gibberellic acid treatment applied at two levels of photoperiodic induction. Biol. Plant. 14(4):254-259.
- Krizek D.T., Carmi A., Mirecki R.M., Synder F.W., Bunce J.A., 1985. Comparative effects of soil moisture stress and restricted root zone volume on morphogenetic and physiological response of soybean (*Glycine max* L. Merr.). J. Exp. Bot. 36:25-38.
- Kubota A., Thompson T.L., Doerge T.A., Godin R.E. 1996. A petiole sap nitrate test for cauliflower. HortSci. 31(6):934-937.
- Kubota A., Doerge T.A., Godin R.E. 1997. A petiole sap nitrate test for broccoli. J. Plant Nutr. 20(6):669-682.
- Kumar V.A., Kumar A., Kumar J. 1995. *In vitro* flowering and pod formation in cauliflower (*Brassica oleracea* L. var. *botrytis*). Curr. Sci. 69(6):543-545.
- Kuzyakova Y., Jones D.L. 2006. Glucose uptake by maize roots and its transformation in the rhizosphere. Soil Biol. Bioch. 38(5):851-860.
- Kwiatkowska D., Dumais J. 2003. Growth and morphogenesis at the vegetative shoot apex of *Anagallis arvensis* L. J. Exp. Bot. 54: 1585-1595.
- Kwiatkowska D., 2004. Structural integration at the shoot apical meristem: models, measurements and experiments. Amer. J. Bot. 91(9):1277-1293.
- Kwiatkowska D. 2008. Flowering and apical meristem growth dynamics. J. Exp. Bot. 59:187-201.
- Labate, J.A., Robertson, L.D., Baldo A.M., Björkman T. 2006. Inflorescence Identity Gene Alleles Are Poor Predictors of Inflorescence Type in Broccoli and Cauliflower J. Amer. Soc. Hort. Sci. 131(5):667-673.
- Lancaster R., Burt J. 2001. Cauliflower Production in Western Australia. Bulletin 4521 Cauliflower Production in Western Australia: Department of Agriculture. 22 p.

- Larcher W. 2003. Physiological Plant Ecology. Ecophysiology and Stress Physiology of Functional Groups. Springer Verlag. Berlín. 513 p.
- Lariguet P., Dunand C. 2005. Plant photoreceptors: phylogenetic overview. *J. Mol. Evol.* 61:559-569.
- Latimer J.G. 1991. Container size and shape influence growth and landscape performance of marigold seedlings. *HortSci.* 26(2):124-126.
- Laufs P., Grandjean O., Jonak C., Kiêu K., Traas J. 1998. Cellular Parameters of the Shoot Apical Meristem in *Arabidopsis*. *Plant Cell* 10:1375-1389.
- Lawson E.J., Poethig R.S. 1995. Shoot development in plants: Time for a change. *Trends Genet.* 11, 263-268.
- Lecoeur J., Wery J., Turc O., Tardieu F. 1995. Expansion of pea leaves subjected to short water-deficit: cell number and cell-size are sensitive to stress at different periods of leaf development. *J. Exp. Bot.* 46:1093-1101.
- Lefsrud M., Kopsell D., Wenzel A., Sheehan J. 2007. Changes in kale (*Brassica oleracea* L. var. *acephala*) carotenoid and chlorophyll pigment concentrations during leaf ontogeny. *Sci. Hortic.* 112:136-141.
- Legué V., Blancaflor E., Wymer C., Perbal C., Fantin D., Cilroy S. 1997. Cytoplasmic free Ca^{2+} in *Arabidopsis* roots changes in response to touch but not gravity. *Plant Physiol.* 114:789-800.
- Lehninger A.L., Nelson D.L., Michael M. Cox M.M. 2008. Principles of Biochemistry. Freeman. New York. 1100 p.
- Lejeune P., Bernier G., Requier M.C., Kinet J.M. 1993. Sucrose increase during floral induction in the phloem sap collected at the apical part of the shoot of the long-day plant *Sinapis alba* L. *Planta* 190(1):71-74.
- Lempe J., Balasubramanian S., Sureshkumar S., Singh A., Schmid M. 2005. Diversity of Flowering Responses in Wild *Arabidopsis thaliana* Strains. *Genetic* 1(1):109-118.
- Leroy X.J., Leon K., Charles G. 2000. Cauliflower somatic embryogenesis and analysis of regenerant stability by ISSRs. *Plant Cell Rep.* 19:1102-1107.
- Lester G.E., Jifon J.L., Makus D.J. 2010. Impact of potassium nutrition on food quality of fruits and vegetables: A condensed and concise review of the literature. *Better Crops* 94(1):18-21.
- Levy Y.Y., Dean C. 1998. The transition to flowering. *Plant Cell* 10:1973-1998.
- Levy Y.Y., Mesnage S., Mylne J.S., Gendall A.R., Dean C. 2002. Multiple roles of *Arabidopsis VRN1* in vernalization and flowering time control. *Science* 297: 243-6

- Lewandowska M., Sirk A. 2008. Recent advances in understanding plant response to sulfur-deficiency stress. *Acta Biochimica Polonica* 55(3):457-471.
- Li L., McMaster G.S., Yua Q., Duc J. 2008. Simulating winter wheat development response to temperature: Modifying Malo's exponential sine equation. *Comput. Electr. Agric.* 63:274-281.
- Lindström A., Rune G. 1999. Root deformation in plantations of container-grown Scots pine trees: effects on root growth, tree stability and stem straightness. *Plant Soil* 217:29-37.
- Liu A., Latimer J.G. 1995a. Root cell volume in the planter flat affects watermelon seedling development and fruit yield. *HortSci.* 30:242-246.
- Liu A., Latimer J.G. 1995b. Water relations and abscisic acid levels of watermelon as affected by rooting volume restriction. *J. Exp. Bot.* 46:1011-1015.
- Longnecker N., Kirby E.J.M., Robson A. 1993. Leaf emergence, tiller growth and apical development of nitrogen-deficient spring wheat. *Crop Sci.* 33:154-160.
- Lukens L., Zou, F., Lydiate, D., Parkin I., Osborn T. 2003. Comparison of a *Brassica oleracea* Genetic Map With the Genome of *Arabidopsis thaliana*. *Genetics* 164:359-372.
- Lyndon R. F., Battey N. H. 1985. The growth of the shoot apical meristem during flower initiation. *Biol. Plantarum* 7(4-5):339-349.
- Lyndon R.F. 1990. Plant Development. The cellular basis. Unwin Hyman Inc., London, 320 pp.
- Maity T.K., Sanyal, D. 2004. PPIC-IP workshop on "Review & Refinement of Fertilizer Recommendation for Major crops of West Bengal".
<http://neindia.ipni.net/articles/INNE0003-EN> Leído: 31 de mayo de 2010.
- Makino A., Osmond, B. 1991. Effects of nitrogen nutrition on nitrogen partitioning between chloroplast and mitochondria in pea and wheat. *Plant Physiol.* 96:355-362.
- Malone S.R., Mayeux H.S., Johnson H.B., Polley H.W. 1993. Stomatal density and aperture length in four plant species grown across a subambient CO₂ gradient. *American J. Bot.* 80:1413-1418.
- Mandelbrot B. 1983. The fractals geometry of nature. Freeman, New York, 458 pp.
- Mangat B.S., Pelekis M.K., Cassells A.C., 1990. Changes in the starch content during organogenesis in in vitro cultured *Begonia rex* stem explants. *Physiol. Plant* 79:267-274.
- Mansfield T.A., Hetherington A.H., Atkinson C.J. 1990. Some current aspects of stomatal physiology. *Annu. Rev. Plant Physiol. Plant Mol. Biol.* 41:55-75.
- Marc J., Palmer J.H. 1982. Changes in mitotic activity and cell size in the apical meristem of *Helianthus annuus* L. during the transition to flowering. *Amer. J. Bot.* 69(5):768-775.

- Marc J., Palmer J.H. 1984. Variation in cell-cycle time and nuclear DNA content in the apical meristem of *Helianthus annuus* L. during the transition to flowering. Amer. J. Bot. 71(4):588-595.
- Marcelis L.F.M., Heuvelink, E., Goudriaan J. 1999. Modelling biomass production and yield of horticultural crops: a review. Sci. Hortic. 74:83-111.
- Marencio R.A., Lopes N.F. 1994. Leaf chlorophyll concentration and nitrogen content in soybean plants treated with herbicides. R. Bras. Fisiol. Veg. 6(1):7-13.
- Markovic V., Djurovka M. 1990. The effect of mineral nutrition on the yield and quality of cauliflower. Acta Hort. 267:101-110.
- Maroto J.V., Pomares F., Baixauli C. 2007. El cultivo de la coliflor y el brócoli. Ed. Mundi Prensa-Fundación Rural-Caja Valencia. 404 p.
- Marschner H. 2003. Mineral Nutrition of Higher Plants (6th ed.) Academic Press. 862 p.
- Marshall B., Thompson R. 1987. A model of the influence of air temperature and solar radiation on the time to maturity of calabrese, *Brassica oleracea* var *italica*. Ann. Bot. 60(5):513-519.
- Masclaux C., Valadier M.H., Brugiere N., Morot Gaudry J.F., Hirel B. 2000. Characterization of the sink/source transition in tobacco (*Nicotiana tabacum* L.) shoot in relation to nitrogen management and leaf senescence. Planta 211:510-518.
- Masle J., Doussinault G., Farquhar G.D., Sun B. 1989a. Foliar stage in wheat correlates better to photothermal time than to thermal time. Plant Cell Environ. 12:235-247.
- Masle J., Doussinault G., Sun B. 1989b. Response of wheat genotypes (*Triticum aestivum* L.) to temperature and photoperiod in natural conditions. Crop Sci. 29:712-721.
- Mass E.V., Grieve C.M. 1990. Spike and leaf development in salt stressed wheat. Crop Sci. 30:1309-1313.
- Massiah A., Adams S., Jackson A., Valdes V., Morris K., Thomas B. 2007. Physiological and genetic control of the juvenile phase in *Antirrhinum*. Comparative Biochemistry and Physiology - Part A: Molecular & Integrative Physiology. Volume 146(4): Supplement 1:231.
- Matsoukas I., Massiah A., Adams S., Jackson A., Valdes V., Morris, K., Thomas B. 2008. Study of the genetic and physiological control of juvenility in plants. In: Proceedings of the 4th EPSO Conference, June 22-26, Toulon, France: p. 181.
- Mauseth J.D., 1988. Apical meristem (pp. 79-107). In: Mauseth J.D. (ed.). Plant Anatomy. The Benjamin Cummings, Publishing Company, Inc. California. 560 p.

- McCree K.J., Davis S.D. 1974. Effect of Water stress and temperature on leaf size and on size and number of epidermal cells in grain sorghum. *Crop Sci.* 14:751-755.
- McDaniel C.N.; Singer S.R.; Smith S.M. 1992. Development states associated with the floral transition. *Dev. Biol.* 153(1):59-69.
- McGraw B.A., Burch L.R. 1995. Cytokinin biosynthesis and metabolism (pp. 98-117). In: Davis P.J. (ed.). *Plant hormones: Physiology, biochemistry and molecular biology* Kluwer Acad. Press. The Netherlands. 833 p.
- McMaster G.S., Wilhelm W. 1997. Growing degree-days: one equation, two interpretations. *Agr. Forest Meteorol.* 87: 291-300.
- McMaster G.S., Wilhelm W.W., Palic D.B., Porter J.R., Jamieson P.D., 2003. Spring wheat leaf appearance and temperature: extending the paradigm? *Ann. Bot.* 91:697-705.
- Medford J.I. 1992. Vegetative apical meristems. *Plant Cell* 4:1029-1039.
- Medrano H., Flexas J. 2004. Respuesta de las plantas al estrés hídrico (pp. 253-286). In: Reigosa M.J., Pedrol N., Sánchez A. (eds.). *La ecofisiología vegetal*. Ed. Thomson. Vigo. 1193 p.
- Mehdi S.S. 2002. Plant growth hormones: growth promoters and inhibitors (pp. 501-526). In: Pessarakli M. (ed.). *Handbook of Plant and Crop Physiology*. Marcel Dekker, Inc. 997 p.
- Menary R.C., Staden J.V. 1976. Effect of phosphorus nutrition and cytokinins on flowering in the tomato (*Lycopersicon esculentum* Mill.). *Austr. J. Plant Physiol.* 3(2):201-205.
- Mengel K., Kirkby E.A. 2001. Principles of plant nutrition 5th edn. Kluwer Academic Publishers. 849 pp.
- Metcalfe C.R., Chalk L. 1979. Anatomy of the Dicotyledons. Vol I, 2^a ed. Clarodendion Press. Oxford. 324 p.
- Metzger J.D. 1985. Role of gibberellins in the environmental control of stem growth in *Thlaspi arvense* L. *Plant Physiol.* 78:8-13.
- Michaels S.D., Amasino R.M. 1999. FLOWERING LOCUS C encodes a novel MADSbox domain protein that acts as a repressor of flowering. *Plant Cell.* 11:949-956.
- Micol J.L. 2009. Leaf development: time to turn over a new leaf? *Curr. Op. Plant Biol.* 12:9-16.
- Miller M.B., Lyndon R.F.. 1975. The Cell Cycle in Vegetative and Floral Shoot Meristems Measured by a Double Labelling Technique. *Planta* 126:37-43.
- Mills H.A., Jones J.B. 1996. *Plant Analysis Handbook II: A Practical Sampling, Preparation, Analysis, and Interpretation Guide*. Ed. Micro-Macro Pub. 422 p.

- Milyaeva E.L. 2007. Presumable role of plasmodesmata in floral signal transduction in shoot apical meristems of *Rudbeckia* and *Perilla* plants. Russ. J. Plant Physiol. 54(4):498-506.
- Min X., B.P. Bartholomew. 1993. Effects of growth regulators on ethylene production and floral initiation of pineapple. Acta Hort. 334:101-112.
- Minter T.C., Lord E.M. 1983. Effects of water stress, abscisic acid, and gibberellic acid on flower production and differentiation in the cleistogamous species *Collomia grandiflora* Dougl. Ex Lindl. (Polemoniaceae). Amer. J. Bot. 70(4):618-624.
- Miskin E., Rasmusson D.C. 1970. Frequency and distribution of stomata in barley. Crop Sci. 10:575-578.
- Monsi M., Saeki, T. 1953. Über den lichtfaktor in den pflanzengesellschaften und seine bedeutung für die stoffproduktion. Jap. J. Bot. 14:22-52.
- Moon J., Suh S.S., Lee H., Choi K.R., Hong C.B., Paek N.C., Kim S.G., Lee I. 2003. The SOC1 MADS-box gene integrates vernalization and gibberellin signals for flowering in *Arabidopsis*. Plant J 35, 613-623.
- Mouradov A., Cremer F., Coupland G. 2002. Control of Flowering Time Interacting Pathways as a Basis for Diversity. Plant Cell 14:111-130.
- Mourão I.M.G., Hadley, P. 1998. Environmental control of plant growth development and yield in broccoli (*Brassica oleracea* L. var. *italica* Plenck): Crop response to light regime. Acta Hort. 459:71-78.
- Mourão, I.M.G. 1999. Harvest date prediction in broccoli through crop growth and developmental models. Proc. of an International Workshop on Simulation of Agricultural and Environmental Systems. Revista de Ciências Agrarias XXII (1): 145-157.
- Murashige T., Skoog F. 1962. A revised medium for rapid growth and bioassays with tobacco tissue cultures. Physiol. Plant. 15(3):473-497.
- Muro J., Irigoyen I., Lamsfus C. 1998. Using defoliation to estimate yield losses in cauliflower: application in hail damage assessment. HortSci. 33(6):984-987
- Nadeau J.A., Sack F.D. 2002. Control of stomatal distribution on the *Arabidopsis* leaf surface. Science 296:1697-1700.
- Nagel L., Brewster R., Riedell W.E., Reese R.N. 2001. Cytokinin regulation of flower and pod set in soybeans (*Glycine max* (L.) Merr.). Ann. Bot. 88:27-31.
- Napier D.R., Combrink N.J.J. 2006. Aspects of calcium nutrition to limit plant physiological disorders. Acta Hortic. 702:107-116.

- Nathoo M. 2003. Comparative performance of four summer cauliflower varieties with the local cultivar AMAS. Food and Agricultural Research Council, Réduit, Mauritius, p. 91-101.
- Leído: <http://www.gov.mu/portal/sites/ncb/moa/farc/amas2003/pdf/s2.5.pdf>
- Nemoto K., Morita S., Baba T. 1995. Shoot and root development in rice related to the phyllochron. Crop Sci. 35:24-29.
- NeSmith D.S. 1993. Influence of root restriction on two cultivars of summer squash (*Cucurbita pepo* L.). J. Plant Nutr. 16:421-431.
- Nesmith D.S., Duval J.R. 1998. The effect of container size. HortTech. 8(4):495-498.
- Newman P.M. 1995. The role of cell wall adjustment in plant resistance to water deficits. Crop Sci. 35:1258-1266.
- Nicola S. 1998. Understanding root systems to improve seedling quality. HortTechnology 8(4):1-6.
- Nilson S.E., Assmann S.M. 2007. The control of transpiration. Insights from *Arabidopsis*. Plant Physiol. 143:19–27.
- Nishijima T., Katsura N., Koshioka M., Yamazaki H., Mander L.N. 1997. Effects of uniconazole and GA3 in coldinduced stem elongation and flowering of *Raphanus sativus* L. Plant Growth Regul. 21:207-214.
- Nonnecke I.L. 1989. Vegetable Production. Avi Book. New York. 657 p.
- Nonogaki H., Matsushima H., Morohashi Y. 1992. Galactomannan hydrolyzing activity develops during priming in the micropylar endosperm tip of tomato seeds. Physiol. Plant. 85:167-172.
- Norero A.L. 1987. Fórmula para describir la influencia de la temperatura en procesos biológicos controlados por enzimas. Ciencia e Investigación Agraria 14(2):107-123.
- Núñez O. 1968. An acetic-hematoxilin squash method for small chromosomes. Caryologia. 21:115-119.
- Núñez-Elisea R., Davenport T.L. 1998. Gibberellin and temperature effects on dormancy release and shoot morphogenesis of mango (*Mangifera indica* L.). Sci. Hortic. 77:11-21.
- Ogawa M.; Hanada A., Yamauchi Y., Kuwahara A., Kamiya Y., Yamaguchi; S. 2003. Gibberellin biosynthesis and response during *Arabidopsis* seed germination. Plant Cell, 15:1591-1604.
- Ohto M., Onai K., Furukawa Y., Aoki E., Araki T., Nakamura K. 2001. Effects of sugar on vegetative development and floral transition in *Arabidopsis*. Plant Physiol. 127:252-261.

- Ohya T., Suzuki H. 1991. The effects of benzyladenine on the accumulation of messenger RNAs that encode the large and small subunits of ribulose-1,5-biphosphate/oxygenase and light harvesting chlorophyll a/b protein in excised cucumber cotyledons. *Plant Cell Physiol.* 32:577-580.
- Okamoto T., Tsurumi S., Shibasaki K., Obana Y., Takaji H., Oono Y., Rahman A., 2008. Genetic dissection of hormonal responses in the roots of *Arabidopsis* grown under continuous mechanical impedance. *Plant Physiol.* 146:1651-1662.
- Olesen J.E., Grevsen K. 1997. Effects of temperature and irradiance on vegetative growth of cauliflower (*Brassica oleracea* L. botrytis) and broccoli (*Brassica oleracea* L. *italica*). *J. Exp. Bot.* 48(313):1591-1598.
- Olesen J.E., Grevsen, K. 1999. A simulation model of climate effects on plant productivity and variability in cauliflower (*Brassica oleracea* L. botrytis). *Sci. Horti* 83:83-107.
- Olesen J.E., K. Grevsen. 2000. A simulation model of climate effects on plant productivity and variability in cauliflower (*Brassica oleracea* L. botrytis). *Sci. Hortic.* 83:83-107.
- Ong C.K. 1983. Response to temperature in a stand of pearl millet. I. Vegetative development. *J. Exp. Bot.* 34:322-336.
- Onouchi H., Igeno M.I., Perilleux C., Graves K., Coupland G. 2000. Mutagenesis of plants overexpressing CONSTANS demonstrates novel interactions among *Arabidopsis* flowering-time genes. *Plant Cell* 12:885-900.
- Orr A.R. 1978. Inflorescence development in *Brassica campestris* L. *Amer. J. Bot.* 65(4):466-470.
- Osamu T. 1986. Flower induction by nitrogen deficiency in *Lemna paucicostata* 6746 *Plant Cell Physiol.* 27(5):875-880.
- Ossard H. 1998. Insights on Brassica vegetable market. *Acta Hort.* 459:435-439.
- Özeker E., Misirli A. 2009. Research on leaf properties and stomata distribution of some *Pistacia* spp.. <http://ressources.ciheam.org/om/pdf/c56/01600183.pdf>.
- Palma L.B.; Peñaloza A. P.; Pesce B.C. 2000. Efecto de la baja temperatura y giberelina, en el cultivo de coliflor (*Brassica oleracea* var. *Botrytis* L.), para la produccion de semilla hibrida. *Simiente.* 70(3-4):8-19.
- Pant D.D., Kidwai, P.F. 1967. Development of stomata in some cruciferae. *Annals of Botany* 31(123):513-521.
- Parkinson A.H. 1952. Experiments on vegetative and reproductive growth of cauliflower. *Annual Report. Nat. Veg. Res. Stat.*:38-51.
- Passioura J.B. 2002. Soil conditions and plant growth. *Plant Cell Envir.* 25:311-318.

- Patel K.R., Berlyn G.P. 1983. Cytochemical investigations on multiple bud formation in tissue cultures of *Pinus coulteri*. Can. J. Bot. 61:575-585.
- Paul N.K. 1991. Influence of temperature on leaf area development in *Brassica* species, Bangladesh J. Bot. 20(2):143-148.
- Paul M.J., Foyer C.H. 2001. Sink regulation of photosynthesis. J. Exp. Bot. 52(360):1383-1400.
- Pearce R.S., Bechett A. 1987. Cell shape in leaves of drought-stressed barley examined by low temperature scanning electron microscopy. Annal. Bot. 59: 191-195.
- Pearson S., Hadley P. 1988. Planning calabrese production. Grower 110(9):21-22.
- Pearson S., Hadley P., Wheldon A.E. 1994. A model of the effects of temperature on the growth and development of cauliflower (*Brassica oleracea L. botrytis*). Sci. Hort. 59:91-106.
- Penman H.L., Angus D.E., Van Bavel C.H.M. 1967. Microclimatic factors affecting evaporation and transpiration (pp. 483-505). In: Hagan R.M., Haise H.R., Edminster T.W. (eds.). Irrigation of Agricultural Lands. Serie Agronomy. American Society of Agronomy Madison, Wisconsin. 1180 p.
- Pereira P.R.G., Martinez H.E.P. 1999. Produção de mudas para o cultivo de hortaliças em solo e hidroponia. Informe Agropecuário 20(200-201):24-31.
- Peterson T.A., Reinsel M.D., Krizek D.T. 1991a. Tomato (*Lycopersicon esculentum* Mill., cv. 'Better Bush') plant response to root restriction. I. Alteration of plant morphology. J. Exp. Bot. 42:1233-1240.
- Peterson T.A., Reinsel M.D., Krizek D.T. 1991b. Tomato (*Lycopersicon esculentum* Mill. cv 'Better Bush') plant response to root restriction. Root respiration and ethylene generation. J. Expt. Bot. 42:1241-1249.
- Pettigrew W.T. 2008. Potassium influences on yield and quality production for maize, wheat, soybean and cotton. Physiol. Plant. 133:670-681.
- Pizetta L.C., Ferreira M.E., Cruz M.C.P., Barbosa J.C. 2005. Resposta de brócolis, couve-flor e repolho à adubação com boro em solo arenoso. Horticultura Brasileira 23:51-56.
- Poethig R.S. 1990. Phase change and the regulation of shoot morphogenesis in plants. Science 250, 923-930.
- Poethig R.S. 2003. Phase change and the regulation of developmental timing in plants. Science 301:334-336.
- Polowick P.L., Sawhney V.K. 1986. A scanning electron microscopic study on the initiation and development of floral organs of *Brassica napus* (cv. Westar). Can. J. Bot. 73:254-260.

- Porter J.R., Delecolle R., 1988. Interactions between temperature and other environmental factors in controlling plant development. *Symp. Soc. Exp. Biol.* 42:133-56.
- Porter J.R., Gawith M. 1999. Temperatures and the growth and development of wheat: a review. *Europ. J. Agron.* 10(1):23-36.
- Preece J.E., Read P.E. 1993. The biology of horticulture. an introductory textbook. John Wiley. New York. 480 p.
- Pritchard C. 2003. The changing shape of geometry. Cambridge University Press. 542 pp.
- Pugnaire F.I., Serrano L., Pardos J. 1999. Constraints by water stress on plant growth. (pp. 271-284). In: Pessarakli M. (ed.). *Handbook of Plant and Crop Stress*. New York. 1199 p.
- Pyke K.A., Garrison J.L., Leech R.M. 1991. Temporal and Spatial Development of the Cells of the Expanding First Leaf of *Arabidopsis thaliana* (L.) Heynh. *J. Exp. Bot.* 42(244):1407-1416.
- Qi A., Wheeler T.R., Keatinge J.D.H., Ellis R.H., Summerfield R.J., Craufurd P.Q. 1999. Modelling the effects of temperature on the rates of seedling emergence and leaf appearance in legume cover crops. *Expl. Agric.* 35:327-344.
- Quiroga A.M., Berli F.J., Moreno D., Cavagnaro J.B., Bottini R. 2009. Abscisic acid sprays significantly increase yield per plant in vineyard-grown wine grape (*Vitis vinifera* L.) cv. Cabernet Sauvignon through increased berry set with no negative effects on anthocyanin content and total polyphenol index of both juice and wine. *J. Plant Growth Regul.* 28:28-35.
- Rademacher, W. 1995. Growth retardants: biochemical features and applications in Horticulture. *Acta Hort.* 394:57-74.
- Rahman A., Tsurumi S., Amakawa T., Soga K., Hoson T., Goto N., Kamisaka S. 2000. Involvement of ethylene and gibberellin signalings in chromosaponin I-induced cell division and cell elongation in the roots of *Arabidopsis* seedlings. *Plant Cell Physiol.* 41:1-9.
- Rahman A., Ahamed A., Amakawa T., Goto N., Tsurumi S. 2001. Chromosaponin I specifically interacts with AUX1 protein in regulating the gravitropic response of *Arabidopsis* roots. *Plant Physiol.* 125:990-1000.
- Rahman H.U., Hadley P., Pearson S. 2007a. Relationship between temperature and cauliflower (*Brassica oleracea* L. var. *botrytis*) growth and development after curd initiation. *Plant Growth Regul.* 52(1):61-72.

- Rahman H.U., Hadley P., Pearson S., Dennett M.D. 2007b. Effect of incident radiation integral on cauliflower growth and development after curd initiation. *Plant Growth Regul.* 51:41-52.
- Rai N., Rai M. 2006. Heterosis Breeding in Vegetable Crops. New India Publish. Ag. New Delhi. 531 p.
- Rather K., Schenk M.K., Everaarts A.P., Vethman S. 1999. Response of yield and quality of cauliflower varieties (*Brassica oleracea* var. *botrytis*) to nitrogen supply. *J. Hortic. Sci. Biotech.* 74(5):658-664.
- Rather K., Schenk M.K., Everaarts A.P., Vethman S. 2000. Rooting pattern and nitrogen uptake of three cauliflower (*Brassica oleracea* var. *botrytis*) F1-hybrids. *J. Plant Nutr. Soil Sci.* 163(5):467-474.
- Reeves P.H., Coupland G. 2000. Response of plant development to environment: control of flowering by daylength and temperature. *Curr. Op. Plant Biol.* 3:37-42.
- Reinhardt D., Pesce E.R., Stieger P., Mandel T., Baltensperger K., Bennett M., Traas J., Frim J., Kuhlemeier C.. 2003. Regulation of phyllotaxis by polar auxin transport. *Nature* 426:255-260.
- Richards F. J. 1948. The geometry of phyllotaxis and its origin. *Symposia of the Society of Experimental Biology* 2: 217–244.
- Richter H. 1978. A diagram for the description of water relations in plant cells and organs. *J. Exp. Bot.* 29(5):1197-1203.
- Rickman R.W., Klepper, B.L. 1995. The phyllochron: where do we go in the future? *Crop Sci.* 35:44-49.
- Rincón L., Sáez J., Pérez J.A., Gómez M.D., Pellicer C. 1999. Crecimiento y absorción de nutrientes del brócoli. *Investigación Agraria. Producción y Protección de los Vegetales* 14(1-2):225-236.
- Rincón Sánchez L., Pellicer Botía C., Sáez Sironi J., Abadía Sánchez A., Pérez Crespo A., Marín Nartínez C. 2001. Crecimiento vegetativo y absorción de nutrientes de la coliflor. *Invest. Agr.: Prod. Prot. Veg.* 16 (1):119-130.
- Ritchie J.T., NeSmith D.S. 1991. Temperature and crop development. In: *Modeling Plant and Soil Systems* (Hanks J. and J.T. Ritchie, eds.):6-27 p., The American Society of Agronomy, Inc., USA, 545 p.
- Robbins N.S., Pharr D.M. 1988. Effect of restricted root growth on carbohydrate metabolism and whole plant growth of *Cucumis sativus* L. *Plant Physiol.* 87:409-413.

- Roberts E.H., Summerfield R.J. 1987. Measurement and Prediction of Flowering in Annual Crops. pp. 17-50. In: Atherton J.G. (ed.). Manipulation of Flowering. Butterworths. London. 438 p.
- Roberts E.H., Summerfield R.J., Ellis R.H., Stewart K.A. 1988. Photothermal time for flowering in lentils (*Lens culinaris*) and the analysis of potential vernalization responses. Ann. Bot. 61:29-39.
- Roberts E.H., Summerfield R.J., Muehlbauer F.J., Short R.W. 1986. Flowering in lentil (*Lens culinaris* Medic): The duration of the photoperiodic inductive phase as a function of accumulated daylength above the critical photoperiod. Ann. Bot. 58:235-248.
- Robinson R.W. 2000. Rationale and methods for producing hybrid cucurbit seed (pp. 1-48). In: Basra A.S. (ed.). Hybrid Seed Production in Vegetables: Rationale and Methods in Selected Crops, The Haworth Press, Washington 131 p.
- Rodríguez M., Alcántar G., Aguilar A., Etchevers J.D., Santizó J.A. 1998. Estimación de la concentración de nitrógeno y clorofila en tomate mediante un medidor portátil de clorofila. Terra 16(2):135-141.
- Rohlf M. 2000. NTSYS-pc. Numerical Taxonomy and Multivariate Analysis System. Version 2.10t. Department of Ecology and Evolution. State University of New York. Albany.
- Roitsch T. 1999. Source-sink regulation by sugar and stress. Curr. Op. Plant Biol. 2(3):198-206.
- Rojas M., Ramírez H. 1993. Control hormonal del desarrollo de las plantas. Ed. Limusa. 2da.ed. México. 263 p.
- Roldán M., Gómez-Mena C., Ruiz-García L., Martín-Trillo M., Salinas J., Martínez-Zapater J.M. 1997. Effect of darkness and sugar availability to the apex on morphogenesis and flowering time of *Arabidopsis*. Flow. News. 24:18-24.
- Roldan M., Gómez-Mena C., Ruiz-García L., Salinas J., Martinez-Zapater J.M. 1999. Sucrose availability on the aerial part of the plant promotes morphogenesis and flowering of *Arabidopsis* in the dark. Plant J. 20:581-590.
- Rolland F., Moore B., Sheen J. 2002. Sugar Sensing and Signaling in Plants. Plant Cell 14:185-205.
- Rolland F., Baena-Gonzalez E., Sheen J. 2006. Sugar sensing and signaling in plants: conserved and novel mechanisms. Annu. Rev. Plant Biol. 57:675–709
- Rood S.B., Mandel R., Pharis R.P. 1989. Endogenous gibberellins and shoot growth and development in *Brassica napus*. Plant Physiol. 89:269-273.

- Rudiber W. 1997. Chlorophyll metabolism: from outer space down to the molecular level. *Phytochemistry* 46(7):1151-1167.
- Rüdiger S.R., Igeño M.I., Coupland G. 1996. Activation of floral meristem identity genes in *Arabidopsis*. *Nature* 384:59-62.
- Ryder, C.D., Smith, L.B., Teakle G.R., King G.J. 2001. Contrasting genome organisation: two regions of the *Brassica oleracea* genome compared with collinear regions of the *Arabidopsis thaliana* genome. *Genome* 44:808–817.
- Sack F.D. 1987. The development and structure of stomata (pp. 59-89). In: Zieger, E., Farquhar, G.D. and Cowan, I.R. (eds.). *Stomatal Function*, Stanford University Press, Stanford (CA). 503 p.
- Sadik S. 1962. Morphology of the curd of cauliflower. *Am. J. Bot.* 49:290-297.
- Sadik S. 1967. Factors involved in curd and flower formation in cauliflower. *Proc. Am. Soc. Hort. Sci.* 90:252-259.
- Sadik S., Ozbun J.L. 1967. Histochemical changes in the shoot tip of cauliflower during floral. *Can. J. Bot.* 45:955-959.
- Sadik S., Ozbun J.L. 1968. The association of carbohydrate changes in the shoot tip of cauliflower with flowering. *Plant Physiol.* 43:1696-1698.
- Saftner R.A., Wyse R.E. 1984. Effect of plant hormones on sucrose uptake by sugar beet root tissue discs. *Plant Physiol.* 74:951-955.
- Salisbury F.B., Ross C.W. 1994. *Fisiología Vegetal*. Grupo Editorial Iberoamericana. México D.F. 759 p.
- Salter P.J. 1960. The growth and development of early summer cauliflower in relation to environmental factors. *J. Hortic. Sci.* 35:21-33.
- Salter P.J., Fradgley J.R.A. 1969. Studies on crop maturity in cauliflower II. Effects of cultural factors on the maturity characteristics of a cauliflower. *J. Hortic. Sci.* 44(3):265-272.
- Sánchez Bermejo E. 2008. Un análisis genético cuantitativo del tiempo de floración en *Arabidopsis*. Tesis Doctoral. Universidad Autónoma de Madrid. Facultad de Ciencias. Dep. de Biología. 112 p.
- Sánchez C.A., Roth R.L., Gardner B.R., Ayer H. 1996. Economic responses of brócoli and cauliflower to water and nitrogen in the desert. *HortSci.* 31(2):201-205.
- Sanchez C.A. 2006. Phosphorus. (pp. 51-90). In: Barker, A.V., Pilbeam, D.J. (eds.). *Handbook Of Plant Nutrition. Series Books Soils, Plants, And The Environment* Vol. 117, 613 p.

- Sarquis J.I., Jordan W.R., Morgan P.W. 1991. Ethylene evolution from maize (*Zea mays* L.) seedling roots and shoots in response to mechanical impedance. *Plant Physiol.* 96:1171-1177.
- Sato F., Yoshioka H., Fujiwara T., Higashio H., Uragami A., Tokuda S. 2003. Effects of the age of cabbage plug seedlings on initial growth and carbohydrate partitioning after transplanting. *J. Japan. Soc. Hort. Sci.* 72(5):440-445.
- Sattler R. 1968. A technique for the study of floral development. *Can. J. Bot.* 46:720-722.
- Schaffer A., Liu K.C., Goldschmidt E.E., Boyer C.D., Goren R. 1986. Citrus leaf chlorosis induced by sink removal: starch, nitrogen and chloroplast ultrastructure. *Plant Physiol.* 124:111-121.
- Schawabe W.W. 1971. Physiology of vegetative reproduction and flowering. pp. 233-411. In: Steward F.C. (ed.). *Plant Physiology Vol. VIA*. Academic Press. New York. 562 p.
- Schenk M. K. 1998. Nitrogen use in vegetable crops in temperate climates. *Hortic. Rev.* 22:185-223.
- Schmidt W. 1999. Mechanisms and regulation of reduction-based Iron uptake in plants. Review. *New Phytol.* 141:1-26.
- Schneitz K., Balasubramanian S. 2007. Floral meristems (pp. 40-47). In: Roberts K. (ed.). *Handbook of Plant Science*. Vol I. John Wiley & Sons, Ltd. 780 p.
- Schranz M. E., P. Quijada S., Sung L., Lukens R., Amasino R. 2002 Characterization and effects of the replicated flowering time gene FLC in *Brassica rapa*. *Genetics* 162: 1457-1468.
- Schussler E.E., Longstreth D.J. 1996. Aerenchyma develops by cell lysis in roots and cell separation in leaf petioles in *Sagittaria lancifolia* (Alismataceae). *Am. J. Bot.*, 83:1266-1273.
- Schussler E.E., Longstreth D.J. 2000. Changes in cell structure during the formation of root aerenchyma in *Sagittaria lancifolia* (Alismataceae) *Am. J. Bot.* 87:12-19.
- Schwarz S., Grande A.V., Bujdoso N., Saedler H., Huijser P. 2008. The microRNA regulated SBP-box genes SPL9 and SPL15 control shoot maturation in *Arabidopsis*. *Plant Mol. Biol.* 67:183-195.
- Searle I., He Y., Turck F., Vincent C., Fornara F., Krober S., Amasino R.A., Coupland G. 2006. The transcription factor FLC confers a flowering response to vernalization by repressing meristem competence and systemic signaling in *Arabidopsis*. *Genes Dev* 20:898-912

- Seidlová F. 1977. Localization of starch in shoot apices of vegetative and photoperiodically induced plants of *Chenopodium rubrum*. Biol. Plant. 19(5):387-390.
- Seidlová F., Krekule J. 1977. Effects of Kinetin on Growth of the Apical Meristem and Floral Differentiation in *Chenopodium rubrum* L. Ann. Bot. 41:755-762.
- Serrano J. 1998. Disección genética del desarrollo de la hoja en *Arabidopsis thaliana*: Estudio de ecotipos y estirpes del *Arabidopsis* Information Service. Tesis Doctoral. Universidad de Alicante, San Juan de Alicante, España. 66 p.
- Shani E., Yanai O., Ori N. 2006. The role of hormones in shoot apical meristem function. Curr. Op. Plant Biol. 9:484-489.
- Sharma V.K., Carles C., Fletcher J.C. 2003. Maintenance of stem cell populations in plants. Proc. Natl. Acad. Sci. USA 100:11823-11829.
- Sharma S.R., Singh P.K., Chable V., Tripathi S.K. 2006. A Review of Hybrid Cauliflower Development, pp. 151-193. In: Singh, P.K., Dasgupta S.K., Tripathi S.K. (eds.). Hybrid Vegetable Development. International Book Dist. 442 p.
- Shaykewich C.F. 1995. An appraisal of cereal crop phenology modeling. Can. J. Plant Sci. 75:329-341.
- Sheldon C.C., Rouse D.T., Finnegan E.J., Peacock W.J., Dennis E.S. 2000. The molecular basis of vernalization: the central role of FLOWERING LOCUS C (FLC). Proc. Natl. Acad. Sci. 97: 3753-8
- Sheldon C.C., Finnegan E.J., Rouse D.T., Tadege M., Bagnall D.J., Helliwell C.A., Peacock W.J., Dennis E.S. 2000. The control of flowering by vernalization. Current Op. Plant Biol. 3:418-422.
- Shelp B.J.; Penner R., Zhu Z. 1992. Broccoli (*Brassica oleracea* var. *italica*) cultivar response to boron deficiency. Can. J. Plant. Sci. 72:883-888.
- Shelp B.J.; Marentes E.; Kitheka A.M.; Vivekanandan P. 1995. Boron mobility in plants. Physiol. Plant. 94:356-361.
- Sherson S.M., Alford H.L., Forbes S.M., Wallace G., Smith S.M. 2003. Roles of cell-wall invertases and monosaccharide transporters in the growth and development of *Arabidopsis*. J. Exp. Bot. 54(382):525-531.
- Shindo C., Lister C., Nordborg P.M., Dean C. 2006. Variation in the epigenetic silencing of FLC contributes to natural variation in *Arabidopsis* vernalization response, Genes & Dev. 20:3079-3083.
- Shinozaki K., Yamaguchi-Shinozaki K. 2003. Regulatory network of gene expression in the drought and cold stress responses. Curr. Op. Plant Physiol. 6:410-417.

- signals that induce flowering. *Plant Cell.* 5:1147-1 155.
- Silverstone A.L., Jung H.S., Dill A., Kawaide H. Kamiya, Sun Y T.P. 2001. Repressing a repressor. Gibberellin-induced rapid reduction of the RGA protein in *Arabidopsis*. *Plant Cell* 13:1555-1565.
- Simpson G.G., Gendall A.R., Dean C. 1999. When to switch to flowering. *Annu. Rev. Cell Dev. Biol.* 99:519-550.
- Simpson G.G., Dean C. 2002. Arabidopsis, the rosetta stone of flowering time?. *Science* 296:285-289.
- Slack F, Ruvkun G. 1997. Temporal pattern formation by heterochronic genes. *Annu. Rev. Genet.* 31:611-34.
- Slafer G.A., Rawson H.M. 1997. Phyllochron in Wheat as Affected by Photoperiod Under Two Temperature Regimes. *Australian J. Plant Physiol.* 24(2):151-158.
- Smart R.E., Bingham G.E. 1974. Rapid estimates of relative water content. *Plant Physiol.* 53.258-260.
- Smeekens S. 2000. Sugar-induced signal transduction in plants. *Annu. Rev. Plant Physiol. Plant Mol. Biol.* 51:49-81.
- Smit A.L., Zuin A. 1996. Root growth dynamics of Brussels sprouts (*Brassica olearacea* var. *gemmifera*) and leeks (*Allium porrum* L.) as reflected by root length, root colour and UV fluorescence. *Plant Soil* 185(2):271-280.
- Smit B., Stachowiak M., Van Volkenburgh E. 1989. Cellular processes limiting leaf growth in plants under hypoxic root stress. *J. Exp. Bot.* 40:89-94
- Smith G.S., Johnston C.M., Cornforth I.S. 1983. Comparison of nutrient solutions for growth of plants in sand culture. *New Phytol.* 94: 537-548.
- Smith L.B., King G.J. 2000. The distribution of BoCAL-a alleles in *Brassica oleracea* is consistent with a genetic model for curd development and domestication of the cauliflower. *Mol. Breeding* 6:603-613.
- Sneath P.H., Sokal R.R. 1973. Numerical taxonomy. The Principles and Practice of Numerical Classification. W.H. Freeman & Co. San Francisco. 573 p.
- Spence R.D., Wu H., Sharpe P.J.H., Clark K.G. 1986. Water stress effects on guard cell anatomy and the mechanical advantage of the epidermal cells. *Plant Cell Environ.* 9(3):197-202.
- Srivastava L. 2002. Plant Growth and Development. Hormones and Environment. Academic Press. 772 p.

- Stamp J.A. 1987. Somatic organogenesis in cassava: the anatomy and morphology of the regeneration process. *Annals Bot.* 57:451-459.
- Steeves T.A., Sussex I.A. 1989. Patterns in Plant Development. 2nd ed. New York: Cambridge University Press, 382 pp.
- Steeves T.A. 2006. The shoot apical meristem: an historical perspective. *Can. J. Bot.* 84:1629-1633.
- Stepanova A.N., Yun J., Likhacheva A.V., Alonso J.M. 2007 Multilevel interactions between ethylene and auxin in *Arabidopsis* roots. *Plant Cell* 19:2169-2185.
- Streck N.A., Weiss A., Baenzinger P.S. 2003. A generalized vernalization response function for winter wheat. *Agron. J.* 95:155-159.
- Suárez-López P., Wheatley K., Robson F., Onouchi H., Valverde F., Coupland G. 2001. CONSTANS mediated between the circadian clock and the control of flowering in *Arabidopsis*. *Nature*. 410:1116-1120.
- Sumitomo K.; Li T., Hisamatsu T. 2009. Gibberellin promotes flowering of chrysanthemum by upregulating CmFL, a *chrysanthemum* FLORICAULA/LEAFY homologous gene. *Plant Science* 176:643–649.
- Sun T.P., Gubler F. 2004. Molecular mechanism of gibberellin signaling in plants. *Annu. Rev. Plant. Biol.* 55:197-223.
- Sun W.Q. 2002. Methods for the study of water relations under desiccation stress (pp. 47-93). In: Black M. and Pritchard H.W. (eds.). *Dessication and survival in plants: drying without dying*. CABI Publ. New York. 410 p.
- Sung S y Amasino RM. 2004. Vernalization and epigenetics: how plants remember winter. *Curr Opin Plant Biol* 7:4-10
- Swantona C.J., Huang J. Z.; Shrestha A., Tollenaara M., Deena W., Rahimianb H. 2000. Effects of Temperature and Photoperiod on the Phenological Development of *Barnyardgrass*. *Agron. J.* 92:1125-1134.
- Swarup R., Parry G., GrahamN., Allen T., and Bennett, M. 2002. Auxin cross-talk: Integration of signalling pathways to control plant development. *Plant Mol. Biol.* 49:411-426.
- Taiz L., Zeiger E. 2006. *Plant Physiology*. Sinauer Associates. Inc. Publishers, Sunderland, Massachusetts. 764 pp.
- Takamiya K., Tsuchiya T., Ohta H. 2000. Degradation pathway(s) of chlorophyll: what has gene cloning revealed? Review. *Trends Plant Sci.* 5(10):426-431.

- Tan D.K.; Birchm C.J.; Wearing A.H.; Rickert K.G. 2000. Predicting broccoli development. I. Development is predominantly determined by temperature rather than photoperiod. *Sci. Hortic.* 84: 227-243.
- Tan D.K., Wearing A. H., Birch C.J. 2003. Buttoning in broccoli and cauliflower. *Good Fruit Vegetables* 1311:54-54.
- Tanner C.B. 1963. Plant temperature. *Agron. J.* 55:210-211.
- Tardieu F., Katerji N., Béthenod O., Zhang J., Davies W.J. 1991. Maize stomatal conductance in the field: its relationship with soil and plant water potentials, mechanical constraints and ABA concentration in the xylem sap. *Plant Cell Environment*. 14:121-126.
- Telfer A.; Bollman K.M.; Poethig R.S. 1997. Phase change and the regulation of trichome distribution in *Arabidopsis thaliana*. *Development* 124:645-654.
- Telfer A., Poethig, R.S. 1998. HASTY: A gene that regulates the timing of shoot maturation in *Arabidopsis thaliana*. *Development* 125:1889-1898.
- Tennant D. 1975. A Test of a Modified line intersect method of estimating root length. *J. Ecol.* 63(3):995-1001.
- Ternes M.A., Andrade A.P., Jorrin J., Benlloch M., 1994. Root-shoot signalling in sunflower plants with confined root systems. *Plant Soil* 166:31-36.
- Terry J.R., Weston L.A., Harmon R. 1991. Effect of root cell size and transplant age on cole crop yields. *HortSci.* 26:688.
- Thapa M.P. 1994. The effect of photoperiod on curd initiation of cauliflower (*Brassica oleracea* Linn. var. *botrytis*). MSc thesis. Department of Agricultural Botany. Univ. of Reading. 64 p.
- Thomas B., Vince-Prue D. Photoperiodism in Plants. 1997. Academic Press. 428 p.
- Thomas D.R., Weir N.R. 2006. A note on sucrose and glucose uptake by apical segments of tomato roots. *New Phytologist* 66(1):125-129.
- Thomas R.B., Strain B.R. 1991. Root Restriction as a factor in photosynthetic acclimation of cotton seedlings grown in elevated carbon dioxide. *Plant Physiol.* 96:627-634.
- Thomas T.H. 1993. Effects of root restriction and growth regulator treatments on the growth of carrot (*Daucus carota* L.) seedlings. *Plant Growth Regul.* 13:95-101.
- Thornley J.H.M, Johnson I.R. 1990. Plant and Crop Modelling. A mathematical approach to plant and crop physiology. The Blackburn Press. New Jersey. EUA. 669 pp.
- Thorpe T.A., Murashige T. 1968. Starch accumulation in shoot-forming tobacco callus cultures. *Science* 160:421-422.

- Thorup-Kristensen K. 1993. Root growth of nitrogen catch crops and of a succeeding crop of broccoli. *Acta Agric. Scand. Sect. B, Soil Plant Sci.* 43:58-64.
- Thorup-Kristensen K., van den Boogaard R. 1998. Temporal and spatial root development of cauliflower (*Brassica oleracea* L. var. *botrytis*). *Plant Soil* 201(1):37-47.
- Thorup-Kristensen H. 2001. Root growth and soil nitrogen depletion by onion, lettuce, early cabbage and carrot. *Acta Hort.* 563:201-206.
- Tilt K.M., Bilderback T.E., Fonteno W.C. 1987. Particle size and container size effects on growth of three ornamental species. *J. Amer. Soc. Hort. Sci.* 112:981-984.
- Tisserat B., Murashige T. 1977. Effects of Ethephon, Ethylene, and 2,4-Dichlorophenoxyacetic Acid on asexual embryogenesis in vitro. *Plant Physiol.* 60:437-439.
- Tommey A.M., Evans E.J. 1991. Temperature and daylength control of flower initiation in winter oilseed rape (*Brassica napus* L.). *Ann. Appl. Biol.* 118(1):201-208.
- Torres A., Campostrini E., Goncalves J., Bressan-Smith R.E. 2005. Photosynthetic pigments, nitrogen, chlorophyll a fluorescence and SPAD-502 readings in coffee leaves. *Sci. Horticul.* 104:199-209.
- Travaglia C., Cohen A.C., Reinoso H., Castillo C., Bottini R. 2007. Exogenous abscisic acid increases carbohydrate accumulation and redistribution to the grains in wheat grown under field conditions of soil water restriction. *J. Plant Growth Regul.* 26:285-289.
- Tremblay N., Senécal M. 1988. Nitrogen and potassium in nutrient solution influence seedling growth of four vegetable species. *HortSci.* 23:1018-1020.
- Tremblay R., Colasanti J. 2006. Floral induction (pp. 28-48). In: Ainsworth C. (ed.) *Flowering and its Manipulation*. 320 p.
- Tsai C., Miller A., Spalding M., Rodermel S. 1997. Source Strength Regulates an Early Phase Transition of Tobacco Shoot Morphogenesis. *Plant Physiol.* 115: 907-914.
- Tschaplinski T.J., Blake T.J. 1985. Effects of root restriction on growth correlations, water relations and senescence of alder seedlings. *Physiol. Plant.* 64:167-176.
- Turner N.C. 1981. Techniques and experimental approaches for the measurement of plant water status. *Plant Soil* 58:339-366.
- Tymowska-Lalanne Z., Kreis M. 1998. The plant invertases: physiology, biochemistry, and molecular biology. *Adv. Bot. Res.* 28:71-117.
- Uzun S., Peksen A. 2000. Study on determination of planting time for some cauliflower cultivars (*Brassica oleracea* var. *botrytis*) under Samsun ecological condicions by using

- plant growth and developmental models based on thermal time. *Pakistan J. Biol. Sci.* 3(6):915-919.
- Valipour F., Khosrowchahli M., Karapetian J., Dadpour M.R. 2007. A development study of the inflorescence and the flower of Rapeseed (*Brassica napus* cv. Hyola) using epi-illumination light microscopy. *J. of Biol. Sci.* 7(7):1139-1146.
- Valverde F., Mouradov A., Soppe W., Ravenscroft D., Samach A., Coupland G. 2004. Photoreceptor regulation of CONSTANS protein in photoperiodic flowering. *Science* 303:1003-1006.
- Van Den Boogaard R., Thorup-Kristensen K. 1997. Effects of nitrogen fertilization on growth and soil nitrogen depletion in cauliflower. *Acta Agric. Scan.* 47(3):149-155.
- Van den Boogaard R., Thorup-Kristensen, K. 1999. The effect of defoliation on phenological development and yield in cauliflower. *J. Hort. Sci. Biotech.* 74(2):269-275.
- Van den Boogaard R., Grevesen K., Thorup-Kristensen K. 2001. Effects of defoliation on growth of cauliflower. *Sci. Horticul.* 91:1-16.
- Van Der Werf, A. 1996. Growth analysis and photoasimilate partitioning (pp. 1-20). In: Zamsky E., Schaffer A. A. (ed.). *Photoassimilate distribution in plants and crops*. Marcel Dekker, Inc. New York. 899 pp.
- Van Iersel M. 1997. Root restriction effects on growth and development of Salvia (*Salvia splendens*). *HortSci.* 32(7):1186-1190.
- Van Volkenburgh E., Davies W.J.. 1977. Leaf anatomy and water relations of plants grown in controlled environments and in the field. *Crop Sci.* 17:353-358.
- Vaughan P.J., Troutb T.J., Ayarsa J.E. 2007. A processing method for weighing lysimeter data and comparison to micrometeorological ET₀ predictions. *Agr. Water Manage.* 88(1-3):141-146.
- Vavrina C.S. 1998. Transplant age in vegetable crops. *HortTech.* 8 (4):550-555.
- Vega S.H., Sauer M., Orkiszewski J.A.J., Poethig R.S. 2002. The early phase change Gene in Maize. *Plant Cell* 14:133-147.
- Veit B. 2004. Determination of cell fate in apical meristems. *Curr. Op. Plant Biol.* 7:57–64.
- Verdial M.F. 2000. Influência da coincidência de florescimento entre linhagens de couve-flor (*Brassica oleracea* var. *botrytis*) na produtividade e qualidade de sementes híbridas. Botucatu, 2000. 56 p. Dissertação (Mestrado em Agronomia, área de concentração em Horticultura), Faculdade de Ciências Agronômicas, UNESP, Botucatu.
- Vidal E.A., Gutiérrez R.A. 2008. A systems view of nitrogen nutrient and metabolite responses in *Arabidopsis*. *Curr. Op. Plant Biol.* 11:1-9.

- Vigier B., Cutcliffe J.A. 1984. Effect of boron and nitrogen on the incidence of hollow stem in broccoli. *Acta Hortic.* 157:303-308.
- Volkov RA, Panchuk II, Schöffl F. 2003. Heat-stress-dependency and developmental modulation of gene expression: the potential of house-keeping genes as internal standards in mRNA expression profiling using real-time RT-PCR. *J. Exp. Bot.* 54: 2343-2349.
- Von Caemmerer S., Farquhar G.D. 1984. Effects of partial defoliation, changes of irradiance during growth, short-term water stress and growth at enhanced p(CO₂) on the photosynthetic capacity of leaves of *Phaseolus vulgaris* L. *Planta* 160:320-329.
- Wadhi M., Ram H.Y.M. 1967. Shortening the juvenile phase for flowering in *Kalanchoe pinnata* Pers. *Planta* 73:28-36.
- Wagner B.M., Beck E. 1993. Cytokinins in the perennial herb *Urtica dioica* L. as influenced by its nitrogen status. *Planta* 190:511-518.
- Walker G.K., Hatfield J.L. 1983. Stress measurement using foliage temperatures. *Agron. J.* 75:623-629.
- Wallace T. 1961. The diagnosis of mineral deficiencies in plants by visual symptoms: a colour atlas and guide. Chemical Pub. Co., New York. 125 p.
- Wang K.L., Li H., Ecker J.R. 2002. Ethylene biosynthesis and signaling networks. *Plant Cell* 14:131-151.
- Warrington I.J., Kanemasu E.T. 1983. Corn growth response to temperature and photoperiod. II. Leaf initiation and leaf appearance rates. *Agron. J.* 75:755-761.
- Wasilewsk A., Vlad F., Sirichandr C., Redko Y., Jammes F., Valon C., Frei N., Leung J. 2008. An update on abscisic acid signaling in plants and more. *Molecular Plant* 1(2):198-217.
- Watanabe M., Hinata K. 1999. Self-incompatibility, pp.149-183. In: Gómez-Campo C. (ed.). *Biology of Brassica Coenospecies*. Elsevier Science. Amsterdam, The Netherlands. 489 p.
- Weaver J.E., Bruner W.E. 1927. Root development of vegetable crops. McGraw-Hill Book Company Inc. 351 pp.
- Weber H., Heim U., Golombek S., Borisjuk L, Manteuffel R., Wobus U. 1998. Expression of a yeast-derived invertase in developing cotyledons of *Vicia narbonensis* alters the carbohydrate state and affects storage functions. *Plant J.* 16:163-172.
- Weigel D., Meyerowitz E.M. 1994. The ABCs of floral homeotic genes. *Cell* 78:203-209.
- Weiland R.T., Noble R.D., Crang R.E. 1975. Photosynthetic and Chloroplast Ultrastructural Consequences of Manganese Deficiency in Soybean. *Amer. J. Bot* 62(5):501-508.
- Wellensiek S. J. 1962. Dividing Cells as the Locus for Vernalization. *Nature* 195:307-308.

- Wellensiek S. J. 1963. Dividing Cells as the Prerequisite for Vernalization. *Plant Physiol.* 39:832-835.
- Weston L.A., Zandstra B.H. 1986. Effect of root container size and location of production on growth and yield of tomato transplants. *J. Amer. Soc. Hort. Sci.* 111:498-501.
- Wheeler T.R., Ellis R.H., Hadley P., Morison J.I.L. 1995. Effects of CO₂, temperature and their interaction on growth, development and yield of cauliflower (*Brassica oleracea* L. *botrytis*). *Sci. Hortic.* 60:181-197.
- Whitelam G.C., Devlin P.F. 1997. Roles of different phytochromes in *Arabidopsis* photomorphogenesis. *Plant Cell Environ.* 20:752-758.
- Wiebe H.J., 1975. Effect of temperature on the variability and maturity date of cauliflower. *Acta Hort.* 52:69-75.
- Wiebe H.J. 1981. Influence of transplant characteristics and growing conditions on curd size of cauliflower. *Acta Hort.* 122:99-105.
- Wiebe H.J. 1990. Vernalization of vegetable crops. A review. *Acta Hort.* 267:323-328.
- Wiebe H.J. 1994. Flower formation and timing field production of vegetables. *Acta Hort.* 371:337-344.
- Wien H.C., Wurr D.C.E. 1997. Cauliflower, broccoli, cabbage and brussels sprouts (pp. 511-552). In: Wien H.C. (ed.), *The Physiology of Vegetable Crops*. CABI International. New York. 672 p.
- Wien H.C., Wurr D.C.E. 1997. Cauliflower, Broccoli, Cabbage and Brussels Sprouts pp. 511-552. In: Wien H.C. (ed.). *The Physiology of Vegetable Crops*. CAB International. London. 662 p.
- Wilhelm W.W., McMaster G.S. 1995. The importance of the phyllochron in studying the development of grasses. *Crop Sci.* 35:1-3.
- Williams C.A., Atherton G.C. 1990. A role for young leaves in vernalization of cauliflower: I: Analysis of leaf development during curd induction. *Physiol. Plant.* 78:61-66.
- Willmer C.M. 1983. Stomata. Longman House. London. 192 p.
- Wink M. 1997. Special Nitrogen Metabolism (pp. 439-486). In: Dey P., Harbone J. (eds.). *Plant Biochemistry*, Academic Press. UK. 554 p.
- Woodward FI. 1987. Stomatal numbers are sensitive to increases in CO₂ from pre-industrial levels. *Nature* 327:617-618.
- Wu X., Dabi T., Weigel D. 2005. Requirement of Homeobox Gene STIMPY/WOX9 for Arabidopsis Meristem Growth and Maintenance. *Current Biology* 15:436-440.

- Wurr D.C.E., Akhurst J.M., Thomas T.H. 1981. A hypothesis to explain the relationship between low-temperature treatment, gibberellin activity, curd initiation and maturity of cauliflower. *Sci. Hort.* 15:321-330.
- Wurr D.C.E., Kay R.H., Allen E.J., Patel J.C. 1981. Studies of the growth and development of winter-heading cauliflowers. *J. Agric. Sci.* 97:409-419.
- Wurr D.C.E., Fellows J.R., Crisp P. 1982. Leaf and curd production in cauliflower varieties cold-treated before transplanting. *J. Agric. Sci.* 99(2):425-432.
- Wurr D.C., Cox E.F., Fellows J.R. 1986. The influence of transplant age and nutrient feeding regime on cauliflower growth and maturity. *J. Hort. Sci.* 61:503-508.
- Wurr D.C., Elphinstone E.D., Fellows J.R. 1988. The effect of plant raising and cultural factors on the curd initiation and maturity characteristics of summer/autumn cauliflower crops. *J. Agr. Sci.* 111(3):427-434.
- Wurr D.C.E., Fellows J.R., Hiron R.W.P. 1990. The effect of field environmental conditions on the growth and development of four cauliflower cultivars. *J. Hortic.* 65:565-572.
- Wurr D.C.E., Fellows J.R., Hambridge A.J. 1991. The influence of field environmental conditions on calabrese growth and development. *J. Hort. Sci.* 66(4):495-504.
- Wurr D.C.E., Fellows J.R., Hambridge A.J. 1992. The effect of plant density on calabrese head growth and its use in a predictive model. *J. Hort. Sci.* 67(1):77-85.
- Wurr D.C.E., Fellows J.R., Phelps K., Reader R.J. 1993. Vernalization in summer/autumn cauliflower (*Brassica oleracea* var. *botrytis* L.). *J. Exp. Bot.* 44:1507-1514.
- Wurr D.C.E., Fellows J.R., Phelps K., Reader R.J. 1994. Testing a vernalization model on field-grown crops of four cauliflower cultivars. *J. Hortic. Sci.* 69:251-255.
- Wurr D.C.E., Fellows J.R., Hambridge A.J. 1995. The potential impact of global warming on summer/autumn cauliflower growth in the UK. *Agr. Forest Meteorol.* 72:181-193.
- Wurr D.C.E., Fellows J.R., Phelps K., Reader R.J. 1995. Vernalisation in calabrese (*Brassica oleracea* var. *italica*) – a model for apex development. *J. Exp. Bot.* 46(291):1487-1496.
- Wurr D.C.E., Hambridge A.J., Smith G.P. 1996. Studies of the cause of blidness in *Brassicas*. *J. Hort. Sci.* 71:415-426.
- Wurr D.C.E., Fellows J.R., Phelps K. 1996. Investigating trends in vegetable crop response to increasing temperature associated with climate change. *Sci. Hortic.* 66(3-4):255-263.
- Wurr D.C.E., Fellows J.R. 1998. Leaf production and curd initiation of winter cauliflower in response to temperature. *J. Hortic. Sci. Biotech.* 73:691-697.
- Wurr D.C.E., Fellows J.R. 2000. Temperature influences on the plant development of different maturity types of cauliflower. *Acta Hort.* 539:69-74.

- Wurr D.C.E., Fellows J.R., Phelps K. 2002. Crop Scheduling and prediction-principles and opportunities with field vegetables. *Adv. Agron.* 76:201-233.
- Wurr D.C.E., Fellows J.R., Fuller M.P. 2004. Simulated effects of climate change on the production pattern of winter cauliflower in the UK. *Sci. Hort.* 101(4):359-372.
- Wyse R. 1979. Sucrose Uptake by Sugar Beet Tap Root Tissue. *Plant Physiol.* 64:837-841.
- Xiao C.L., Subbarao K.V. 2000. Effects of irrigation and *Verticillium dahliae* on cauliflower root and shoot growth dynamics. *Phytopatology* 90:995-1004.
- Xu Z., Zhou G. 2008. Responses of leaf stomatal density to water status and its relationship with photosynthesis in a grass. *J. Exp. Bot.* 59(12):3317-3325.
- Yan W., Hunt L.A. 1999. An equation for modelling the temperature response of plants using only the cardinal temperatures. *Ann. Bot.* 84:607-614.
- Yang HM, Wang GX. 2001. Leaf stomatal densities and distribution in *Triticum aestivum* under drought and CO₂ enrichment. *Acta Phytoecologica Sinica* 25:312-316.
- Yang L., Han M., Zhou G., Li J. 2007. The changes of water-use efficiency and stoma density of *Leymus chinensis* along Northeast China Transect. *Acta Ecologica Sinica* 27:16-24.
- Yap I.V., Nelson R.J. 1996. WinBoot: UPGMA bootstrapping for binary data. IRRI Discussion Paper Series 14:1-20.
- Yoshida S. 2003. Molecular regulation of leaf senescence. *Curr. Op. Plant Biol.* 6:79-84.
- Young I.M.; Montagu K.; Conroy J., Bengough A.G. 1997. Mechanical impedance of root growth directly reduces leaf elongation rates of cereals. *New Phytol.* 135:613-619.
- Yu T.S., Lue W.L., Wang S.M., Chen J. 2000. Mutation of *Arabidopsis* plastid phosphoglucose isomerase affects leaf starch synthesis and floral initiation. *Plant Physiol.* 123:319-325.
- Zacharias S., C. D. Heatwole, Coakley C.W. 1996. Robust quantitative techniques for validating pesticide transport models. *Trans. ASAE.* 39(1):47-54.
- Zanewich K.P., Rood S.B., Williams P.H. 1990. Growth and development of *Brassica* genotypes differing in endogenous gibberellin content. I. Leaf and reproductive development. *Physiol. Plant.* 79(4):673-678.
- Zanewich KP, Rood SB. 1995. Vernalization and gibberellin physiology of winter canola. *Plant Physiol.* 108:615-621.
- Zeevaart J.A.D. 1983. Gibberellins and flowering (pp. 333-374). In: Crozier A. (ed.). *The Biochemistry and Physiology of Gibberellin*. Vol. 2. Praeger, New York 333-374 p.
- Zeevaart J.A.D., Gage D.A., Talon M. 1993. Gibberellin A1 is required for stem elongation in spinach. *Proc. Natl. Acad. Sci. USA* 90: 7401-7405.

- Zhang X.Y., Wang H.M., Hou Z.D., Wang G.X. 2003. Stomatal density and distributions of spring wheat leaves under different planting densities and soil moisture levels. *Acta Phytocologica Sinica* 27:133–136.
- Zhang Y.P., Wang Z.M., Wu Y.C., Zhang X. 2006. Stomatal characteristics of different green organs in wheat under different irrigation regimes. *Acta Agronomica Sinica* 32:70-75.
- Zhao R.X., Zhang Q.B., Wu X.Y., Wang Y. 2001. The effects of drought on epidermal cells and stomatal density of wheat leaves. *Inner Mongolia Agricultural Science and Technology* 6:6–7.
- Zhao S., Chen W., Ma D., Zhao F. 2006. Influence of different salt level on stomatal character in rice leaves. *Reclaiming and Rice Cultivation* 6:26–29.
- Zhao H., Lin J., Grossman H.B., Hernandez L.M., Dinney C.P., Wu X. 2007. Dietary isothiocyanates GSTM1, GSTT1 NAT2 polymorphism and bladder cancer risk. *Int. J. Cancer* 120: 2208-2213.
- Zhou X.M., Smith D.L. 1996. A new technique for continuous injection into stems of field-grown corn plants. *Crop Sci.* 36:452-456.
- Zhou L., Jang J.C., Jones T.L., Sheen J. 1998. Glucose and ethylene signal transduction crosstalk revealed by an *Arabidopsis* glucose-insensitive mutant. *Proc. Natl. Acad. Sci. USA* 95:10294-10299.
- Zimmerman R.H., Hackett W.P., Pharis, R.P. 1985. Hormonal aspects of phase change and precocious flowering. *Encyclopedia of Plant Physiol.* 11:79-115.
- Zobayed S.M.A., Armstrong J., Armstrong W. 1999. Cauliflower shoot-culture: effects of different types of ventilation on growth and physiology. *Plant Sci.* 141:209-217.