

- ▣ Abdel-Sattar, E.; Zaitoun, A.A.; Farag, M.A.; El Gayed, S.H. & Harraz, F.M.H. 2009. Chemical composition, insecticidal and insect repellent activity of *Schinus molle* L. leaf and fruit essential oils against *Trogoderma granarium* and *Tribolium castaneum*. Nat. Prod. Res., 1-10. (Epub ahead of print).
- ▣ Addisu, K. & Berhanu, E. 2008. Cockroaches as carriers of human intestinal parasites in two localities in Ethiopia. T. Roy. Soc. Trop. Med. H., 102: 1143-1147.
- ▣ Adler, P.H. & Foottit, R.G. 2009. Introduction. En: Foottit, R.G. & Adler, P.H. Insect Biodiversity: Science and Society. Wiley-Blackwell, UK. Cap 1: 1-6.
- ▣ Aguilera, L.; Marquetti, M.C.; Fuentes, O. & Navarro, A. 1996. Observaciones sobre aspectos biológicos de *Blattella germanica* (Dictyoptera: Blattellidae) en condiciones de laboratorio. Rev. Cubana Med. Trop., 48(1): 12-14.
- ▣ Aguilera, L.; Marquetti, M.C.; Fuentes, O & Navarro, A. 1997. Tablas de vida de *Blattella germanica* (Dictyoptera: Blattellidae) en condiciones de laboratorio y su importancia en el control. Rev. Cubana Med. Trop., 49(1):21-23.
- ▣ Aguilera, L.; Marquetti, M.C.; Fuentes, O & Navarro, A. 1998. Efectos de 2 dietas sobre aspectos biológicos de *Blattella germanica* (Dictyoptera: Blattellidae) en condiciones de laboratorio. Rev. Cubana Med. Trop., 50(2):143-149.
- ▣ Aguilera, L.; Marquetti, M.C. & Navarro, A. 2001. Actividad biológica del diflubenzuron sobre *Blattella germanica* (Dictyoptera: Blattellidae). Rev. Cubana Med. Trop., 53(1):48-52.
- ▣ Aguilera, L.; Tacoronte, D.J.O.; Navarro, A; Leyva, M.; Bello, A.; Cabrera, M.T. & Marquetti, M.C. 2004. Composición química y actividad biológica del aceite esencial de *Eugenia melanadenia* (Myrtales: Myrtaceae) sobre *Blattella germanica* (Dictyoptera: Blattellidae). Revista CENIC Ciencias Químicas, 35(3).
- ▣ Ahmet, L.M. & Behçet, L. 2007. *Solanum elaeagnifolium* Cav. in Turkey. Turk. J. Bot., 31: 577-579.
- ▣ Akinboro, A & Bakare, A.A. 2007. Cytotoxic and genotoxic effects of aqueous extracts of five medicinal plants on *Allium cepa* Linn. J. Ethnopharmacol., 112(3): 470-475.
- ▣ Alali, F.Q.; Kaakeh, W.; Bennet, G.W. & McLaughlin, J.L. 1998. Annonaceous Acetogenins as Natural Pesticides: Potent Toxicity Against Insecticide-Susceptible and -Resistant German Cockroaches (Dictyoptera: Blattellidae). J. Econ. Entomol., 91(3): 641-649.

- Alonso, J. & Desmarchelier, C. 2005. Plantas Medicinales Autóctonas de Argentina. Bases Científicas para su Aplicación en Atención Primaria de la Salud. Fitociencia. Bs. Aires, Argentina. 663 pp.
- Alvarez Montes de Oca, D.M.; de la Fuente, J.L.; Villarrubia Montes de Oca, O.L.; Menéndez de San Pedro, J.C. & Ortiz Losada, E. 1996. Actividad biológica de *Ricinus communis* sobre mosca doméstica (*Musca domestica*). Rev. Cubana Med. Trop., 48(3): 192-194.
- Álvarez, M.A.; Nigra, H.M. & Giulietti, A.M. 1993. Solasodine Production by *Solanum eleagnifolium* Cav. in vitro Cultures: Influence of Plant Growth Regulators, Age and Inoculum Size. Large-Scale Production. Nat. Prod. Lett., 3(1): 9-19.
- Amani, S.M.; Isla, M.I.; Vattuone, M.A.; Poch, M.P.; Cudmani, N.G. & Sampietro, A.R. 1997. Antimicrobial Activities in some Argentine Medicinal Plants. II WOCMAP, Congress Medicinal and Aromatic Plants, Part 2: Pharmacognosy, Pharmacology, Phytotherapy, Toxicology. Abstract P-364.
- Amé, J.M.; Rivault, C. & Deneubourg, J.L. 2004. Cockroach aggregation based on strain odour recognition. Anim. Behav., 68:7:793-801.
- Ananthakrishnan, T.N. 2001. Phytochemicals as Insect Behaviour Modifiers. En: Koul, O & Dhaliwal, G.S. Phytochemical Biopesticides. Harwood Academic Publishers. Amsterdam. Cap. 5: 73-83pp.
- Angiosperm Phylogeny Group [APG]. 2003. An update of the Angiosperm Phylogeny Group classification for the orders and families of flowering plants: APG II. Bot. J. Linn. Soc., 141: 399-436.
- Appel, A.G. & Mack, T.P. 1989. Repellency of milled aromatic eastern red cedar to domiciliary cockroaches (Dictyoptera: Blattellidae and Blattidae). J Econ Entomol., 82: 152-155.
- Appel, A.G. & Benson, E.P. 1994. Pathogenicity and limited transooothecal transmission of *Steirnerinema carpocapsae* (nematodo: Steinernematidae) in adult female German cockroaches (Dictyoptera: Blattellidae). J. Med. Entomol., 31(1): 127-131.
- Arambarri, A.M.; Freire, S.E; Bayón, N.D; Colares, M.N.; Monti, C.; Novoa, M.C. & Hernández, M.P. 2009. Morfoanatomía foliar de árboles medicinales de la Provincia Biogeográfica de las Yungas (Argentina). BLACPMA, 8 (5): 342 – 379.
- Araújo, E.C.C.; Silveira, E- R.; Lima, M.A.S.; Andrade Neto, M.; de Andrade, I.L. & Lima, M.A.A. 2003. Insecticidal Activity and Chemical Composition of Volatile Oils from *Hyptis martiusii* Benth. J. Agric. Food Chem., 51:3760-3762.

- ❖ Arruda, L.K.; Vailes, L.D.; Ferian, V.P.L.; Santos, A.B.R.; Pomés, A. & Chapman, M.D. 2001. Cockroach allergens and asthma. *J. Allergy Clin. Immun.*, 107(3):419-428.
- ❖ Atias, A.M & Neghme, A.R. 1995. Parasitología Clínica. 3ed. Publicaciones Técnicas Mediterráneo. Santiago, Chile. 617pp.
- ❖ Baki, M.A.; Rahman, M.A.A.; Khatune, N.A.; Zahid, R.A.; Khalequzzaman, M.; Husain, M.M. & Sadik, G. 2002. Synergic Effects of *Wedelia calendulacea* Less. Plant Extracts with Lambda cyhalothrin on Common Housefly *Musca domestica* L. *Online Journal of Biological Sciences*, 2(10): 686-689.
- ❖ Balaji, K.; Veeresham, C.; Srisilam, K. & Kokate, C. 2003. Azadirachtin, a Novel Biopesticide from Cell Cultures of *Azadirachta indica*. *J. Plant. Biotechnol.*, 5(2): 121-129.
- ❖ Balandrin, M.F.; Klocke, J.A.; Wurtele, E.S. & Bollinger, H. 1985. Natural Plant Chemicals: Sources of Industrial and Medicinal Materials. *Science*, 228(4704): 1154-1159.
- ❖ Bansal, S.K.; Singh, K.V. & Kumar, S. 2009. Larvicidal activity of the extracts from different parts of the plant *Solanum xanthocarpum* against important mosquito vectors in the arid region. *J. Environ. Biol.*, 30(2): 221-226.
- ❖ Barkley, F.A. 1957. Generic key to the sumac family (Anacardiaceae). *Lloydia*, 20(4): 255-265.
- ❖ Batth, S.S. 1977. A survey of canadian populations of the German cockroach for resistance to insecticidas. *Can. Entomol.*, 109: 49-52.
- ❖ Bell, W.J.; Roth, L.M. & Nalepa, C.A. 2007. Cockroaches. Ecology, Behaviour, and Natural History. The Johns Hopkins University Press. Baltimore, EEUU. 230 pp.
- ❖ Benítez de Rojas, C. & Medina, B. 2001. Novedades en solanaceae para Venezuela. *Acta Bot. Venez.*, 24(2): 133-141.
- ❖ Bennet, G.W. & Spink, W.T. 1968. Insecticide resistance of german cockroaches from various areas of Louisiana. *J. Econ. Entomol.*, 61: 426-431.
- ❖ Blackwell, A.; Evans, K.A.; Strang, R.H.C. & Cole, M. 2004. Toward development of neem-based repellents against the Scottish Highland biting midge *Culicoides impunctatus*. *Med. Vet. Entomol.*, 18: 449-452.
- ❖ Bloomquist, J.R. 1996. Insecticides: Chemistries and Characteristics. En: Radcliffe, E.B. & Hutchison, W.D., Radcliffe's IPM World Textbook, <http://ipmworld.umn.edu>, University of Minnesota.

- ☒ Bloomquist, J.R. 2004. Insecticides: Chemistries and Characteristics. En: Ware, G.W. & Whitacre, D.M. The Pesticide Book. 6ed. Meister Media Worlwide. Ohio, EEUU. 496pp.
- ☒ Boecke, S.J.; Baumgart, I.R.; van Loon; J.J.A.; van Huis, A.; Dicke, M. & Kossou; D.K. 2004. Toxicity and repellence of African plants traditionally used for protection of stored cowpea against *Callosobruchus maculatus*. J. Stored Prod. Res., 40: 423-428.
- ☒ Borror, D.J.; Triplehorn, C.A. & Johnson, N.F. 1989. An Introduction to the Study of Insects. 6ed. Saunders College Publishing. EEUU. 800pp.
- ☒ Boyd, J.W. & Murray, D.S. 1982. Effects of shade on silverleaf nightshade (*Solanum elaeagnifolium*). Weed Sci., 30:264-269.
- ☒ Boyd, J.W. & Murray, D.S. 1982a. Growth and development of silverleaf nightshade (*Solanum elaeagnifolium*). Weed Sci., 30:238-243.
- ☒ Brattsten, L.B.; Holyoke, C.W., Jr.; Leeper, J.R. & Raffa, K.F. 1986. Insecticide resistance: challenge to pest management and basic research. Siente, 231: 1255-1260.
- ☒ Brenner, R.J. 2002. Cockroaches (Blattaria). En: Mullen, G. & Durden, L.A. Medical and Veterinary Entomology. 3 ed. Elsevier Science. EEUU. Cap. 3: 29-44.
- ☒ Bret, B.L. 1985. Effects of an insecticide on german cockroach behavior. Thesis Doctor of Philosophy in Entomology, Faculty of the Virginia Polytechnic Institute and State University, Virginia, EEUU. 99pp.
- ☒ Breuer, M.; Hoste, B.; De Loof, A. & Naqvib, S.N.H. 2003. Effect of *Melia azedarach* extract on the activity of NADPH-cytochrome c reductase and cholinesterase in insects. Pest. Biochem. Phys., 76: 99–103.
- ☒ Brooks, G.T. 1976. Penetration and distribution of insecticides. En: Wilkinson, C.F. Insecticidal biochemistry and physiology. Plenum, New York. 3-58.
- ☒ Brown A.E. 2006. Mode of action of insecticides and related pest control chemicals for production agriculture, ornamentals and turf. Pesticide Information Leaflet, 43:1-13.
- ☒ Bucciarelli, A. & Skliar, M.I. 2007. Plantas medicinales de Argentina con actividad gastroprotectora. Ars. Pharm., 48 (4): 361-369.
- ☒ Bueno Marí, R.; Moreno Marí, J.; Oltra Moscardó, M.T. & Jiménez Peydró, R. 2009. Artrópodos con interés vectorial en la salud pública en España. Rev. Esp. Salud Pública, 83(2): 201-214.

- ☒ Bull, D.L. & Patterson, R.S. 1993. Characterization of pyrethroid resistance in a strain of the German cockroach (Dictyoptera: Blattellidae). *J. Econ. Entomol.*, 86: 20- 25.
- ☒ Caballero García, C. 2004. Efectos de Terpenoides Naturales y Hemisintéticos sobre *Leptinotarsa decemlineata* (SAY) (COLEOPTERA:CHRYSOMELIDAE) y *Spodoptera exigüa* (HÜBNER) (LEPIDOPTERA: NOCTURNAE). Tesis Doctoral Facultad de Ciencias Biológicas, Universidad Complutense de Madrid. Madrid, España. 119pp.
- ☒ Cabrera, A.L. 1965. Solanaceae. En: Cabrera, A.L. Flora de la Provincia de Buenos Aires. Tomo IV, Parte V: Ericáceas a Caliceráceas. Colección Científica del INTA. Buenos Aires, Argentina. 190-251.
- ☒ Capinera, J.L. 2008. Boric Acid. En: Capinera, J.L. Encyclopedia of Entomology. 2 ed. Springer Science + Business Media B.V. Alemania. 548-549.
- ☒ Carpinella, M.C.; Defagó, M.T.; Valladares, G. & Palacios, S.M. 2003. Antifeedant and Insecticide Properties of a Limonoid from *Melia azedarach* (Meliaceae) with Potential Use for Pest Management. *J. Agric. Food Chem.*, 51: 369-374.
- ☒ Carrizo, E.V.; Palacio, M.O. & Roic, L.D. 2002. Plantas de uso medicinal en la flora de los alrededores de la ciudad de Santiago del Estero (Argentina). *Dominguezia*, 18(1): 26-35.
- ☒ Cerón Martínez, C.E. 2006. Plantas medicinales de los Andes Ecuatorianos. En: Moraes, M.R.; Øllgaard, B.; Kvist, L.P.; Borchsenius, F. & Balslev, H. Botánica Económica de los Andes Centrales Universidad Mayor de San Andrés, La Paz. 285-293.
- ☒ Cipollini, M.L. & Levey, D.J. 1997. Why are some fruits toxic? Glycoalkaloids in solanum and fruit choice by vertebrates. *Ecology*, 78(3): 782-798.
- ☒ Coats, J.R. 1990. Mechanism of Toxic Action and structure-Activity Relationships for Organochlorine and Synthetic Pyrethroid Insecticide. *Environ. Health Persp.*, 87: 255-262.
- ☒ Coats, J.R. 1994. Risk from Natural versus Synthetic Insecticides. *Annu. Rev. Entomol.*, 39: 489-515.
- ☒ Cochran, D.G. 1979. A genetical determination of insemination frecuency and sperm precedence in the German cockroach. *Entomol. Expl. Appl.*, 26:259-266.
- ☒ Cochran, D.G. 1982. Cockroaches: Biology and control. World Health Organization Technical Report 82.856:1-53.

- ☒ Cochran, D.G. 1989. Monitoring for insecticide resistance in field-collected strains of the german cockroach (Dictyoptera: Blattellidae). *J. Econ. Entomol.*, 82: 336-341.
- ☒ Cochran, D.G. 1994. Abamectin resistance potential in the German cockroach (Dictyoptera: Blattellidae). *J. Econ. Entomol.*, 87: 899-903.
- ☒ Cochran, D.G. 1999. Cockroaches. Their Biology, Distribution and Control. WHO/CDS/CPC/WHOPES/99.3. 83pp
- ☒ Cochran, D.G. 2003. Blattodea (Cockroaches). En: Resh, V.H. & Cardé, R.T. Encyclopedia of Insects. Academic Press. EEUU. 123-127.
- ☒ Coley, P.D. & Barone, J.D. 1996. Herbivory and Plant Defenses in Tropical Forests. *Annu. Rev. Ecol. Syst.*, 27: 305-335.
- ☒ Cooper, R.A. & Schal, C. 1992. Effects of protein type and concentration on development and reproduction of the German cockroach, *Blattella germanica*. *Entomol. Exp. Appl.*, 63: 123-134.
- ☒ Cornell, H. V. & B. A. Hawkins. 2003. Patterns of herbivorous insect response to plant secondary compounds: a test of phytochemical coevolution theory. *American Naturalist*, 161: 507-522.
- ☒ Cornwell, P.B. 1968. The Cockroach. A Laboratory Insect and an Industrial Pest. Associated Business Programmes. London. Vol 1. 391pp.
- ☒ Cornwell, P.B. 1976. The Cockroach: Insecticide and Cockroach Control. Associated Business Programmes. London. Vol 2. 557 pp.
- ☒ Cosa, M.T.; Bruno, G. & Dottori, N. 1998. Anatomía de los órganos vegetativos en *Solanum juvenale* su comparación con *S. elaeagnifolium*. *Anales Inst. Biol. Univ. Nac. México. Ser. Bot.*, 69(1): 9-22.
- ☒ Crespo, F.A. & Valverde, A.d.C. 2005. Blattaria. Cucarachas. En: Salomón, O.D. Artrópodos de Interés Médico en Argentina. Fundación Mundo Sano, Buenos Aires, Argentina. Cap. 16: 107-113.
- ☒ Cronquist, A. 1981. An Integrated System of Classification of Flowering Plants. Columbia University Press, EEUU. 1262 pp.
- ☒ Cseke, L.J.; Kirakosyan, A.; Kaufman, P.B.; Warber, S.L.; Duke, J.A. & Brielmann, H.L. 2006. Natural Products from Plants. 2 ed. CRC Press, Boca Ratón, EEUU. 640pp.

- ☒ Chang, K.S. & Ahn, Y.J. 2001. Funigant activity of (*E*)-anethole identified in *Illicium verum* fruit against *Blattella germanica*. Pest Manag. Sci., 58: 161-166.
- ☒ Changmann, Y.; Shin-Ho, K.; Jeong-Oh, Y.; Doo-Jin, N.; Pandiyan, I.G. & Gil-Hah, K. 2009. Repellent activity of citrus oils against the cockroaches *Blattella germanica*, *Periplaneta americana* and *P. fuliginosa*. J. Pestic. Sci., 34(2): 77-88.
- ☒ Chapman, P.A.; Learmount, J. & Pinniger, D.B. 1993. Insecticide resistance in *Blattella germanica* (L.) in the United Kingdom. Proc. Int. Conf. Insect Pests Urban Environ., 1: 125-133.
- ☒ Chen, F.; Zungoli, P.A. & Benson, E. 2002. Screening of Natural Insecticides from Tropical Plants against Fire Ants, Termites, and Cockroaches Final Report To Clemson University. Integrated Pest Management Program, Clemson.10pp.
- ☒ Chen, H. L.; Su, H. J. J & Lin, L. L. 2002. Distribution variations of multi allergens at asthmatic children's homes. The Science of the Total Environment, 289: 249-254.
- ☒ Chiale, C.A.; Cabrera, J.L. & Julián, H.R. 1991. Kaempferol 3-(6"-cis-cinnamoylglucoside) from *Solanum elaeagnifolium*. Phytochemistry, 30(3): 1042-1043.
- ☒ Chiarini, F. & Barboza, G. 2007. Anatomical study of different fruit types in Argentine species of *Solanum* subgen. Leptostemonum (Solanaceae). Anales del Jardín Botánico de Madrid, 64(2): 165-175.
- ☒ Chirino, M.; Cariac, M.J. & Ferrero, A.A. 2001. Actividad insecticida de extractos crudos de drupas de *Schinus molle* L. (Anacardiaceae) sobre larvas neonatas de *Cydia pomonella* L. (Lepidoptera : Tortricidae). Bol. San. Veg. Plagas, 27: 305-314.
- ☒ Choi, W.I.; Lee, S.G.; Park, H.M. & Ahn, Y.J. 2004. Toxicity of Plant Essential oils to *Tetranychus urticae* (Acari: Tetranychidae) and *Phytoseiulus persimilis* (Acari: Phytoseiidae). J. Econ. Entomol., 97(2): 553-558.
- ☒ Chowdhury, N.; Bhattacharjee, I.; Laskar, S. & Chandra, G. 2007. Efficacy of *Solanum villosum* Mill. (Solanaceae: Solanales) as a Biocontrol Agent against Fourth Instar Larvae of *Culex quinquefasciatus* Say. Turk. J. Zool., 31: 365-370.
- ☒ Chowdhury, N.; Ghosh, A. & Chandra, G. 2008. Mosquito larvicidal activities of *Solanum villosum* berry extract against the dengue vector *Stegomyia aegypti*. BMC Complementary and Alternative Medicine, 8(1): 10.

- ✳ Dal Bello, G. & Padín, S. 2006. Olfatómetro simple para evaluar la actividad biológica de aleloquímicos vegetales en *Tribolium castaneum* HERBST (COLEOPTERA: TENEBRIONIDAE). *Agrociencia.*, X(2): 23-26.
- ✳ Dambach, M. & Goehlen, B. 1999. Aggregation density and longevity correlate with humidity in first-instar nymphs of the cockroach (*Blattella germanica* L., Dictyoptera). *J. Insect Physiol.*, 45: 423-429.
- ✳ de Blay, F.; Sanchez, J.; Hedelin, G.; Perez-Infante, A.; Vérot, A.; Chapman, M. & Pauli, G. 1997. Dust and airborne exposure to allergens derived from cockroach (*Blattella germanica*) in low-cost public housing in Strasbourg (France). *J. Allergy Clin. Immun.*, 99:107-112.
- ✳ de Dios Muñoz, J. 2000. Flora del Paraguay. Conservatoire et Jardin Botaniques, Suiza y Missouri Botanical Garden, Saint Louis, EEUU, 14: 1-10.
- ✳ Deitz, L.L.; Napela, C. & Klass, K.D. 2003. Phylogeny of the Dictyoptera Re-examined (Insecta). *Entomologische Abhandlungen*, 61(11): 69-91.
- ✳ Del Ponte, E. 1959. Manual de Entomología Médica y Veterinaria Argentinas. Librería del Colegio. Buenos Aires, Argentina. 349pp.
- ✳ Demark, J.J. & Bennet, G.W. 1994. Diel Activity Cycles in Nymphal Stadia of the German Cockroach (Dictyoptera: Blattellidae). *J. Econ. Entomol.*, 87(4): 941-950.
- ✳ Demark, J.J. & Bennet, G.W. 1995. Adult German Cockroach (Dictyoptera: Blattellidae) Movement Patterns and Resource Consumption in a Laboratory Arena. *J. Med. Entomol.*, 32(3): 241-248.
- ✳ Dent, D. 2000. Insect Pest Management. 2 ed. CABI Publishing, Cambridge, UK. 410pp.
- ✳ Descamps, L.R. 2007. Actividad biológica de extractos vegetales y aceites esenciales de *Schinus molle* var. Areira (Anacardiaceae) en *Tribolium castaneum* Herbst. (Insecta, Coleoptera, Tenebrionidae), plaga de grano almacenado. Tesis Doctor en Agronomía, Universidad Nacional del Sur, Bahía Blanca, Argentina. 147pp.
- ✳ Descamps, L.R.; Stefanazzi, N.; Sánchez Chopa, C. & Ferrero, A.A. 2008. Actividad biológica de extractos vegetales de *Schinus molle* var. areira (Anacardiaceae) en *Tribolium castaneum* Herbst. (Insecta, Coleoptera, Tenebrionidae), plaga de grano almacenado. *Bol. San.Veg. Plagas*, 34: 595-605.
- ✳ Devine, G.J. & Denholm, I. 2003. Insecticide and Acaricide Resistance. En: Resh, V.H. & Cardé, R.T. Encyclopedia of Insects. Academic Press. USA. 569-577pp.

- Dhaliwal, G.S. & Arora, R. 2001. Role of Phytochemicals in Integrated Pest Management. En: Koul, O & Dhaliwal, G.S. Phytochemical Biopesticides. Harwood Academic Publishers. Amsterdam. Cap. 7: 97-119.
- Díaz, C.; Pérez, M.M.; Calvo, E.; Bisset, J.A. & Fresneda, M. 2000. Resistencia a insecticidas en cepas de terreno de la especie *Blattella germanica* procedentes de Santiago de Cuba. Rev. Cubana Med. Trop., 52(1):24-30.
- Díaz, C.; Bisset, J.A. & Dagoberto, E. 2003. Estado de la resistencia a insecticidas en cepas de terreno de la especie *Blattella germanica* (Dictyoptera: Blattellidae) procedentes del municipio Pinar del Río. Rev. Cubana Med. Trop., 55(3):196-202.
- Díaz, C.; Quesada, S.; Brenes, O.; Aguilar, G. & Cicció, J.F. 2008. Chemical composition of *Schinus molle* essential oil and its cytotoxic activity on tumour cell lines. Nat. Prod. Res., 22(17): 1521-1534.
- Dicke, M.; Sabelis, M.W.; Takabayashi, J.; Bruun, J. & Posthumus, M.A. 1990. Plant Strategies of Manipulating Predator-Prey Interactions Through Allelochemicals: Prospects for Application in Pest Control. J. Chem. Ecol., 16(11): 3091-3118.
- Dikshit, A.; Naqvi, A.A.; & Husain, A. 1986. *Schinus molle*: a New Source of Natural Fungitoxicant. Applied and Environmental Microbiology, 51(5): 1085-1088.
- Dixon, R.A. 2001. Natural products and plant disease resistance. Nature, 411: 843-847.
- Dua, V.K.; Pandey, A.C.; Singh, V.; Sharma, V.P. & Subbarao, S.K. 2003. Isolation of repellent ingredients from *Lantana camara* (Verbenaceae) flowers and their repellency against Aedes mosquitoes. J. Appl. Ent., 127, 509–511.
- Duke, J.A. 2009. Duke's handbook of medicinal Plants of Latin America. CRC Press, Boca Raton, EEUU. 910pp.
- Duke, S.O. 1992. Natural pesticides from plants. Technical Reviews from the UC Sustainable Agriculture Research and Education Program. 3(1): 6-7.
- Durbin, E.J. & Cochran, D.G. 1985. Food and water deprivation effects on reproduction in female *Blattella germanica*. Entomol. Exp. Appl., 37: 77-82.
- Durier, V. & Rivault, C. 2000. Learning and foraging efficiency in German cockroaches *Blattella germanica* (L.) (Insecta: Dictyoptera). Anim. Cogn., 3: 139-145.

- ▣ Durier, V. & Rivault, C. 2001. Effects of spatial knowledge and feeding experience on foraging choices in German cockroaches. *Anim. Behav.*, 62: 681-688.
- ▣ Ebeling, W. 1975. Pests On or Near Food. En: Ebeling, W. *Urban Entomology*. University of California Division of Agricultural Sciences, Berkeley, EEUU. Cap. 6: 217-274.
- ▣ Eckart, E. 2008. Solanaceae and Convolvulaceae: Secondary Metabolites. Springer, Berlín, Alemania. 637pp.
- ▣ Egea, E.; Garavito, G.; San Juan, H. & Blanco, A. 1999. Hipersensibilidad a los alérgenos de la cucaracha en una muestra de pacientes asmáticos de la ciudad de Barranquilla. *Rev. Asoc. Colomb. Alerg. Inmunol.*, 8(2): 9-13.
- ▣ Eland, S. 2008. http://www.plantlives.com/docs/S/Solanum_elaeagnifolium.pdf.
- ▣ El-Shazly, A.M. & Hussein, K.T. 2004. Chemical analysis and biological activities of the essential oil of *Teucrium leucocladum* Boiss. (Lamiaceae). *Biochem. Syst. Ecol.*, 32: 665–674.
- ▣ European and Mediterranean Plant Protection Organization (OEPP/EPPO). 2007. *Solanum elaeagnifolium*, Bulletin OEPP/EPPO, 37: 236-245.
- ▣ Ezeonu, F.C.; Chidume, G.I. & Udedi, S.C. 2001. Insecticidal properties of volatile extracts of orange peels. *Bioresource Technol.*, 76: 273-274.
- ▣ Ezouno, E. 2001. Insecticidal activity of essential oils: octopaminergic sites of action. *Comp. Biochem. Phys. C.*, 130(3): 325-337.
- ▣ Fathpour, H.; Emtiazi, G. & Ghasemi, E. 2003. Cockroaches as Reservoirs and Vectors of Drug Resistant *Salmonella* spp. *IBJ*, 7(1): 35-38.
- ▣ Fathpour, H.; Noori, A. & Zeinali, B. 2007. Effects of a juvenoid pyriproxyfen on reproductive organ development and reproduction in German cockroach (Dictyoptera: Blattellidae). *Iranian Journal of Science & Technology, Transaction A*, 31(A1): 89-98.
- ▣ Faulde, M.K.; Schärnghausen, J.J. & Cavaljuga, S. 2006. Toxic and behavioural effects of different modified diatomaceous earths on the German cockroach, *Blattella germanica* (L.) (Orthoptera: Blattellidae) under simulated field conditions. *J. Stored Prod. Res.*, 42(3): 253-263.
- ▣ Fernandez, J.; Olano, I.; Vero, S.; Cerdeiras, M.P.; Vázquez, A & Soubes, M. 1996. Actividad antimicrobiana de plantas medicinales autóctonas. 3er Encuentro Nacional de Microbiólogos, Montevideo, Uruguay. Resumen 45p.

- ☒ Ferrero, A.A.; Werdin González, J.O. & Sánchez Chopa, C. 2006. Biological activity of *Schinus molle* on *Triatoma infestans*. Fitoterapia 77: 381–383.
- ☒ Ferrero, A.; Minetti, A.; Bras, C. & Zanetti, N. 2007. Acute and subacute toxicity evaluation of ethanolic extract from fruits of *Schinus molle* in rats. J. Ethnopharmacol., 113(3): 441-447.
- ☒ Fleig, M. 1981. A familia Anacardiaceae no Rio Grande do sul, Brazil. Iheringia, 28: 141-155.
- ☒ Foster, S.P. & Harris, M.O. 1997. Behavioral Manipulation Methods for Insect Pest-Management. Ann. Rev. Entomol., 42: 123-146.
- ☒ Fournet, A.; Rojas de Arias, A.; Charles, B. & Bruneton, J. 1996. Chemical constituents of essential oils of Mufia, Bolivian plants traditionally used as pesticides, and their insecticidal properties against Chagas' disease vectors. J. Ethnopharmacol., 52: 145-149.
- ☒ Friedman, M.; Rayburn, J.R. & Bantle, J.A. 1992. Structural relationships and developmental toxicity of Solanum alkaloids in the frog embryo teratogenesis assay Xenopus. J. Agric. Food. Chem., 40: 1617-1624.
- ☒ Fritz, R.S & Simms, E.L. 1992. Plant resistance to herbivores and pathogens: ecology, evolution, and genetics. University of Chicago Press, EEUU. 590 pp.
- ☒ Gadek, P.A.; Fernando, E.S.; Quinn, C.J.; Hoot, S.B.; Terrazas, T.; Sheahan, M.C. & Chase, M.W. 1996. Sapindales: Molecular delimitation and infraordinal groups. Am. J. Bot., 83: 802-811.
- ☒ Gebre-Amlak, A. & Azerefegne, F. 1999. Insecticidal activity of chinaberry, endod and pepper tree against the maize stalk borer (Lepidoptera: Noctuidae) in Southern Ethiopia. Int. J. Pest Manage., 45(1): 9-13.
- ☒ Gee, J.M.; Wortley, G.M.; Johnson, I.T.; Price, K.R.; Rutten, A.A.J.J.L.; Houben, G.F. & Penninks, A.H. 1996. Effects of saponins and glycoalkaloids on the permeability and viability of mammalian intestinal cells and on the integrity of tissue preparations in vitro. Toxicol. in Vitro, 10 (2): 117-128.
- ☒ Georghiou, G.P. 1987. Insecticides and pest resistance: the consequences of abuse. En: 36th Faculty Research Lecturer. University of California, Riverside, 1-27.
- ☒ Gerberg, E.J & Novak, R.J. 2007. Consideration on the Use of Botanically-derived Repellent Products. En: Debboun, M.; Frances, S.P. & Strickman, D. Insect repellents: principles, methods, and uses. CRC Press, Boca Ratón, EEUU. Cap. 15: 305-310.

- ☒ Gillot, C. 2005. Insects and Humans. En: Gillot, C. Entomology. 3 ed. Springer. Netherlands. Cap. 24. 725-777.
- ☒ Goddard, J. 2008. Infectious Diseases and Arthropods. 2 ed. Humana Press. 252pp.
- ☒ Goldstein, D.J. & Coleman, R.C. 2004. *Schinus molle* L. (Anacardiaceae) Chicha Production in the Central Andes. Econ. Bot., 58(4): 523-529.
- ☒ Golob, P.; Moss, C.; Dales, M.; Fidgen, A.; Evans, J. & Gudrups, I. 1999. The use of species and medicinals bioactive protectans for grains. FAO Agric. Serv. Bull. N° 137. Roma, Italia.
- ☒ Gomes, D.H.P.; Silva, R.deC.; Potenza, M.R.; Oliveira, R.C.G.; Ferreira, L.A.deA. & Sakita, M.N. 2004. Avaliação de óleos essenciais de eucalyptus spp. para o controle de *Sitophilus zeamais* (COLEOPTERA: CURCULIONIDAE) e *Blattella germanica* (DICTYOPTERA: BLATTELLIDAE). Arq. Inst. Biol., 71(supl.), P024.
- ☒ González-Coloma, A.; Reina, M.; Cabrera, R; Castañera, P. & Gutierrez, C. 1995. Antifeedant and toxic effects of sesquiterpenes from *Senecio palmensis* to colorado potato beetle. J. Chem. Ecol., 21(9): 1255-1270.
- ☒ Graczyk, T.K.; Knight, R. & Tamang, L. 2005. Mechanical Transmission of Human Protozoan Parasites by Insects. Clin. Microbiol. Rev., 18(1): 128–132.
- ☒ Grandcolas, P. 1996. The phylogeny of cockroach families: a cladistic appraisal of morpho-anatomical data. Can. J. Zool., 74: 508-527.
- ☒ Grandcolas, P. 1999. El origen de la diversidad en las cucarachas: perspectiva filogenética de su gregarismo, reproducción, comunicación y ecología. Bol. S.E.A., 26: 397-420.
- ☒ Green, J.D.; Murray, D.S. & Verhalen, L.M. 1987. Full-Season Interference of Silverleaf Nightshade (*Solanum eleagnifolium*) with cotton (*Gossypium hirsutum*). Weed Sci., 35:813-818.
- ☒ Grimaldi, D. 2001. Insect evolutionary history from Handlirsch to Hennig, and beyond. J. Paleontol., 75(6): 1152-1160.
- ☒ Gruchalla, R.S.; Pongracic, J.; Plaut, M.; Evans, R.; Visness, C.M.; Walter, M.; Crain, E.F.; Kattan, M.; Morgan, W.J.; Steinbach, S.; Stout, J.; Malindzak, G.; Smartt, E. & Mitchell, H. 2005. Inner City Asthma Study: Relationship among sensitivity, allergen exposure, and asthma morbidity. J. Allergy Clin. Immunol., 115(3): 478-485.

- ☒ Gullan, P.J. & Cranston, P.S. 2005. The Insects. An outline of entomology. 3ed. Blackwell Ltd. United Kingdom. 529pp.
- ☒ Gundinza, M. 1993. Antimicrobial activity of essential oil from *Schinus molle*. Central African J. Medic., 39: 231-234.
- ☒ Gupta, M. 1995. 270 Plantas medicinales Ibero-americanas. Convenio Andres Bello, Colombia, 617 pp.
- ☒ Habes, D.; Morakchi, S.; Aribi, N; Farine, J.P. & Soltani, N. 2006. Boric acid toxicity to the German cockroach, *Blattella germanica*: Alterations in midgut structure, and acetylcholinesterase and glutathione S-transferase activity. Pestic. Biochem. Phys., 84: 17–24.
- ☒ Hamilton, R.L. & Schal, C. 1988. Effects of Dietary Levels on Reproduction and Food Consumption in the German Cockroach (Dictyoptera: Blattellidae). Ann. Entomol. Soc. Am., 81(6): 960-976.
- ☒ Hanna, A.G.; Elgamal, M.H.A. & Yassin, F.Y. 1996. Occurrence of Solanum Glycoalkaloids and Alkalines *S. elaeagnifolium* Cav Solanelagnine (solasodine). Fitoterapia, 67:223.
- ☒ Haston, E.; Richardson, J.E.; Stevens, P.F.; Chase, M.W. & Harris, D.J. 2009. The Linear Angiosperm Phylogeny Group (LAPG) III: a linear sequence of the families in APG III. Bot. J. Linn. Soc., 161: 128–131.
- ☒ Hayouni, E.A.; Chraief, I.; Abedrabba, M.; Bouix, M.; Leveau, J.Y.; Mohammed, H. & Hamdi, M. 2008. Tunisian *Salvia officinalis* L. and *Schinus molle* L. essential oils: Their chemical compositions and their preservative effects against *Salmonella* inoculated in minced beef meat. Int. J. Food Microbiol., 125(3): 242-251.
- ☒ Heal, R.E.; Nash, K.B. & Williams, M. 1953. An insecticide-resistant strain of the German cockroach from Corpus Christi, Texas. J. Econ. Entomol. 46: 385-386.
- ☒ Hemingway, J.; Small, G.J. & Monro, A.G. 1993. Possible mechanisms of organophosphate and carbamate insecticides resistance in german cockroach (Dictyoptera: Blattellidae) from different geographical areas. J. Econ. Entomol., 86: 1623-1630.
- ☒ Henrick, C.A. 1995. Juvenoids. En: Godfrey, C.R.A. Agrochemicals from natural products. Marcel Dekker, Nueva York, EEUU. Cap 3: 147-213.
- ☒ Holbrook, G.L.; Armstrong, E.; Bachmann, J.A.S.; Deasy, B.M. & Schal, C. 2000. Role of feeding in the reproductive “group effect” in females of the German cockroach *Blattella germanica* (L.). J. Insect Physiol., 46: 941-949.

- ▣ Huang, Y.; Tan, J.M.W.L.; Kini, R.M. & Ho, S.H. 1997. Toxic and Antifeedant Action of Nutmeg Oil Against *Tribolium castaneum* (Herbst) and *Sitophilus zeamais* Motsch. J. Stored Prod. Res., 33(4): 289-298.
- ▣ Huang, Y.; Lam, S.L. & Ho, S.H. 2000. Bioactivities of essential oil from *Ellateria cardamomum* (L.) Maton. to *Sitophilus zeamais* Motschulscky and *Tribolium castaneum* (Herbst). J. Store Prod. Res., 36: 107-117.
- ▣ Hummelbrunner, L.A. & Isman, M.B. 2001. Acute, Sublethal, Antifeedant, and Synergistic Effects of Monoterpene Essential Oil Compounds on the Tobacco Cutworm, *Spodoptera litura* (Lep., Noctuidae). J. Agric. Food Chem., 49: 715-720.
- ▣ Hunziker, A.T. 2001. Genera Solanacearum: the genera of Solanaceae illustrated, arranged according to a new system. Koeltz Scientific Books, Germany. 46-85.
- ▣ Iannacone, O.J. & Lamas, M.G. 2003. Efectos toxicológicos de extractos de molle (*Schinus molle*) y lantana (*Lantana camara*) sobre *Chrysoperla externa* (NEUROPTERA: CHRYSOPIDAE), *Trichogramma pictoi* (HYMENOPTERA: TRICHOGRAMMATIDAE) y *Copidosoma koehleri* (HYMENOPTERA: ENCYRTIDAE) en el Perú. Agric. Téc., 63(4): 347-360.
- ▣ Inazuka, S. 1982. New methods of evaluation for cockroach repellents and repellency of essential oils against German cockroach (*Blattella germanica* L.). J. Pestic. Sci., 7(2): 133-143.
- ▣ Inazuka, S. 1983. Monoterpenoids as repellents against the German Cockroach (*Blattella germanica* L.). J. Pestic. Sci., 8(3): 293-299.
- ▣ Inouye, S. 2003. Laboratory evaluation of gaseous essential oils (Part 2). The International Journal of Aromatherapy, 13(4): 173-184.
- ▣ Isman, M.B.; Koul, O.; Luczynski, A. & Kaminskis, J. 1990. Insecticidal and Antifeedant Bioactivities of Neem Oils and Their Relationship to Azadirachtin Content. J. Agric. Food Chem., 38(6): 1406-1411.
- ▣ Isman, M.B. 2000. Plant essential oils for pest and disease management. Crop Prot., 19:603-608.
- ▣ Isman, M. 2002. Insect Antifeedants. Pesticide Outlook, 152-157.
- ▣ Isman, M.B. 2006. Botanical Insecticides, Deterrents, and Repellents in Modern Agriculture and an Increasingly Regulated World. Annu. Rev. Entomol., 51: 45-66.

- ☒ Isman, M.B. & Machial, C.M. 2006. Pesticides based on plant essential oils: from traditional practice to commercialization. En: Rai, M. & Carpinella, M.C. Naturally Occurring Bioactive Compounds. Elsevier B. V., Netherlands. Cap. 2: 29-44.
- ☒ Isman, M.B. & Akhtar, Y. 2007. Plant Natural Products as a Source Developing Environmentally Acceptable Insecticides. En: Ishaaya, I.; Nauen, R. & Horowitz, R. Insecticides Design Using Advanced Technologies. Springer-Verlag Berlin. Cap. 10: 235-249.
- ☒ Jaenson, T.G.T.; Palsson, K. & Borg-Karlson, A.K. 2005. Evaluation of extracts and oils of tick-repellent plants from Sweden. *Med. Vet. Entomol.*, 19: 345–352.
- ☒ Jang, Y.S.; Yang, Y.C.; Choi, D.S. & Ahn, Y.J. 2005. Vapor Phase Toxicity of Marjoram Oil Compounds and Their Related Monoterpenoids to *Blattella germanica* (Orthoptera: Blattellidae). *J. Agric. Food Chem.*, 53: 7892-7898.
- ☒ Jaramillo, G.I.; Córdoba, H.; Armbrecht, I. & Suárez, M. 1999. Biología de las cucarachas: agentes sensibilizantes. 25pp.
- ☒ Jeanson, R.; Rivault, C.; Deneubourg, J.L.; Blanco, S.; Fournier, R.; Jost, C. & Theraulaz, G. 2005. Self-organized aggregation in cockroaches. *Anim. Behav.*, 69: 169-180.
- ☒ Jones, S.A. & Raudenheimer, D. 2001. Nutritional regulation in nymphs of the German cockroach, *Blattella germanica*. *J. Insect Physiol.*, 47: 1169-1180.
- ☒ Jossen, R.A. 2001. Cucarachas y asma bronquial. *Archivos de Alergia e Immunología Clínica*, 32(2): 83-88.
- ☒ Juárez de Varela, F. & Novara, L.J. 2007. Anacardiaceae Lindl, Flora del Valle de Lerma. *Aportes Botánicos de Salta - Ser. Flora.*, 8(6): 1-28.
- ☒ Jung, W.C.; Jang, Y.S.; Hieu, T.T.; Lee, C.K. & Ahn, Y.J. 2007. Toxicity of *Myristica fragrans* seed compounds against *Blattella germanica* (Dictyoptera: Blattellidae). *J. Med. Entomol.*, 44(3): 524-529.
- ☒ Kallersjo, M.; Farns, J.S.; Chase, M.W.; Bremer, B.; Fay, M.F.; Humphries, C.J.; Petersen, G.; Seberg, O. & Bremer, K. 1998. Simultaneous parsimony jackknife analysis of 2538 *rbcL* DNA sequences reveals support for major clades of green plants, land plants, seed plants and flowering plants. *Pl. Syst. Evol.*, 213: 259-287.
- ☒ Kambhampati, S. 1995. A phylogeny of cockroaches and related insects based on DNA sequence of mitochondrial ribosomal RNA genes. *Proc. Natl. Acad. Sci.*, 92: 2017-2020.

- ☒ Karban, R. & Baldwin, I.T. 1997. Induced responses to herbivory. University of Chicago Press, EEUU. 330pp.
- ☒ Karr, L.L. & Coats, J.R. 1992. Effects of Four Monoterpoids on Growth and Reproduction of the German Cockroach (Blattodea: Blattellidae). *J. Econ. Entomol.*, 85(2): 424-429.
- ☒ Katsvanga, C.A.; Tafirei, R.T.; Nyakudya, I.W & Moyo, M. 2006. Effect of Extraction Temperature and Dilution of *Solanum panduriforme* in Aphid (*Brevicoryne brassicae*) Control. *Journal of Sustainable Development in Africa*, 8(1): 223-228.
- ☒ Kawada, H.; Senbo, S. & Abe, Y. 1992. Effects of pyriproxyfen on the reproduction of the housefly, *Musca domestica*, and the German cockroach, *Blattella germanica*. *Jpn. J. Sanit. Zool.*, 43(3): 169-175.
- ☒ Kells, S.A.; Vogt, J.T.; Appel, A.G. & Bennet, G.W. 1999. Estimating nutritional status of German cockroaches, *Blattella germanica* (L.) (Dictyoptera: Blattellidae), in the field. *J. Insect Physiol.*, 45: 709-717.
- ☒ Kettle, D.S. 1995. Medical and Veterinary Entomology. 2 ed., Cab International, UK. 725pp.
- ☒ Keukens, E.A.J.; de Vrije, T.; van den Boom, C.; de Waard, P; Plasman, H.H.; Thiel, F; Chupin, V.; Jongen, W.M.F. & de Kruijff, B. 1995. Molecular basis of glycoalkaloid induced membrane disruption. *Biochimica et Biophysica Acta (BBA) – Biomembranes*, 1240(2): 216-228.
- ☒ King, J.E. & Bennett, G.W. 1991. Sensitive developmental period of last-instar German cockroaches (Dictyoptera: Blattellidae) to fenoxy carb and hydroprene. *J. Med. Entomol.*, 28(4): 514-517.
- ☒ Klass, K.D. & Meier, R. 2006. A phylogenetic analysis of Dictyoptera (Insecta) based on morphological characters. *Entomologische Abhandlungen*, 63(1-2): 3-50.
- ☒ Klocke, J.A. & Kubo, I. 1991. Defense of plants through regulation of insect feeding behavior. *Flo. Entomol.*, 74: 18-23.
- ☒ Knapp, S.; Bohs, L.; Nee, M. & Spooner, D. M. 2004. Solanaceae - a model for linking genomics with biodiversity. *Comp. Funct. Genom.*, 5: 285-291.
- ☒ Knapp, S. 2007. Typification of *Solanum* (Solanaceae) species described by Martín de Sessé y Lacasta and José Mariano Mociño. *Anales del Jardín Botánico de Madrid*, 65(1): 7-23.

- ☒ Kondratieff, B.C. & Black IV, W.C. 2005. The Arthropods. En: Marquardt, W. C. Biology of Disease Vectors. 2ed. Elsevier Academic Press. UK. Cap. 1: 3-7.
- ☒ Kopanic, R.J.; Holbrook, G.L.; Sevala, V. & Schal, C. 2001. An adaptative benefit of facultative cockroach *Blattella germanica*. Ecol. Entomol., 26: 154-162.
- ☒ Koppenhöfer, A.M. & Kaya, H.K. 2002. Entomopathogenic Nematodes and Insect Pest Management. En: Koul, O. & Dhaliwal, G.S. Microbial Biopesticides. Taylor & Francis, New York, EEUU. Cap 8: 277-305.
- ☒ Koul, O. & Dhaliwal, G.S. 2002. Microbial Biopesticides: An Introduction. En: Koul, O. & Dhaliwal, G.S. Microbial Biopesticides. Taylor & Francis, New York. Cap 1: 1-12.
- ☒ Koul, O.; Daniewski, W.M.; Multani, J.S.; Gumulka, M. & Singh, G. 2003. Antifeedant Effects of the Limonoids from *Entandrophragma candolei* (Meliaceae) on the Gram Pod Borer, *Helicoverpa armigera* (Lepidoptera: Noctuidae). J. Agric. Food Chem., 51: 7271-7275.
- ☒ Koul, O. 2005. Insect Antifeedants. CRC Press LLC. USA. 559 pp.
- ☒ Kubo, I. 2006. New concept to search for alternate insect control agents from plants. En: Rai, M. & Carpinella, M.C. Naturally Occurring Bioactive Compounds. Elsevier B. V. Netherlands. Cap. 4: 61-81.
- ☒ Kunkel, J.G. 1966. Development and the availability of food in the German cockroach, *Blattella germanica* (L.). J. Insect Physiol., 12: 227-235.
- ☒ Lajide, L.; Escoubas, P. & Mizutani, J. 1993. Antifeedant Activity of Metabolites of *Aristolochia albida* against the Tobacco Cutworm, *Spodoptera litura*. J. Agric. Food Chem., 41: 669-673.
- ☒ Laurent, D.L.; Vilaseca, A.; Chantraine, J.M.; Ballivian, C.; Saavedra, G. & Ibañez, R. 1997. Insecticidal Activity of Essential Oils on *Triatoma infestans*. Phytother. Res., 11: 285-290.
- ☒ Lee, C.Y.; Yap, H.H. & Chong, N.L. 1996. Insecticide resistance and synergism in field collected German cockroaches (Dictyoptera: Blattellidae) in Peninsular Malaysia. B. Entomol. Res., 86: 675-682.
- ☒ Lee, H.L.; Tien, W.D. & Omar, B. 1997. Insecticide resistance status and mechanisms in malaysian *Blattella germanica* (Linnaeus). Southeast Asian J Trop Med Public Health., 28(1): 212-217.
- ☒ Lee, S.; Peterson, C.J. & Coats, J.R. 2003. Fumigation toxicity of monoterpenoids to several stored product insects. J. Store Prod. Res., 39: 77-85.

- Levin, R.A.; Myers, N.R. & Bohs, L. 2006. Phylogenetic relationships among the "spiny solanums" (*Solanum* subgenus *Leptostemonum*, Solanaceae). Am. J. Bot., 93:157-169.
- Lewis, S.A.; Weiss, S.T.; Platts-Mills, T.A.E.; Burge, H. & Gold, D.R. 2002. The role of indoor allergen sensitization and exposure in causing morbidity in women with asthma. Am. J. Resp. Crit. Care., 165(7): 961-966.
- Leyva, S.M.; Tacoronte, J.E. & Marquetti Fernández, M. del C. 2007. Composición química y efecto letal del aceite esencial de *Pimenta racemosa* (Myrtales: Myrtaceae) sobre *Blattella germanica* (Dictyoptera: Blattellidae) Rev. Cubana Med. Trop., 59(2).
- Liang, D. & Schal, C. 1993. Calling behaviour of the female German cockroach *B. germanica* (L.) (Dictyoptera: Blattellidae). J. Insect. Behav., 6: 603-614.
- Liu, Z.L. & Ho, S.H. 1999. Bioactivity of the essential oil extracted from *Evodia rutaecarpa* Hook f. et Thomas against the grain storage insects, *Sitophilus zeamais* Motsch. and *Tribolium castaneum* (Herbst). J. Store Prod. Res., 35: 317-328.
- Liu, Z.L.; Valles, S.M. & Dong, K. 2000. Novel point mutations in the German cockroach para sodium channel gene are associated with knockdown resistance (kdr) to pyrethroid insecticides. Insect Biochem. Molec., 30: 991-997.
- Liu, Z.L.; Xu, Y.J.; Wu, J.; Goh, S.H. & Ho, S.H. 2002. Feeding Deterrents from *Dictamnus dasycarpus* Turcz Against Two Stored-Product Insects. J. Agric. Food Chem., 50(6): 1447-1450.
- Lizarralde de Grossio, M. & Córdoba Lanus, A.E. 2001. Cucarachas (Blattaria). En: Salomón, O.D. (Compilador) Actualización en artropodología sanitaria argentina. Serie Enfermedades Transmisibles. Fundación Mundo Sano, Buenos Aires, Argentina. 265-268.
- Lopes, R.B. & Alves, S.B. 2005. Effect of *Gregarina* sp. Parasitism on the susceptibility of *Blattella germanica* to some control agents. J. Invertebr. Pathol., 88: 261-264.
- Lourens, A.C.U.; Reddy, D.; Baser, K.H.C.; Viljoen, A.M. & Van Vuuren, S.F. 2004. In Vitro biological activity and essential oil composition of tour indigenous South African *Helichrysum* species. J. Ethnopharmacol., 95: 253-258.
- Luna, J. de S.; dos Santos, A.F.; de Lima, M.R.F.; de Omena, M.C.; de Mendonc, F.A.C.; Bieber, L.W. & Sant'Ana, A.E.G. 2005. A study of the larvicidal and molluscicidal activities of some medicinal plants from northeast Brazil. J. Ethnopharmacol., 97: 199–206.

- ☒ Mabberley, D.J. 1997. The plant-book: a portable dictionary of the vascular plants utilizing Kubitzki's The families and genera of vascular plants (1990-), Cronquist's An integrated system of classification of flowering plants (1981), and current botanical literature, arranged largely on the principles of editions 1. 2ed. Cambridge University Press, 858 pp.
- ☒ Machado, D.G.; Bettio, L.E.; Cunha, M.P.; Santos, A.R.; Pizzolatti, M.G.; Brighente, I.M. & Rodrigues, A.L. 2008. Antidepressant-like effect of rutin isolated from the ethanolic extract from *Schinus molle* L. in mice: evidence for the involvement of the serotonergic and noradrenergic systems. Eur. J. Pharmacol., 587(1-3): 163-168.
- ☒ Maiti, R.K.; Villareal, L.; Treviño, R.A. & Valades-Cerda, V.M.C. 2002. Some aspects on pharmacognosy of ten species of the family Solanaceae utilized in traditional medicine. Caldasia, 24(2): 317-321.
- ☒ Maja A. & Dorn, A. 2007. Screening of medicinal and ornamental plants for insecticidal and growth regulating activity. J. Pestic. Sci., 80: 205-215.
- ☒ Mareggiani, G. 2001. Manejo de insectos mediante sustancias semioquímicas de origen vegetal. Manejo Integrado de Plagas, 60: 22-30.
- ☒ Martin de la Guardia, A.; González Morera, T.A.; Hernández, V.M.; Campaña Castellanos, H.; Iglesias Rodríguez, G. & Marrero Terrero, A.A. 2003. Obtención de un extracto plaguicida de *Gliricidia sepium* (Jacq.) Steud bajo la irradiación de las microondas. Rev Cubana Plant Med., 8(3)
- ☒ Marzocca, A. 1976. Manual de malezas, 4ta ed. Hemisferio Sur SA, Buenos Aires, Argentina. 564pp.
- ☒ Matsumura, F. 2003. Insecticides. En: Resh, V.H. & Cardé, R.T. Encyclopedia of Insects. Academic Press. USA, 566-569.
- ☒ McGregor, P.G.; Peterson, P.G.; Berben, P.H.; Arnold, G.C. & Spurr, E.B. 2004. Antifeedant effects of diethyl toluamide and neem oil on native cave weta, cockroaches, and amphipods. Doc Science Internal Series 159, Department of Conservation, Wellington, New Zealand. 13pp.
- ☒ McGuffin, M.; Hobbs, C.; Upton, R. & Goldberg, A. 1997. Botanical Safety Handbook. CRC Press. EEUU. 256pp.
- ☒ McKittrick, F.A. 1964. Evolutionary study of cockroaches. Cornell University Agricultural Experiment Station Memoirs., 389: 1-197.
- ☒ Mekki, M. 2007. Biology, distribution and impacts of silverleaf nightshade (*Solanum elaeagnifolium* Cav.). Bulletin OEPP/EPPO 37: 114-118.

- ✳ Mendoza-Villarreal, R.; Guerrero-Rodríguez, E.; Orozco-González, C.; Lira-Saldivar, R.H.; Meráz-Reyes, S.; & Orozco-González, C. 2006. Actividad insecticida *in vitro* de extractos vegetales sobre *Brevicoryne brassicae* L. (HOMOPTERA: APHIDIDAE). <http://www.smb.org.mx/XXVICONGRESO/text/Cartel/Lunes/Lu061.pdf>.
- ✳ Mensinga, T.T.; Adrienne, J.A.M.; Sips, C.J.M.; Rompelberg, K.T.; Jan, M.; Hester, J.T. & Hans, P.E. 2005. Potato glycoalkaloids and adverse effects in humans: an ascending dose study. *Regul. Toxicol. Pharm.*, 41(1): 66-72.
- ✳ Mill, P.J. 1985. Structure and physiology of the respiratory system. En: Kerkut, G.A. & Gilbert, L.I. *Comprehensive insect physiology, biochemistry and pharmacology*. Pergamon, Oxford, United Kingdom, Vol. 3: 517-593.
- ✳ Mkula, P.N. 2006. Allelopathic interference of silverleaf nightshade (*Solanum elaeagnifolium* Cav.) with the early growth of cotton (*Gossypium hirsutum* L.). Thesis MSc (Agric) Agronomy: Weed Science, Department of Plant Production and Soil Science, University of Pretoria. Pretoria. 112pp.
- ✳ Mlso, W.R.; Qureshi, A.H.; Khan, I.A. & Hussain, S. 2005. Frequency of Different Species of Cockroaches in Tertiary Care Hospital and their Role in Transmission of Bacterial Pathogens. *Pakistan Journal of Medical Research*, 44(4): 143-148.
- ✳ Mohan, L.; Sharma, P. & Srivastava, C.N. 2007. Comparative efficacy of *Solanum xanthocarpum* extracts alone and in combination with a synthetic pyrethroid, Cypermethrin, against malaria vector, *Anopheles stephensi*. *Southeast Asian J. Trop. Med. Public Health*, 38(2): 256-260.
- ✳ Molina-Salinas, G.M.; Pérez-López, A.; Becerril-Montes, P.; Salazar-Aranda, R.; Said-Fernández, S. & de Torres N.W. 2007. Evaluation of the flora of northern Mexico for *in vitro* antimicrobial and antituberculosis activity. *J. Ethnopharmacol.*, 109(3): 435-441.
- ✳ Morallo-Rejesus, B. 1986. Botanical Insecticides Against the Diamondback Moth *Plutella xylostella*. En: Griggs, T.D. *Diamondback Moth Management; Proceedings of the First International Workshop*, Taiwán, 241-256.
- ✳ Mpuchane, S.; Matsheka, I.M.; Gashe, B.A.; Allotey, J.; Murindamombe, G. & Mrema, N. 2006. Microbiological studies of cockroaches from three localities in Gaborone, Botswana. *African Journal of Food Agriculture Nutrition and Development*, 6(2): 1-17.
- ✳ Mulla, M.S. & Su, T. 1999. Activity and Biological effects of neem products against arthropods of medical and veterinary importance. *J. Am. Mosquito Contr.*, 15(2): 133-152.

- ✳ Murray, A.P.; Frontera, M.A.; Tomas, M.A. & Mulet, M.C. 2005. Gas chromatography-Mass spectrometry study of the essential oil of *Schinus longifolia* (Lindl.) Speg., *Schinus fasciculate* (Griseb.) I. M. Johnst., and *Schinus areira* L. Z. Naturforsch., 60c: 25-29.
- ✳ Muthukrishnan, J. & Pushpalatha, E. 2001. Effects of plant extracts on fecundity and fertility of mosquitoes. J. Appl. Ent., 125: 31-35.
- ✳ Nicolescu, G.; Ciulacu-Purcarea, V.; Vladimirescu, A.; Hoanca, D.; Rosu, A. & Chicioraga, S. 2000. Screening of some romanian plants for their activity against medically important insects. Rom. Arch. Microbiol. Inmunol., 59(3): 227-236.
- ✳ Nigra, H.M.; Alvarez, M.A. & Giulietti, A.M. 1990. Effect of carbon and nitrogen sources on growth and solasodine production in batch suspension cultures of *Solanum eleagnifolium* Cav. Plant Cell, Tissue and Organ Culture, 21(1): 55-60.
- ✳ Nojima, S.; Nishida, R. & Kuwahara, Y. 1999. Nuptial Feeding Stimulants: A Male Courtship Pheromone of the German Cockroach, *Blattella germanica* (L.) (Dictyoptera: Blattellidae). Naturwissenschaften 86: 193–196.
- ✳ Nojima, S.; Sakuma, M.; Nishida, R. & Kuwahara, Y. 1999a. A Glandular Gift in the German Cockroach, *Blattella germanica* (L.) (Dictyoptera: Blattellidae): The Courtship Feeding of a Female on Secretions from Male Tergal Glands. J. Insect Behav., 12(5): 627-640.
- ✳ Novo, R.J.; Viglianco, A. & Nassetta, M. 1997. Actividad repelente de diferentes extractos vegetales sobre *Tribolium castaneum* (Herbst). Agriscientia XIV, 31-36.
- ✳ Olivas Sánchez, M.P. 1999. Plantas medicinales del Estado de Chihuahua. Universidad Autónoma de Ciudad Juárez, Méjico. 127pp.
- ✳ Omar, S.; Marcotte, M.; Fields, P.; Sánchez, P.E.; Poveda, L.; Mata, R.; Jiménez, A.; Durst, T.; Zhang, J.; Mackinnon, S.; Leaman, D.; Arnason, J.T. & Philogène, B.J.R. 2007. Antifeedant activities of terpenoids isolated from tropical Rutales. J. Stored Prod. Res., 43: 92-96.
- ✳ Omolo, M.O.; Okinyo, D.; Ndierge, I.O.; Lwandeb, W. & Hassanalib, A. 2005. Fumigant toxicity of the essential oils of some African plants against *Anopheles gambiae* sensu stricto. Phytomedicine, 12: 241–246.
- ✳ Ono, M.; Yamashita, M.; Mori, K.; Masuoka, C.; Eto, M.; Kinjo, J.; Ikeda, T.; Yoshimitsu, H. & Nohara, T. 2008. Sesquiterpenoids, Triterpenoids, and Flavonoids from the Fruits of *Schinus molle*. Food Sci. Technol. Res., 14(5): 499-508.

- ☒ Ortega Tamayo, C. & Ortega, M. 2000. Cucarachas como alérgenos en niños atópicos. Revista Venezolana de Alergia, Asma e Inmunología, 2: 1-5.
- ☒ Pai, H.H.; Ko, Y.C. & Chen, E.R. 2003. Cockroaches (*Periplaneta americana* and *Blattella germanica*) as potential mechanical disseminators of *Entamoeba histolytica*. Acta Trop., 87: 355-359.
- ☒ Pai, H.H.; Chen, W.C. & Peng, C.F. 2004. Cockroaches as potential vectors of nosocomial infections. Infect. Cont. Hosp. Ep., 25(11): 979-984.
- ☒ Pai, H.H.; Chen, W.C. & Peng, C.F. 2005. Isolation of bacteria with antibiotic resistance from household cockroaches (*Periplaneta americana* and *Blattella germanica*). Acta Trop., 93: 259-265.
- ☒ Paniego, N.B.; Talou J.R. & Giulietti, A.M. 1995. Influence of fungal elicitors on solasodine production by suspension cultures of *Solanum eleagnifolium*. Fitoterapia, 66(2): 162-166.
- ☒ Parmar, B.S. & Walia, S. 2001. Prospect and problems of Phytochemical Biopesticides. En: Koul, O & Dhaliwal, G.S. Phytochemical Biopesticides. Harwood Academic Publishers. Amsterdam. Cap. 9.: 133-211.
- ☒ Parodi, L.R. 1964. Las malezas invasoras de los cultivos. En: Parodi, L.R. Enciclopedia Argentina de Agricultura y Jardinería. 3 ed. Vol II, 1º parte. ACME. Buenos Aires, Argentina. Cap. 10: 201-323.
- ☒ Parsons, J.; Giulietti, A.M. & Rodríguez Talou, J. 2006. Efecto de la Elicitación en la Síntesis de Solasodina en Cultivos de Raíces Transfomadas de *Solanum eleagnifolium* Cav. Acta Farm. Bonaerense, 25(3): 414-420.
- ☒ Pascual-Villalobos, M.J. 1998. Repelencia, inhibición del crecimiento y toxicidad de extractos vegetales en larvas de *Tribolium castaneum* Herbst. (Coleóptera: Tenebrionidae). Bol. San. Veg. Plagas, 24: 143-154.
- ☒ Pascual-Villalobos M.J. & Robledo, A. 1998. Screening for anti-insect activity in Mediterranean plants. Ind. Crop. Prod., 8: 183-194.
- ☒ Pascual-Villalobos, M.J. & Robledo, A. 1999. Anti-insect activity of plant extracts from the wild flora in southeastern Spain. Biochem. Syst. Ecol., 27: 1-10.
- ☒ Pavela, R.; Vrchotová, N. & Šerá, B. 2008 Growth inhibitory effect of extracts from *Reynoutria* sp. plants against *Spodoptera littoralis* larvae. Agrociencia, 42: 573-584.

- ✳ Pell, S.K. 2004. Molecular systematics of the cashew family (ANACARDIACEAE). The Department of Biological Sciences Louisiana State University. 207pp.
- ✳ Pérez-Pacheco, R.; Rodríguez Hernández, C.; Lara-Reyna, J.; Montes Belmont, R. & Ramírez Valverde, G. 2004. Toxicidad de aceites, esencias y extractos vegetales en larvas de mosquito *Culex quinquefasciatus* SAY (DIPTERA: CULICIDAE). Acta Zoológica Mexicana, 20(1): 141-152.
- ✳ Perzanowski, M.S.; Chew, G.L.; Aalberse, R.C. & de Blay, F. 2008. Allergic asthma. En: Bonnefoy, X.; Kampen, H. & Sweeney, K. Public Health Significance of Urban Pests. WHO Regional Office for Europe, Denmark. Cap 1: 7-52.
- ✳ Peterson, C.J.; Nemetz, L.T.; Jones, L.M. & Coats, J.R. 2002. Behavioural Activity of Catnip (Lamiaceae) Essential Oil Components to the German Cockroach (Blattodea: Blattellidae). J. Econ. Entomol., 95(2): 377-380.
- ✳ Peterson, C.; Zhu, J. & Coats, J.R. 2002a. Identification of Components of Osage Orange Fruit (*Maclura pomifera*) and Their Repellency to German Cockroaches. J. Essent. Oil Res., 14: 233-236.
- ✳ Philogène, B.J.R.; Regnault-Roger, C. & Vincent, C. 2004. Productos fitosanitarios insecticidas de origen vegetal: promesas de ayer y de hoy. En: Regnault-Roger, C.; Philogène, B.J.R. & Vincent, C. Biopesticidas de origen vegetal. Mundi-Prensa. Madrid, Espana. Cap. 1: 1-18.
- ✳ Phillips, A.K. 2008. Fumigant toxicity of several essential oils to the German cockroach (Dictyoptera: Blattellidae). The 2008 ESA Annual Meeting, November 16-19.
- ✳ Pinchin, R.; Oliveira Filho, A.; Figueredo, M.; Muller, C.; Gilbert, B.; Szumlewicz, A. & Benson, W. 1978. Screening and structure. Activity relationships of synthetic juvenile hormone analogues for *Pastrongilus megistus* a primary vector of Chagas' disease. J. Econom. Entomol., 71: 950-955.
- ✳ Piulachs, M.D. & Bellés, X. 1988. Influencia de la cópula en la duración del primer ciclo gonotrófico y en la formación de la ooteca de *Blattella germanica* (L.) (Dictyoptera: Blattellidae). Bol. San. Veg. Plagas, 14: 357-362.
- ✳ Potenza, M.R.; da Silva, R. de C.; Arthur, V.; Felicio, J.D.; Rossi, M.H. & Nakaoka Sakita, M. 2004. Avaliação de Produtos Naturais Irradiados para o controle de *Blattella germanica* (L.) (DICTYOPTERA: BLATTELLIDAE). Arq. Inst. Biol., 71(4): 485-492
- ✳ Pozzo-Balbi, T; Nobile, L; Scapini, G & Cini, M. 1978. The triterpenoid acids of *Schinus molle*. Phytochemistry, 17: 2107-2110.

- ▣ Prabakar, K. & Jebanesan, A. 2004. Larvicidal efficacy of some Cucurbitaceous plant leaf extracts against *Culex quinquefasciatus* (Say). Bioresource Technol., 95: 113-114.
- ▣ Prakash, S.; Srivastava, C.P.; Kumar, S.; Pandey, K.S.; Kaushik, M.P. & Rao, K.M. 1990. N,N-diethylphenylacetamide--a new repellent for *Periplaneta americana* (Dictyoptera: Blattidae), *Blattella germanica* and *Supella longipalpa* (Dictyoptera: Blattellidae). J. Med. Entomol., 27(6): 962-967.
- ▣ Pridgeon, J.W. & Liu, N. 2003. Overexpression of cytochrome c oxidase subunit I gene associated with a pyrethroid resistant strain of german cockroaches, *Blattella germanica* (L.). Insect Biochem. Molec., 32: 1043-1048.
- ▣ Primo Yufera, E. 1991. Ecología Química. Nuevos métodos de lucha contra insectos. Mundi-Prensa. España. 191pp.
- ▣ Promsiri, S.; Naksathit, A.; Kruatrachue, M. & Thavara, U. 2006. Evaluations of larvicidal activity of medicinal plant extracts to *Aedes aegypti* (Diptera: Culicidae) and other effects on a non target fish. Insect Science, 13: 179-188.
- ▣ Prowse, G.M.; Galloway, T.S. & Foggo, A. 2006. Insecticidal activity of garlic juice in two dipteran pests. Agricultural and Forest Entomology, 8: 1-6.
- ▣ Quesada-Moraga, E.; Santos-Quiros, R.; Valverde-García, P. & Santiago-Alvarez, C. 2004. Virulence, horizontal transmission, and sublethal reproductive effects of *Metarrhizium anisopliae* (Anamorphic fungi) on the German cockroach (Blattodea: Blattellidae). J. Invertebr. Pathol., 87: 51-58.
- ▣ Radek, R. & Fabel, P. 2000. A new Entomopoxvirus from a Cockroach: Light and Electron Microscopy. J. Invertebr. Pathol., 75:19-27.
- ▣ Rajkumar, S. & Jebanesan, A. 2004. Ovicidal activity of *Solanum trilobatum* Linn (Solanaceae) leaf extract against *Culex quinquefasciatus* Say and *Culex tritaeniorhynchus* Gile (Diptera: Culicidae). Int. J. Trop. Insect Sci., 24(4): 340-342.
- ▣ Rajkumar, S. & Jebanesan, A. 2005. Oviposition deterrent and skin repellent activities of *Solanum trilobatum* leaf extract against the malarial vector *Anopheles stephensi*. J. Insect. Sci., 5: 1-15.
- ▣ Regnault-Roger, C. 2004. ¿Nuevos fitoinsecticidas para el tercer milenio?. En: Regnault-Roger, C.; Philogène, B.J.R. & Vincent, C. Biopesticidas de origen vegetal. Mundi-Prensa. Madrid, España. Cap. 2: 19-35.
- ▣ Ripperger, H. 1998. Solanum Steroid Alkaloids- an Update. En: Pelletier, S.W. Alkaloids: Chemical and Biological Perspectives. Elsevier, Oxford, UK. 12: 103-185.

- ☒ Rivault, C. & Cloarec, A. 1991. Exploitation of food resource by the cockroach *Blattella germanica* in an urban habitat. Entomol. Exp. Appl., 61: 149-158.
- ☒ Rivault, C.; Cloarec, A. & Sreng, L. 1998. Cuticular extracts inducing aggregation in the German cockroach, *Blattella germanica* (L.). J. Insect Physiol., 44: 909-918.
- ☒ Robinson, W. & Zhai, J. 1990. Pyrethroid resistance in German cockroach. Pest Control Tech., 18 (10): 26-28.
- ☒ Robinson, W.H. 2005. Handbook of Urban Insects and Arachnids. Cambridge University Press, EEUU. 472pp.
- ☒ Rosenstreich, D.L.; Eggleston, P.; Kattan, M.; Baker, D.; Slavin, R.G.; Gergen, P.; Mitchell, H; Mcniff-Mortimer, K.; Lynn, H.; Ownby, D. & Malveaux, F. 1997. The role of cockroach allergy and exposure to cockroach allergen in causing morbidity among inner-city children with asthma. The New England Journal of Medicine, 336:1356-1363.
- ☒ Ross, M.H. & Mullins, D.E. 1995. Biology. En: Rust, M.K.; Owens, J.M. & Reierson, D.A. Understanding and Controlling the German Cockroach. Oxford University Press. EEUU. Cap. 2: 21-47.
- ☒ Roth, L.M. 1970. Evolution and taxonomic significance of reproduction in Blattaria. Ann. Entomol. Soc. Am., 62:176-208.
- ☒ Ruffa, M.J.; Ferraro, G.; Wagner, M.L.; Calcagno, M.L.; Campos, R.H. & Cavallaro, L. 2002. Cytotoxic effect of Argentine medicinal plant extracts on human hepatocellular carcinoma cell line. J Ethnopharmacol., 79(3): 335-339.
- ☒ Ruppert, E.E.; Fox, R. & Barnes, R.D. 2003. Invertebrate Zoology: a Functional Evolutionary Approach. 7 ed. Brooks Cole, EEUU. 1008pp.
- ☒ Rust, M.K. 2003. Urban Habitats. En: Resh, V.H. & Cardé, R.T. Encyclopedia of Insects. Academic Press, EEUU. 1157-1160.
- ☒ Rust, M.K. 2008. Cockroaches. En: Bonnefoy, X.; Kampen, H. & Sweeney, K. Public Health Significance of Urban Pests. WHO Regional Office for Europe, Denmark. Cap 2: 53-84.
- ☒ Ryan, M.F. 2002. Insect Chemoreception. Fundamental and Applied. Kluwer Academic Publisher. EEUU. 330pp.
- ☒ Salehzadeh, A.; Tavacol, P. & Mahjub, H. 2007. Bacterial, fungal and parasitic contamination of cockroaches in public hospitals of Hamadan, Iran. J. Vect. Borne. Dis., 44: 105–110.

- ☒ Savolainen, V.; Chase, M.W.; Hoot, S.B.; Morton, C.M.; Soltis, D.E.; Bayer, C.; Fay, M.F.; de Brujin, A.Y.; Sullivan, S. & Qiu, Y.L. 2000. Phylogenetics of flowering plants based on combined analysis of plastid *atpB* and *rbcL* sequences. *Syst. Biol.*, 49: 306-362.
- ☒ Scott, J.G. 1990. Investigating mechanisms of insecticide resistance: methods, strategies and pitfalls. En: Roush, R.T. & Tabashnik, B.E. *Pesticide Resistance In Arthropods*. Chapman and Hall, NY. 39-57.
- ☒ Scudder, G.G.E. 2009. The importance of insects. En: Fottit, R.G. & Adler, P.H. *Insect Biodiversity: Science and Society*. Wiley-Blackwell, UK. Cap. 2: 7-32.
- ☒ Schal, C. & Hamilton, R.L. 1990. Integrated suppression of synanthropic cockroaches. *Annu. Rev. Entomol.*, 35: 521-551.
- ☒ Schal, C. 1992. Sulfuramid resistance and vapor toxicity in field collected German cockroaches (Dictyoptera: Blattellidae). *J. Med. Entomol.*, 29: 207-215.
- ☒ Schal, C.; Holbrook, G.L.; Bachmann J.A.S. & Sevala, V.L. 1997. Reproductive Biology of the German Cockroach, *Blattella germanica*: Juvenile Hormone as a Pleiotropic Master Regulator. *Arch. Insect Biochem.*, 35: 405-426.
- ☒ Scharf, M.E.; Heminway, J; Reid, B.L.; Small, G.J. & Bennett, G.W. 1996. Toxicological and Biochemical Characterization of Insecticide Resistance in a Field-Collected Strain of *B. germanica* (Dictyoptera: Blattellidae). *J. Econ. Entomol.*, 89(2): 322- 331.
- ☒ Scharf, M.E.; Kaakeh, W. & Bennett, G.W. 1997. Changes in an Insecticide-Resistant Field Population of German cockroach (Dictyoptera: Blattellidae) After Exposure to an Insecticide Mixture. *J. Econ. Entomol.*, 90(1): 38- 48.
- ☒ Scheffler, I. & Dombrowski, M. 1992. Behavioural responses of German Cockroaches (*Blattella germanica* L.) induced by plants repellents. En: Otto, D. & Weber, B. *Insecticides: Mechanisms of action and resistance*. Itercept, Andover. 107-117.
- ☒ Schinini, A. & López, M.G. 2000. Nueva cita para Argentina: *Solanum paniculatum* L. (Solanaceae). *Comunicaciones Científicas y Tecnológicas*. Universidad Nacional del Nordeste, Argentina. 2pp.
- ☒ Schmourlo, G.; Mendonça-Filho, R.R.; Alviano, C.J. & Costa S.S. 2005. Screening of antifungal agents using ethanol precipitation and bioautography of medicinal and food plants. *J Ethnopharmacol.*, 96(3):563-568.
- ☒ Scholwalter T.D. 2006. *Insect ecology. An Ecosystem Approach*. 2 ed. Elsevier Inc. EEUU. 572pp

- ☒ Schoonhoven, L.M. 1982. Biological aspects of antifeedants. Entomol. Exp. Appl. 31: 57-69.
- ☒ Schoonhoven, L.M.; Jermy, T. & van Loon, J.J.A. 1998. Insect-Plant Biology. From physiology to evolution. Chapman & Hall. UK. 409pp.
- ☒ Sfara, V.; Zerba, E.N. & Alzogaray, R.A. 2009. Fumigant Insecticidal Activity and Repellent Effect of Five Essential Oils and Seven Monoterpenes on First-Instar Nymphs of *Rhodnius prolixus*. J. Med. Entomol., 46(3): 511-515.
- ☒ Sforza, R. & Jones, W.A. 2007. Potential for classical biocontrol of silverleaf nightshade in the Mediterranean Basin. Bulletin OEPP/EPPO, 37: 156-162.
- ☒ Shaaya, E. & Rafaeli, A. 2007. Essential Oils as Biorational Insecticides-potency and Mode of Action. En: Ishaaya, I.; Nauen, R. & Horowitz, R. Insecticides Design Using Advanced Technologies. Springer, Netherlands. Cap. 11: 249-262.
- ☒ Sheppard, A.W.; Shaw, R.H. & Sforza, R. 2006. Top 20 environmental weeds for classical biological control in Europe: a review of opportunities, regulations and other barriers to adoption. Weed Research, 46: 93–117.
- ☒ Sholedice, F. & Renz, M. 2006. Silverleaf Nightshade. O & T Guide W- 15, Cooperative Extension Service, College of Agriculture and Home Economics. Las Cruces, Nuevo Méjico. 2pp.
- ☒ Siegfried, B.D & Scott, J. 1992. Biochemical characterization of hydrolytic and oxidative enzymes in insecticide resistant and susceptible strains of the German cockroach. J. Econ. Entomol., 85: 1092- 1098.
- ☒ Siegfried, B.D. & Scott, J. 1995. Insecticide Resistance Mechanisms in the German cockroach, *B. germanica* (L.). En: Mullins, C.A. & Scott, J.G. Molecular Mechanisms of Insecticide Resistance. Diversity Among Insects. ACS Symposium, Washington, EEUU. Cap. 18: 218-230.
- ☒ Silva Aguayo, G. 2001. Insecticidas Vegetales. En: Radcliffe, E.B. & Hutchison, W.D. Radcliffe: Texto Mundial de MIP. Universidad de Minnesota, EEUU. <http://ipmworld.umn.edu>.
- ☒ Silva, G.; Orrego, O.; Hepp, R. & Tapia, M. 2005. Búsqueda de plantas con propiedades insecticidas para el control de *Sitophilus zeamais* en maíz almacenado. Pesq. Agropec. Bras., 40 (1): 11-17.
- ☒ Simmonds, M.S.J. 2006. The search for plant-derived compounds with antifeedant activity. En: Rai, M. & Carpinella, M.C. Naturally Occurring Bioactive Compounds. Elsevier B. V. Netherlands. Cap. 13: 291-325.

- ▣ Singh, S.P.; Raghavendra, K., Singh, R.K. & Subbarao, S.K. 2001. Studies on the larvicidal properties of leaf extract of *Solanum nigrum* Linn (Family: Solanaceae). *Curr. Sci.*, 81(12): 1529-1530.
- ▣ Sivagnaname, N. & Kalyanasundaram, M. 2004. Laboratory Evaluation of Methanolic Extract of *Atlantia monophylla* (Family: Rutaceae) against Immature Stages of Mosquitoes and Non-target Organisms. *Mem. Inst. Oswaldo Cruz*, 99(1): 115-118.
- ▣ Soderlund, D.M. & Knipple, D.C. 2003. The molecular biology of knockdown resistance to pyrethroid insecticides. *Insect Biochem. Molec.*, 33: 563–577.
- ▣ Soulé, S.; Guètner, C.; Vazquez, A.; Argandonä, V.; Moyna, P. & Ferreira, F. 2000. An aphid repellent glycoside from *Solanum laxum*. *Phytochemistry*, 55: 217-222.
- ▣ Spurr, E.B. & McGregor, P.G. 2003. Potential invertebrate antifeedants for toxic baits used for vertebrate pest control. A literature review. *Science for Conservation* 232. Wellington, New Zealand. 35pp.
- ▣ Stanislaw, I & Bogna, W. 1996. Repellency of powdered plant material of the Indian neem tree, the Labrador tea, and the sweet-flag, to some stored product pests. *Polish Journal of Entomology*, 65: 61-67.
- ▣ Steinbauer, M.J. 1995. The Insecticidal and Repellent Activity of *Schinus molle* L. (Anacardiaceae) against *Drosophila melanogaster* Meigen (Diptera: Drosophilidae) and *Tribolium confusum* Jacquelain Du Val (Coleoptera: Tenebrionidae). *Gen. Appl. Ent.*, 26: 13-18.
- ▣ Stejskal, V.; Lukás, J & Aulicky, R. 2003. Lower Development Threshold and Thermal Constant in the German Cockroach, *Blattella germanica* (L.) (Blattodea: Blattellidae). *Plant Protect. Sci.*, 31(1): 35-38.
- ▣ Steltenkamp, R.J.; Hamilton, R.L.; Cooper, R.A. & Schal, C. 1992. Alkyl and Aryl Neoalkanamides: Highly Effective Insect Repellents. *J. Med. Entomol.* 29(2): 141-149.
- ▣ Stoka, A. 1988. Disruption of development on Triatoma bugs by action of juvenile hormone analogues. *Revista Argentina de Microbiología*, 20(Supl): 86-90.
- ▣ Strass, M.D.; Arduoso, L.R.F & Crisci, C.D. 2002. Prevalencia de sensibilidad a aeroalergenos en pacientes con rinitis y/o asma en el sur de Misiones y noreste de Corrientes, Argentina. *Archivos de Alergia e Inmunología Clínica*, 33(2): 47-52.

- ▣ Stubblefield, R.E. 1986. Influence of phenology on carbohydrate trends aid herbicidal control on silverleaf nightshade (*Solanum eleagnifolium* CAV.). Thesis in Master of Science, Faculty of Texas Tech University, EEUU. 72pp.
- ▣ Su, T. & Mulla, M.S. 1998. Antifeedancy of Neem Products Containing Azadirachtin against *Culex tarsalis* and *Culex quinquefasciatus* (Diptera: Culicidae). J. Vector Ecol., 23(2): 114-122.
- ▣ Sugiura, M.; Horibe, Y.; Kawada, H. & Takagi, M. 2008. Insect spiracle as the main penetration route of pyrethroids. Pestic. Biochem. Phys., 91: 135-140.
- ▣ Sukontason, K.L.; Boonchu, N.; Sukontason, K. & Choochote, W. 2004. Effects of eucalyptol on house fly (DIPTERA: MUSCIDAE) and blow fly (DIPTERA: CALLIPHORIDAE). Rev. Inst. Med. Trop., 46(2): 97-101.
- ▣ Tachbele, E.; Erku, W.; Gebre-Michael, T. & Ashenafi, M. 2006. Cockroach-associated food-borne bacterial pathogens from some hospitals and restaurants in Addis Ababa, Ethiopia: Distribution and antibiograms. Journal of Rural and Tropical Public Health, 5: 34-41.
- ▣ Taiariol, D.R.; Vassena, C.V.; Picollo, M.I.; Alzogaray, R.A. & Zerba, E.N. 2001. Resistencia a Insecticidas en *Blattella germanica* de Buenos Aires. Acta Toxicol. Argent., 9(2): 92-95.
- ▣ Talukder, F.A. & Howse, P.E. 1995. Evaluation of *Aphanamixis polystachya* as a Source of Repellents, Antifeedants, Toxicants and Protectants in Storage Against *Tribolium castaneum* (Herbst). J. Store Prod. Res., 31(I): 55-61.
- ▣ Tan, J.; Liu, Z.; Tsai, T.D.; Valles, S.M. Goldin, A.L. & Dong, K. 2002. Novel sodium channel gene mutations in *Blattella germanica* reduce the sensitivity of expressed channels to deltamethrin. Insect Biochem. Molec., 32: 445-454.
- ▣ Tarelli, G.; Zerba, E.N. & Alzogaray, R.A. 2009. Toxicity to vapor exposure and topical application of essential oils and monoterpenes on *Musca domestica* (Diptera: Muscidae). J. Econ. Entomol., 102(3):1383-1388.
- ▣ Tegegne, G.; Pretorius, J.C. & Swart, W.J. 2008. Antifungal properties of *Agapanthus africanus* L. extracts against plant pathogens. Crop Prot., 27(7): 1052-1060.
- ▣ Terhune, S.J.; Hogg J.W. & Lawrence, B.M. 1974. β -Spathulene: a new sesquiterpene in *Schinus molle* oil. Phytochemistry, 13: 865-866.

- ☒ Thavara, U.; Tawatsin, A.; Bhakdeenuan, P; Wongsinkongman, P.; Boonruad, T.; Bansiddhi, J.; Chavalittumrong, P.; Komalamisra, N.; Siriyasatien, P. & Mulla, M.S. 2007. Repellent activity of essential oils against cockroaches (DICTYOPTERA: BLATTIDAE, BLATTELLIDAE, and BLABERIDAE) in Thailand. Southeast Asian J. Trop. Med. Public Health, 38(4): 663.
- ☒ Toledo Z.D.A.; Herrera, J.R.B. & Ajmat, M.d.V. 1988. Los órdenes de los insectos III Pterygota. Orden: Dictyoptera. En: Ajmat, Z.D.; Bennasar, J.R. & Terán, A.L. Los órdenes de los insectos. 3º Parte. Fundación Miguel Lillo. Miscelánea 82, 25 pp.
- ☒ Toloza, A.C.; Zygadlo, J.; Mougarure Cueto, G.; Biurrun, F.; Zerba, E. & Picollo, M.I. 2006. Fumigant and Repellent Properties of Essential Oils and Component Compounds Against Permethrin-Resistant *Pediculus humanus capititis* (Anoplura: Pediculidae) from Argentina. J. Med. Entomol., 43(5): 889-895.
- ☒ Tollrian, R. & Harvell, C.D. 1998. The Ecology and Evolution of Inducible Defenses. Princeton University Press, EEUU. 383 pp.
- ☒ Tripathi, L. & Tripathi, J.N. 2003. The production of solasodine from calli of *Solanum eleagnifolium*. Tropical Journal of Pharmaceutical Research, 2(2): 243-253.
- ☒ Tunaz, H.; Mehmet Kibilay, E.R. & Işıkber, A.A. 2009. Fumigant Toxicity of Plant Essential Oils and Selected Monoterpenoid Components against the Adult German Cockroach, *Blattella germanica* (L.) (Dictyoptera: Blattellidae). Turk. J. Agric. For., 33: 211-217.
- ☒ Ulloa, C. 2006. Aromas y sabores andinos. En: Moraes, M.R.; Øllgaard, B.; Kvist, L.P.; Borchsenius, F. & Balslev, H. Botánica Económica de los Andes Centrales Parte IV: Usos de Plantas en los Andes Centrales. Universidad Mayor de San Andrés, La Paz, Bolivia. 313-329.
- ☒ Umeda, K.; Yano, T. & Hirano, M. 1988. Pyrethroid-resistance mechanism in German cockroach, *Blattella germanica* (Dictyoptera: Blattellidae). Appl. Entomol. Zool., 23: 373-380.
- ☒ Vahabi, A.; Rafinejad, J.; Mohammadi, P. & Biglarian, F. 2007. Regional evaluation of bacterial contamination in hospital environment cockroaches. Iranian Journal of Environmental Health Science & Engineering, 4(1): 57-60.
- ☒ Vallejo-Marín, M. & O'Brien, H.E. 2007. Correlated evolution of self-incompatibility and clonal reproduction in *Solanum* (Solanaceae). New Phytologist, 173: 415-421.


- Valles, S.M.; Strong, C.A. & Koehler, P.G. 1996. Inter- and intra-instar food consumption in the German cockroach, *Blattella germanica*. Entomol. Exp. Appl., 79: 171-178.
- Valles, S.M. & Yu, S.J. 1996. Detection and Biochemical Characterization of Insecticide Resistance in the German cockroach (Dictyoptera: Blattellidae). J. Econ. Entomol., 89 (1): 21-26.
- Valles, S.M. & Strong, C.A. 2001. A Microsomal Esterase Involved in Cypermethrin Resistance in the German Cockroach, *Blattella germanica*. Pestic. Biochem. Phys., 71: 56-67.
- Valles, S.M. 2008. Insecticides. En: Capinera, J.L. Encyclopedia of Entomology. 2 ed. Springer Science + Business Media B.V. German. 1981-1993pp.
- Van Driesche, R.G. & Hoddle, M.S. 2003. Biological Control of Insect Pests. En: Resh, V.H. & Cardé, R.T. Encyclopedia of Insects. Academic Press. EEUU. 103-115.
- van Emden, H.F. & Service, M.W. 2004. Pest and Vector Control. Cambridge University Press. UK. 362 pp.
- van Wijnen, J.H.; Verhoeff, A.P.; Mulder-Folkerts, D.K.; Brachel, H.J. & Schou, C. 1997. Cockroach allergen in house dust. Allergy, 52(4): 460-464.
- wada-Katsumata, A.; Ozaki, M.; Yokohari, F.; Nishikawa, M. & Nishida, R. 2009. Behavioral and electrophysiological studies on the sexually biased synergism between oligosaccharides and phospholipids in gustatory perception of nuptial secretion by the German cockroach. J. Insect Physiol., 55(8): 742-750.
- Wafford, K.A.; Lummis, S.C.R. & Sattelle, D.B. 1989. Block of an insect central nervous system GABA receptor by cyclodiene and cyclohexane insecticides. Proceedings of the Royal Society B: Biological Science, 237: 53-61.
- Waka, M.; Hopkins, R.J.; Glinwood, R. & Curtis, C. 2006. The effect of repellents Ocimum forskolei and deet on the response of *Anopheles stephensi* to host odours. Med. Vet. Entomol., 20: 373–376.
- Wandscheer, C.B.; Duque, J.E.; da Silva, A.A.N.; Fukuyama, Y.; Wohlke, J.L.; Adelmann, J. & Fontana, J.D. 2004. Larvicidal action of ethanolic extracts from fruit endocarps of *Melia azedarach* and *Azadirachta indica* against the dengue mosquito *Aedes aegypti*. Toxicon, 44: 829-835.
- Ware, G.W. & Whitacre, D.M. 2004. An Introduction To Insecticides. En: Ware, G.W & Whitacre, D.M. The Pesticide Book. 6th ed. Meister Media Worlwide, Ohio, EEUU. 496 pp.

- ☒ Wee, H.T. & Ho, S.H. 2003. Contact Toxicity and Repellency of *trans*-Anethole and Cinnamaldehyde to *Blattella germanica* (L.). 9th National Undergraduate Research Opportunities Programme Congress, North Spine, Nanyang Technological University.
- ☒ Weinzierl, R. & Henn, T. 1991. Alternatives in insect management: biological and biorational approaches. North Central Regional Publication 401. Cooperative Extension Service, University of Illinois. 73 pp.
- ☒ Welling, W. & Paterson, G.D. 1985. Toxicodynamics of insecticides. En: Kerkut; G.A. & Gilbert, L.I. Comprehensive insect physiology, biochemistry and pharmacology. Pergamon, Oxford, United Kingdom, Vol. 12: 603-646.
- ☒ Werdin González, J.O.; Sánchez Chopa C. & Ferrero, A. A. 2005. Actividad Repelente del Aceite Esencial de Frutos de *Schinus molle* (Anacardiaceae) en Adultos de *Nezara viridula* (Hemiptera. Pentatomidae). Rev. S.E.A., 64(4): 469-470.
- ☒ Werdin González, J.O.; Murray, A.P. & Ferrero, A.A. 2008. Bioactividad de aceites esenciales de *Schinus molle* var. areira (ANACARDIACEAE) en ninfas II de *Nezara viridula* (HEMIPTERA: PENTATOMIDAE). Bol. San. Veg. Plagas, 34: 367-375.
- ☒ White, G.B. 2006. Terminology of Insect Repellents. En: Debboun, M.; Frances, S.P. & Strickman, D. Insect repellents: principles, methods, and uses. CRC Press, Boca Ratón, EEUU. Cap. 2: 31-46.
- ☒ WHO. 2006. Cockroaches: *Blattella* spp. and other genera. En: Pesticides and their Application: For the control of vectors and pests of public health importance. 6 ed. WHO/CDS/NTD/WHOPES/GCDPP/ 2006.1. 70-74.
- ☒ Wickham, J.C. 1995. Conventional Insecticides. En : Rust, M.K.; Owens, J.M. & Reierson, D.A. Understanding and Controlling the German Cockroach. Oxford University Press, EEUU. Cap. 6: 109-147.
- ☒ Willis, E.R. & Lewis, N. 1957. The Longevity of Starved Cockroaches. J. Econ. Entomol., 50(4): 438-440.
- ☒ Willis, E.R; Riser, G.R. & Roth, L.M. 1958. Observations on reproduction and development in cockroaches. Ann. Entomol. Soc. Am., 51: 53-69
- ☒ Wimalaratne, P.D.C. 1993. Isolation and Identification of house fly, *Musca domestica* L., Repellents in the Pepper Tree, *Schinus molle* L. Thesis of Master of Science, Department of Chemistry, Simon Fraiser University, Canadá. 119 pp.

- ☒ Xie, Y.S.; Bodnaryk, R.P. & Fields, P.G. 1996. A rapid and simple flour disk bioassay for testing natural substances active against stored-product insects. Can. Entomol., 128: 865-875.
- ☒ Xue, F; Lefu; Y. & Feng, G.E. 2009. Habitat influences on diversity of bacteria found on German cockroach in Beijing. J. Environ. Sci., 21: 249–254.
- ☒ Yajima, T. & Munakata, K. 1979. Phloroglucinol-type Furocoumarins, a Group of Potent Naturally Ocurring Insect Antifeedant. Agric. Biol. Chem., 43(8): 1701-1706.
- ☒ Yang, Y.C.; Lee, H.S.; Clark, J.M. & Ahn, Y. J.. 2004. Insecticidal Activity of Plant Essential Oils Against *Pediculus humanus capitinis* (Anoplura: Pediculidae). J. Med. Entomol., 41(4): 699-704.
- ☒ Yueqin, Z.; Recio, M.C.; Máñez, S.; Giner, R.M.; Cerdá-Nicolás, M. & Ríos, J.L. 2003. Isolation of two triterpenoids and a biflavanone with anti-Inflammatory activity from *Schinus molle* fruits. Planta Med., 69(10): 893-898.
- ☒ Zerba, E. 1988. Insecticidal activity of pyrethroids on insects of medical importance. Parasitol. Today., 4: 53-57.
- ☒ Zhai, J. & Robinson, W.H. 1991. Pyrethroid resistance in a field population of German cockroach, *Blattella germanica* (L.). Japanese Journal of Sanitary Zoology, 42: 241-244.
- ☒ Zhao, X.; Salgado, V.L.; Yeh, J.Z. & Narahashi, T. 2003. Differential Actions of Fipronil and Dieldrin Insecticides on GABA_Gated Chloride Channels in Cockroach Neurons. J. Pharmacol. Exp. Ther., 306:914-924.
- ☒ Zhu, K.Y. 2008. Insecticide Resistance. En: Capinera, J.L. Encyclopedia of Entomology. 2 ed. Springer Science + Business Media B.V., German. 1979-1981pp.
- ☒ Zimdahl, R.L. 2004. Weed-crop competition: a review. 2 ed. Wiley-Blackwell, Iowa, EEUU. 220 pp.
- ☒ Zouiten, H.; Abbassi, K.; Atay-Kadiri, Z.; Mzari, M.; El Mahi, M. & Essassi, E.M.. 2006. Insecticidal activity of *Solanum sodomaeum* (Solanaceae) extracts on *Schistocerca gregaria* (Forskål) larvae. Journal of Orthoptera Research, 15(2): 171-173.
- ☒ Zurek, L.; Wes Watson, D. & Schal, C. 2002. Synergism between *Metarhizium anisopliae* (Deuteromycota: Hyphomycetes) and Boric Acid against the German Cockroach (Dictyoptera: Blattellidae). Biol. Control., 23: 296-302.

- ☒ Zurek, L; Gore, J.C.; Stringham, S.M.; Watson, D.W.; Waldvogel, M.G. & Schal, C. 2003. Boric Acid Dust as a Component of an Integrated Cockroach management program in Confined Swine Production. *J. Econ. Entomol.*, 96(4): 1362-1366.

Apéndice



Publicaciones derivadas de la presente Tesis:

- ✿ Sánchez Chopa, C.; Alzogaray, R. & Ferrero, A. 2006. Repellency Assays with *Schinus molle* var. *areira* (L.) (Anacardiaceae) Essential Oils against *Blattella germanica* L. (Blattodea: Blattellidae). Bioassay 1(6): 1-3. (ISSN: 1809-8460).
- ✿ Ferrero, A.A; Sánchez Chopa, C.; Werdin González, J & Alzogaray, R.A. 2007. Repellence and Toxicity of *Schinus molle* extracts on *Blattella germanica*. Fitoterapia 78(4):311-314. (ISSN: 0367-326X).
- ✿ Sánchez Chopa, C.; Benzi, V.; Alzogaray, R. & Ferrero, A.A. 2009 Actividad repelente de los extractos hexánicos y etanólicos de frutos de *Solanum eleagnifolium* (Solanaceae) sobre adultos de *Blattella germanica* (Insecta, Dictyoptera, Blattellidae). Boletín Latinoamericano y del Caribe de Plantas Medicinales y Aromáticas, 8 (3), 172 – 175. (ISSN: 0717-7917).

Presentaciones a Congresos vinculadas con la Tesis:

- ✿ Sánchez Chopa, C.; Werdin, J; Descamps, L.R. y Ferrero, A.A. 2004. “Repelencia a extractos de hojas y frutos de *Schinus molle* (Anacardiaceae) en *Blattella germanica* (Insecta, Dictyoptera, Blattidae)”. XXVI Congreso Nacional de Entomología, Concepción, Chile.
- ✿ Sánchez Chopa, C.; Werdin, J; Descamps, L.R. y Ferrero, A.A. 2004. “Actividad insecticida de extractos de hojas y frutos de *Schinus molle* (Anacardiaceae) en *Blattella germanica* (Insecta, Dictyoptera, Blattidae)”. XXVI Congreso Nacional de Entomología, Concepción, Chile.
- ✿ Murray, A.P.; Rodriguez, S.A.; Vela Gurovic, M.S.; Mulet, M.C.; Sánchez Chopa, C. y Ferrero, A.A. 2005. “Actividad biológica y composición química de los aceites esenciales de frutos y hojas de *Schinus areira* L.” XV Simposio Nacional de Química Orgánica. Mar del Plata. Argentina.
- ✿ Sánchez Chopa, C.; Werdin, J.O.; Alzogaray R.A: y Ferrero, A.A. 2006 “Actividad fumigante de los aceites esenciales de hojas y frutos de *Schinus areira* (Anacardiaceae) en *Blattella germanica* (Dictyoptera, Blattellidae)”. III Congresso Brasileiro de Defensivos Agrícolas Naturais (III COBRADAN). Belém (Pará, Brasil).
- ✿ Sánchez Chopa, C.; Werdin González, J.O.; Alzogaray, R.A. y Ferrero, A.A. 2006. “Actividad fumigante de los extractos etanólicos y hexánicos de hoja de *Schinus molle* var: *areira* (Anacardiaceae) en *Blattella germanica* (Dictyoptera, Blattellidae). XII Jornadas Fitosanitarias Argentinas. Catamarca, Argentina.

- ✿ Sánchez Chopá, C.; Alzogaray, R. y Ferrero, A. 2006. Evaluación de la Fisiología Nutricional de *Blattella germanica* (Dictyoptera; Blattellidae) frente a extractos hexánicos de frutos de *Schinus molle* var *areira* (Anacardiaceae). XXVIII Congreso Nacional de Entomología. Temuco, Chile.
- ✿ Sánchez Chopá, C.; Alzogaray, R. y Ferrero, A. 2007. Actividad fumigante de los extractos etanólicos y hexánicos de frutos de *Schinus molle* var: *areira* (Anacardiaceae) en *Blattella germanica* (Dictyoptera; Blattellidae). Jornadas de la Sociedad de Biología de Córdoba. Primera Reunión Conjunta de Sociedades de Biología de la República Argentina. Huerta Grande, Córdoba, Argentina.
- ✿ Sánchez Chopá, C.; Alzogaray, R. y Ferrero, A. 2007. Avaliação do efeitos inseticidas com óleos vegetais de *Schinus molle* var. *areira* (Anacardiaceae) em *Blattella germanica* (Blattodea: Blatellidae). V Encontro Brasileiro de Ecologia (V EBEQ) Química. Londrina, Brasil.
- ✿ Sánchez Chopá, C.; Alzogaray, R. y Ferrero, A. 2007. Evaluación de la fisiología nutricional de *Blattella germanica* (Dictyoptera; Blattellidae) frente a los aceites esenciales de hojas y frutos de *Schinus molle* var *areira* (Anacardiaceae). XVI Simposio Nacional de Química Orgánica. Mar del Plata, Argentina.
- ✿ Sánchez Chopá, C.; Gutiérrez, M.M.; Alzogaray, R. y Ferrero, A. 2007. Evaluación de la actividad fumigante de los extractos etanólicos de hoja y fruto de *Solanum eleagnifolium* (Solanaceae) en *Blattella germanica* (Dictyoptera; Blattellidae). XXIX Congreso Nacional de Entomología. Santiago, Chile.
- ✿ Sánchez Chopá, C.; Alzogaray, R. y Ferrero, A. 2007. Evaluación de la fisiología nutricional de *Blattella germanica* (Dictyoptera; Blattellidae) frente al extracto hexánico de hojas de *Schinus molle* var. *areira* (Anacardiaceae). XXIX Congreso Nacional de Entomología. Santiago, Chile.
- ✿ Sánchez Chopá, C.; Alzogaray, R.A. y Ferrero, A.A. 2008. Avaliação de extratos hexânicos de *Solanum eleagnifolium* (Solanaceae) no controle de *Blattella germanica* (Blattodea: Blatellidae) em condições de laboratório. XXII Congresso Brasileiro de Entomologia, Uberlandia, Brasil.
- ✿ Sánchez Chopá, C; Alzogaray, R.A. y Ferrero, A.A. 2008. Evaluación de los índices nutricionales de *Blattella germanica* (Dictyoptera; Blattellidae) frente al extracto etanólico de hojas de *Schinus molle* var. *areira* (Anacardiaceae). IV Congresso Brasileiro de Defensivos Agrícolas Naturais. (IV COBRADAN), Belém Pará, Brasil.

- ✿ Sánchez Chopa, C.; Visciarelli, E.; Alzogaray, R. y Ferrero, A. 2008. Evaluación de la fisiología nutricional de *Blattella germanica* (Dictyoptera; Blattellidae) frente al extracto etanólico de frutos de *Schinus molle* var. *areira* (Anacardiaceae). XXX Congreso Nacional de Entomología, Talca, Chile.
- ✿ Sánchez Chopa, C.; Benzi, V.; Alzogaray, R. y Ferrero, A.A. 2009. Actividad repelente de los extractos hexánicos y etanólicos de frutos de *Solanum eleagnifolium* (Solanaceae) en adultos de *Blattella germanica* (Insecta, Dictyoptera, Blattidae). 1º Congreso Internacional de Farmacobotánica, Chillán, Chile.
- ✿ Sánchez Chopa, C.; Benzi, V. y Ferrero, A.A. 2009. Efecto del Extracto Hexánico de Hojas de *Solanum eleagnifolium* (Solanaceae) sobre la Fisiología Nutricional de machos adultos de *Blattella germanica* (Dictyoptera; Blattellidae), Plaga Urbana. XIII Jornadas Fitosanitarias Argentinas, Termas de Río Hondo, Argentina.
- ✿ Sánchez Chopa, C.; Benzi, V.S.; Alzogaray, R.A. y Ferrero, A.A. 2009. Actividad Antialimentaria y Fagodisuasiva del Extracto Hexánico de Hojas de *Solanum eleagnifolium* (Solanaceae) en machos adultos de *Blattella germanica* (Dictyoptera; Blattellidae). XVIII Simposio Nacional de Química Orgánica, Mendoza, Argentina.
- ✿ Sánchez Chopa, C.; Benzi, V.S.; Alzogaray, R.A. y Ferrero, A.A. 2009. Repelencia de extractos de *Solanum eleagnifolium* (Solanaceae) en adultos de *Blattella germanica* (Dictyoptera; Blattellidae). V Simposio Brasileiro de Óleos Essenciais, Río de Janeiro, Brasil.
- ✿ Sánchez Chopa, C.; Benzi, V.S.; Descamps, L.R. y Ferrero, A.A. 2009. Repelencia de extractos de *Solanum eleagnifolium* (Solanaceae) en adultos de *Blattella germanica* (Dictyoptera; Blattellidae) antenactomizados. XXXI Congreso Nacional de Entomología, Santiago, Chile.